

MONTHLY NOTICES

OF THE

ROYAL ASTRONOMICAL SOCIETY

CONTAINING

PAPERS PUBLISHED IN THE PERIOD
1987 NOVEMBER TO DECEMBER

VOL 229

(INCORPORATING ANNUAL INDEX
VOLS 224-229)

EDITORIAL BOARD

DR M. J. BARLOW, DEPARTMENT OF PHYSICS AND ASTRONOMY, UNIVERSITY COLLEGE, LONDON

DR R. F. CARSWELL, INSTITUTE OF ASTRONOMY, CAMBRIDGE

DR M. G. EDMUNDS, DEPARTMENT OF APPLIED MATHEMATICS AND ASTRONOMY, CARDIFF

PROFESSOR A. C. FABIAN, INSTITUTE OF ASTRONOMY, CAMBRIDGE

DR D. R. FLOWER, DEPARTMENT OF PHYSICS, UNIVERSITY OF DURHAM


DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE

DR R. S. STOBIE, ROYAL OBSERVATORY, EDINBURGH

PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE

DR P. M. WILLIAMS, ROYAL OBSERVATORY, EDINBURGH

Published for the Royal Astronomical Society by
Blackwell Scientific Publications
Oxford London Edinburgh Boston Palo Alto Melbourne



AUTHOR INDEX

- Ables, J.G., Forster, J.R., Manchester, R.N., Rayner, P.T., Whiteoak, J.B., Mathewson, D.S., Kalnajs, A.J., Peters, W.L., Wehner, H. An H I study of the galaxy NGC 4945 with a two-element synthesis telescope, **226**, 157
- Ables, J.G. *see* Forster, J.R.
- Adams, D.J. *see* Adamson, A.J.
- Adamson, A.J., Adams, D.J., Warwick, R.S. Near-infrared observations of M83, **224**, 367
- Adamson, A.J. *see* Bell, S.A.
- Ade, P.A.R. *see* Chase, S.T.
- Adelman, S.J. Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms - II. The mercury-manganese stars 53 Tauri, Mu Leporis and Kappa Cancri, **228**, 573
- Adelman, S.J., Hill, G. Elemental abundance analyses with coadded DAO spectrograms - I. The field horizontal-branch stars HD 64488, 109995 and 161817, **226**, 581
- Agrawal, P.C., Singh, K.P., Riegler, G.R. X-ray intensity and spectral variations in the BL Lac sources H2155-304 and PKS0548-322, **227**, 525
- Aikman, G.C.L. *see* McPadden, A.D.
- Aitken, D.K. *see* Robinson, G.
- Aitken, D.K. *see* Roche, P.F.
- Albinson, J.S. *see* Callus, C.M.
- Albinson, J.S. *see* Goldsmith, M.J.
- Albinson, J.S. *see* Spoelstra, T.A.T.
- Alexander, M.E. Tidal resonances in binary star systems, **227**, 843
- Alexander, M.H. *see* Dewangan, D.P.
- Alexander, P. A study of spectral ageing in the radio galaxy 3C 234 and its implications, **225**, 27
- Alexander, P., Leahy, J.P. Ageing and speeds in a representative sample of 21 classical double radio sources, **225**, 1
- Amerongen van, S., Augusteijn, T., Paradijs van, J. Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31, **228**, 377
- Andersen, J., Blecha, A., Walker, M.F. Colour-magnitude diagrams of star clusters in the Magellanic Clouds from wide-field electronography - III. NGC 1841, **229**, 1
- Anderson, M. Thermal conduction and self-similar accretion flows, **227**, 623
- Andersson, M. *see* Cox, M.J.
- Andrews, P.J. *see* Williams, I.P.
- Angelini, L. *see* White, N.E.
- Applegate, J.H. *see* Blandford, R.D.
- Arakawa, E.T. *see* Yabushita
- Araud, K.A., Johnstone, R.M., Fabian, A.C., Crawford, C.S., Nulsen, P.E.J., Shafer, R.A., Mushotzky, R.F. X-ray observations of the Ophiuchus, PKS 0745-191 and Cygnus-A clusters of galaxies, **227**, 241
- Arp, H. Concentration of bright quasars in the Sculptor Group, **226**, 5p
- Aspin, C. *see* McLean, I.S.
- Athanassoula, E. *see* Sellwood, J.A.
- Atherton, P.D. *see* Bland, J.
- Augusteijn, T. *see* Amerongen van, S.
- Axon, D. *see* McLean, I.S.
- Axon, D.J. *see* Hough, J.H.
- Axon, D.J. *see* Unger, S.W.
- Ayres, T.R. *see* Jordan, C.
- Baart, E.E. *see* Mountfort, P.I.
- Bailey, J. *see* Hough, J.H.
- Bailey, J. *see* Naylor, T.
- Bailey, J.A. *see* Hough, J.H.
- Bailey, M.E., Wilkinson, D.A., Wolfendale, A.W. Can episodic comet showers explain the 30-Myr cyclicity in the terrestrial record?, **227**, 863
- Baldwin, J.E. *see* Saunders, R.
- Balona, L.A. Mode identification from line profile variations - III. Temperature variation and toroidal modes, **224**, 41
- Balona, L.A., Engelbrecht, C.A., Marang, F. Achernar, **227**, 123
- Balona, L.A. *see* Catchpole, R.M.
- Balona, L.A. *see* Lloyd Evans, T.
- Baluja, K.L. *see* Mohan, M.
- Banhatti, D.G. The width of jets in powerful edge-brightened extragalactic double radio sources, **225**, 487
- Barcons, X., Fabian, A.C. Are Lyman α clouds non-spherical?, **224**, 675
- Barcons, X., Fabian, A.C. Cosmological implications of the anomalies in the redshift distribution of QSO Lyman α absorption systems, **229**, 157
- Baring, M. Reaction rates and spectra in relativistic plasmas, **228**, 681
- Baring, M. The effect of cooling processes on the tail of a relativistic thermal pair distribution, **228**, 695
- Barlow, M.J. The determination of the masses of Magellanic Cloud planetary nebulae using [O III] doublet ratio electron densities, **227**, 161
- Barr, P. *see* Gottwald, M.
- Barrow, J.D. *see* Coles, P.
- Barstow, M.A. Observations of X-ray emission from the RS CVn binary HD 155555 and the detection of a nearby serendipitous source, **228**, 251
- Basinska, E.M. *see* Lewin, W.H.G.
- Bateson, F.M. *see* Pringle, J.E.
- Bath, G.T. *see* Naylor, T.
- Batt, T.J. *see* Snijders, M.A.J.
- Batty, M.J. *see* White, G.L.

- Baxter, D.A., Disney, M.J., Philipps, S.
Photometric analysis and decomposition of AP
Librae (PKS 1514-24), 228, 313
- Begley, M.J., Cottrell, P.L. Evidence for
departures from LTE in Na and Al in late-type
giants, 224, 633
- Bell, A.R. The non-linear self-regulation of
cosmic ray acceleration at shocks, 225, 615
- Bell, S.A., Adamson, A.J., Hilditch, R.W.
Simultaneous differential photometry with the
St Andrews twin photometric telescope - II. The
eclipsing binaries SX Aurigae and TT Aurigae,
224, 649
- Bell, S.A., Hilditch, R.W., Adamson, A.J. A
photometric and spectroscopic study of the early-
type binary V1182 Aquilae, 225, 961
- Bell, S.A., Kilkenny, D., Malcolm, G.J. A
photometric and spectroscopic study of the early-
type binary AI Crucis, 226, 879
- Bell, S.A., Malcolm, G.J. RZ Pyxidis: an early-
type marginal contact binary, 227, 481
- Bell, S.A. *see* Hilditch, R.W.
- Bennett, A. *see* Millar, T.J.
- Berrilli, F., Lorenzetti, D., Saraceno, P.,
Straffella, F. Multiband photometry (8-13 μ m) of
Herbig Ae/Be stars, 228, 833
- Berriman, G. A new analysis of the infrared
eclipses of the ultra-short period dwarf nova OY
Carinae, 228, 729
- Berriman, G., Reid, N. Observations of M dwarfs
beyond 2.2 μ m, 227, 315
- Berriman, G. *see* Naylor, T.
- Berrington, K.A. *see* Mohan, M.
- Bertin, G. *see* Stiavelli, M.
- Beutens, R.P.A. *see* Brown, R.D.
- Bhattacharjee, S.K. On the pre-main-sequence
evolution of stars with mass accretion, 228, 289
- Biggs, J.D., McCulloch, P.M., Hamilton, P.A.,
Manchester, R.N. The drifting subpulses of PSR
0818-13, 228, 119
- Bincic, L. *see* Robinson, A.
- Binney, J., May, A., Ostriker, J.P. On the
flattening of dark haloes, 226, 149
- Bird, M.C. *see* Fosbury, R.A.E.
- Birkett, C.M., Green, S.F., Zamecki, J.C.,
Russell, K.S. Infrared and optical observations
of low-activity comets, P/Arend-Rigaux (1984c)
and P/Neujmin 1 (1984c), 225, 285
- Bjorkman, K.S. *see* Taylor, A.R.
- Blades, J.C. *see* Snijders, M.A.J.
- Blaes, O.M. Stabilization of non-axisymmetric
instabilities in a rotating flow by accretion on
to a central black hole, 227, 975
- Bland, C.J. *see* Lieu, R.
- Bland, J., Taylor, K., Atherton, P.D. The
structure and kinematics of the ionized gas
within NGC 5128 (Cen A) - I. TAURUS observations,
228, 595
- Blandford, R.D., Romani, R.W., Applegate, J.H.
Timing a millisecond pulsar in a globular
cluster, 225, 51P
- Blandford, R.D. *see* Goodman, J.J.
- Blecha, A. *see* Andersen, J.
- Bocci, F. *see* Treves, A.
- Bode, M.F., Seaquist, E.R., Evans, A. Radio survey
of classical novae, 228, 217
- Bode, M.F. *see* Callus, C.M.
- Bode, M.F. *see* Goldsmith, M.J.
- Bogdan, T.J., Webb, G.M. First-order Fermi
acceleration in the two-stream limit, 229, 41
- Bohringer, H., Hartquist, T.W. Steady models of
radiatively modified conductively driven
evaporation from interstellar clouds, 228, 915
- Boksenberg, A. *see* Falomo, R.
- Bonazzola, S. *see* Rieutord, M.
- Bond, J.R., Efstathiou, G. The statistics of
cosmic background radiation fluctuations, 226,
655
- Bond, J.R. *see* Efstathiou, G.
- Bontekoe, T.J.R., van Albada, T.S. Decay of galaxy
satellite orbits by dynamical friction, 224,
349
- Booth, R.S. *see* Dennison, B.
- Bovenschen, H. *see* van Amerongen, S.
- Boyle, B.J., Fong, R., Shanks, T., Peterson, B.A.
The evolution of optically selected QSOs, 227,
717
- Boyle, B.J. *see* Shanks, T.
- Brand, P.W.J.L. *see* Leggett, S.K.
- Branduardi-Raymont, G. *see* Kellett, B.J.
- Branduardi-Raymont, G. *see* Mason, K.O.
- Branduardi-Raymont, G. *see* White, N.E.
- Breare, J.M., Cox, G.C., Ellis, R.S., Martin,
G.P., Parry, I.R., Purvis, A., Waltham, N.R.,
Webster, J., Fosbury, R.A.E., Gellatly, D.W.,
Jordan, P.R., Lowne, C.M., Lupton, W.F., Powell,
J.R., Thorne, D.J., van Breda, I.G., Worswick,
Wynne C.G. The Faint Object Spectrograph for the
2.5-m Isaac Newton Telescope, 227, 909
- Brebner, G.C., Heaton, B., Cohen, R.J., Davies,
S.R. MERLIN and VLA observations of the star-
forming region G35.2-0.7N, 229, 679
- Breda van, I.G. *see* Breare, J.M.
- Bridle, A.H. *see* Laing, R.A.
- Briggs, G.P. *see* Robinson, G.
- Brindle, C. *see* Hough, J.H.
- Brinkman, W. *see* Stewart, G.C.
- Brooker, J.R.E. *see* Williams, G.A.
- Brosch, N. Extragalactic dust - II. Far-infrared
properties of early-type galaxies with dust
lanes, 225, 257
- Brosche, P., Sinachopoulos, D. Comparisons of
positions of extragalactic compact radio
sources, 227, 341
- Brown, A. *see* Jordan, C.
- Brown, D.R. *see* White, G.L.
- Brown, R.D., Godfrey, P.D., Betters, R.P.A. The
dipole moment of C3H2, 227, 19P
- Browne, I.W.A., Murphy, D.W. Beaming and the X-
ray, optical and radio properties of quasars,
226, 601
- Browne, I.W.A. *see* Wilkinson, A.

- Bruck, M.T. *see* Scarrott, S.M.
 Bunton, J.D. *see* Slee, O.B.
 Bunton, J.D. *see* White, G.L.
 Burgess, A., Summers, H.P. Radiative Gaunt factors, 226, 257
 Burkert, A., Hensler, G. The effect of anisotropy on galaxy formation, 225, 21p
 Burton, M.G. *see* McLean, I.S.
 Buscombe, W. *see* Stockley, T.R.
- Callanan, P.J., Fabian, A.C., Tennant, A.F., Redfern, R.M., Shafer, R.A. *EXOSAT* observations of the X-ray source in M15, 224, 781
 Callanan, P.J. *see* Fabian, A.C.
 Callus, C.M., Evans, A., Albinson, J.S., Mitchell, R.M., Bode, M.F., Jameson, R.F., King, A.R., Sherrington, M. *IRAS* additional observations of classical novae, 229, 539
 Cameron, A.C., Reid, N. Close binary stars in old stellar populations - II. Old disc clusters, 224, 821
 Cameron, D.H.M. *see* Jennings, R.W.
 Campbell, C.G. The interaction of a magnetic neutron star with an accretion disc, 229, 405
 Campbell, C.G., Mestel, L. Fragmentation of a gas cloud with orthogonal rotation and magnetic axes, 229, 549
 Carranza, G.J. *see* Torres, G.
 Carrasco, L. *see* Tapia, M.
 Carswell, R.F., Rees, M.J. Constraints on voids at high redshifts from Ly α absorbers, 224, 13p
 Carter, B.S. *see* Catchpole, R.M.
 Carter, B.S. *see* Menzies, J.W.
 Carter, D. *see* Nulsen, P.E.J.
 Casali, M.M., Edgar, M.L. $^{12}\text{CO}(J=1-0)$ observations of six southern Bok globules, 225, 481
 Caswell, J.L., Kesteven, M.J., Komesaroff, M.M., Haynes, R.F., Milne, D.K., Stewart, R.T., Wilson, S.G. The galactic radio sources G5.4-1.2 and G5.27-0.90, 225, 329
 Catchpole, R.M., Menzies, J.W., Monk, A.S., Wargau, W.F., Pollacco, D., Carter, B.S., Whitelock, P.A., Marang, F., Laney, C.D., Balona, L.A., Feast, M.W., Lloyd Evans, T.H.H., Sekiguchi, K., Laing, J.D., Kilkenny, D.M., Spencer Jones, J., Roberts, G., Cousins, A.W.J., van Vuuren, G., Winkler, H. Spectroscopic and photometric observations of SN 1987a - II. Days 51 to 134, 229, 15p
 Catchpole, R.M. *see* Glass, I.S.
 Catchpole, R.M. *see* Menzies, J.W.
 Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Phillips, S. Automated galaxy surface photometry - I. Technique, calibration and validation, 224, 557
 Cawson, M.G.M. *see* Phillips, S.
 Cawthorne, T.V. *see* Thompson, A.M.
 Chapman, J.M. *see* Staveley-Smith, L.
- Charles, P.A. *see* Corbet, R.H.D.
 Charles, P.A. *see* Mukai, K.
 Charles, P.A. *see* Naylor, T.
 Chase, S.T., Joseph, R.D., Robertson, N.A., Ade, P.A.R. A search for the Sunyaev-Zeldovich effect at millimetre wavelengths, 225, 171
 Chatterjee, S. *see* Venkatakrishnan, P.
 Cheng, F.H., Fang, L.Z. An archival study of IUE observations of low-redshift quasars, 226, 485
 Chitre, S.M. *see* Subramanian, K.
 Chotomiewski, J. On Lynden-Bell's method for the determination of the luminosity function, 226, 273
 Christensen, P.R. *see* Sommer-Larsen, J.
 Christiansen, W.A. *see* Wilkinson, A.
 Clayton, C.A. The dynamics of the giant ring nebula Hubble III in NGC 6822, 226, 493
 Clayton, C.A. *see* Meaburn, J.
 Clegg, R.E.S. Collisional effects in He I lines and helium abundances in planetary nebulae, 229, 31p
 Clegg, R.E.S., Middlemass, D. Non-LTE model atmospheres for central stars of planetary nebulae, 228, 759
 Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S. The carbon-poor halo planetary nebula DDDM-1, 224, 761
 Clowes, R.G., Iovino, A., Shaver, P. Clustering of quasars from the ROE/ESO large-scale AQD survey, 227, 921
 Clowes, R.G., Savage, A., Wang, G., Leggett, S.K., MacGillivray, H.T., Wolstencroft, R.D. *IRAS* galaxies: no evidence for a cosmological anisotropy, 229, 27p
 Clowes, R.G. *see* Leggett, S.K.
 Clube, S.V.M., Napier, W.M. The cometary breakup hypothesis re-examined: a reply, 225, 55p
 Coe, M.J., Longmore, A.J., Payne, B.J., Hanson, C.G. A near-IR study of the X-ray transient VO332+53, 226, 455
 Coe, M.J. *see* Payne, B.J.
 Coe, M.J. *see* Sembay, S.
 Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J. Narrow polarized components in the OH 1612-MHz maser emission from supergiant OH-IR sources, 225, 491
 Cohen, R.J. *see* Brebner, G.C.
 Cohen, R.J. *see* Staveley-Smith, L.
 Coles, P., Barrow, J.D. Non-Gaussian statistics and the microwave background radiation, 228, 407
 Colless, M., Hewett, P. The dynamics of rich clusters - I. Velocity data, 224, 453
 Collett, J.L., Lynden-Bell, D. On $\partial E/\partial J$ for general steady states, 224, 489
 Collins, C.A. *see* James, P.A.
 Cook, M.C., Page, C.G. The X-ray properties of 3A1907+09, 225, 381
 Cook, M.C., Warwick, R.S. Spectral variability of 4U1145-619 during X-ray outburst, 227, 661

- Cook, M.C., Warwick, R.S. A pulse timing study of the X-ray pulsar 4U1145-619, **225**, 369
- Corben, J.B. *see* White, G.L.
- Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Honey, W.B., Smale, A.P., Menzies, J.W. Optical variability of the black hole candidate GX339-4(X1659-487, V821 Ara) – limits on periodic modulation, **227**, 1055
- Corbet, R.H.D. *see* Mason, K.O.
- Cordey, R.A. IC 2476: a possible relic radio galaxy, **227**, 695
- Córdova, F.A. *see* Hellier, C.
- Córdova, F.A. *see* Mason, K.O.
- Córdova, F.A. *see* Rosen, S.R.
- Cornwell, T.J. *see* Saikia, D.J.
- Cottrell, P.L. *see* Begley, M.J.
- Couch, W.J., Sharples, R.M. A spectroscopic study of three rich galaxy clusters at $z=0.31$, **229**, 423
- Couchman, H.M.P. The statistical clustering of pregalactic objects and resultant astrophysical consequences in cosmologies with Cold Dark Matter, **225**, 795
- Couchman, H.M.P. The statistics of peaks in three-dimensional Gaussian, **225**, 777
- Cousins, A.W.J. *see* Catchpole, R.M.
- Cousins, A.W.J. *see* Menzies, J.W.
- Cox, G.C. *see* Breare, J.M.
- Cox, M.J., Scott, P.F., Andersson, M., Russell, A.P.G. HCO⁺ observations of the W51 molecular cloud, **226**, 703
- Crawford, C.S., Crehan, D.A., Fabian, A.C., Johnstone, R.M. Narrow absorption lines from cooling flows, **224**, 1007
- Crawford, C.S. *see* Amaud, K.A.
- Crawford, C.S. *see* Fabian, A.C.
- Crehan, D.A. *see* Crawford, C.S.
- Cristiani, S., Danziger, I.J., Shaver, P.A. On the absorption spectra of the quasars TOL 1037-271 and TOL 1038-272, **227**, 639
- Cropper, M. Polarimetry of BL Hyi (H0139-68) in high and low states, **228**, 389
- Cropper, M.S. *see* Kurtz, D.W.
- Crotts, A.P.S. Are voids found in the Lyman-alpha forest?, **228**, 41p
- Cudlip, W. *see* Jennings, R.W.
- Culhane, J.L. *see* Kellett, B.J.
- Culhane, J.L. *see* White, N.E.
- Czemy, B. *see* Pounds, K.A.
- Dalgarno, A. *see* Yee, J.H.
- Damen, E. *see* van Amerongen, S.
- Danby, G., Flower, D.R., Monteiro, T.S., Rotationally inelastic collisions between H₂ molecules in interstellar magnetohydrodynamical shocks, **226**, 739
- Danziger, I.J. *see* Cristiani, S.
- Danziger, I.J. *see* Sansom, A.E.
- Davies, R.D. *see* Staveley-Smith, L.
- Davies, S.R. *see* Brebner, G.C.
- Davis, R.J. *see* Padin, S.
- Dawe, J.A. *see* Fong, R.
- de Castro, E. *see* Montesinos, B.
- de Jager, G. *see* Mountfort, P.I.
- Dejonghe, H. A completely analytical family of anisotropic Plummer models, **224**, 13
- Demers, S., Irwin, M.J. The long-period variables of Fornax – I. Search, discovery and periods, **226**, 943
- Demiański, M., Łapucha, M. On the problem of topological structure of the Universe, **224**, 527
- Dennison, B., Booth, R.S. Low-frequency VLBI in space and interstellar refraction, **224**, 927
- Deryagin, D.V., Grigoriev, D. Yu., Rubakov, V.A., Sazhin, M.V. Generation of gravitational waves by the anisotropic phases in the early Universe, **229**, 357
- Dewangan, D.P., Flower, D.R., Alexander, M.H. Rotational excitation of OH by para-H₂: rate coefficients calculated in an intermediate coupling representation, **226**, 505
- Díaz, A.I., Terlevich, E., Pagel, B.E.J., Vilchez, J.M., Edmunds, M.G. Detailed spectrophotometric study of the giant H II region NGC 604, **226**, 19
- Disney, M.J. *see* Baxter, D.A.
- Disney, M.J. *see* Cawson, M.G.M.
- Disney, M.J. *see* Phillips, S.
- Dogiel, V.A., Gurevich, A.V., Instomin, Y.N., Zybin, K.P. On relativistic particle acceleration in molecular clouds, **228**, 843
- Doherty, L.R. *see* Eker, Z.
- Downes, A.J.B. *see* Green, D.A.
- Downs, G. *see* Cohen, R.J.
- Doyle, J.G. An activity-rotation relationship in F-M dwarfs from Mg II h and k flux, **224**, 1p
- Draper, P.W. *see* Scarrott, S.M.
- Draper, P.W. *see* Warren-Smith, R.F.
- Drew, J.E. Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds, **224**, 595
- Drilling, J.S. *see* Jeffery, C.S.
- Duemmler, R. *see* Duerbeck, H.W.
- Duerbeck, H.W., Seitter, W.C., Duemmler, R. Orbital elements of the exnova CP Puppis, **229**, 653
- Duffett-Smith, P.J. *see* Hajivassiliou, C.A.
- Duffett-Smith, P.J. *see* Purvis, A.
- Duffy, A.G., Hawkes, R.L., Jones, J. The determination of shower meteor parameters from single station observations, **228**, 55
- Dufton, P.L. *see* Keenan, F.P.
- Duley, W.W. Interstellar extinction and the composition of dust grains, **229**, 203
- Duley, W.W. *see* Jones, A.P.
- Duncan, R.A., Forster, J.R., Gardner, F.F., Whiteoak, J.B. VLA observations of the 4.8-GHz H₂CO transition in L1551, **224**, 721
- Durisen, R.H. *see* Wolff, M.T.
- Dyson, J.E., Hartquist, T.W. Mass loaded astronomical flows – III. The structure of supernova remnants and the local soft X-ray background, **228**, 453

- Dyson, J.E. *see* Hartquist, T.W.
Dyson, J.E. *see* Meaburn, J.
- Edgar, M.L. *see* Casali, M.M.
Edmunds, M.G. *see* Díaz, A.I.
Edwards, D.A. Instability in the red star of semi-detached binary systems - II, 226, 95
Edwards, D.A., Pringle, J.E. Numerical calculations of mass transfer flow in semi-detached binary systems, 229, 383
Efstathiou, G., Bond, J.R. Microwave anisotropy constraints on isocurvature baryon models, 227, 38p
Efstathiou, G. *see* Bond, J.R.
Einasto, J. *see* Einasto, M.
Einasto, M., Einasto, J. Structure and formation of superclusters - VI. Morphology-density-luminosity relation of isolated and grouped galaxies, 226, 543
Eker, Z., Doherty, L.R. H α region spectroscopy of the RS CVn system HR 5110, 228, 869
Ekers, R.D. *see* Goss, W.M.
Ekers, R.D. *see* Sansom, A.E.
Elgarøy, Ø. *see* Singh, K.P.
Ellis, G.F.R. *see* Stoeger, W.R.
Ellis, R.S. *see* Breare, J.M.
Ellis, R.S. *see* Sparks, W.B.
Elvis, M. *see* Unger, S.W.
Emerson, R. *see* Cohen, R.J.
Engelbrecht, C.A. Erratum: Mode identification of Beta Cephei stars in NGC 3293, 227, 543
Engelbrecht, C.A. *see* Balona, L.A.
Engvold, Ø. *see* Singh, K.P.
Evans, A. *see* Bode, M.F.
Evans, A. *see* Callus, C.M.
Evans, A. *see* Goldsmith, M.J.
Evans, A. *see* Spoelstra, T.A.T.
Evans, D.W. Density normalization of the thick disc of the Galaxy, 227, 13p
- Fabian, A.C., Crawford, C.S., Johnstone, R.M., Thomas, P.A. A cooling flow around the quasar 3C 48, 228, 963
Fabian, A.C., Guilbert, P.W., Callanan, P.J. Accretion disc coronae and the X-ray source in M15, 225, 29p
Fabian, A.C. *see* Arnaud, K.A.
Fabian, A.C. *see* Barcons, X.
Fabian, A.C. *see* Callanan, P.J.
Fabian, A.C. *see* Crawford, C.S.
Fabian, A.C. *see* Foster, A.J.
Fabian, A.C. *see* Johnstone, R.M.
Fabian, A.C. *see* Loewenstein, M.
Fabian, A.C. *see* Thomas, P.A.
Fairall, A.P. *see* McHardy, I.M.
Fairall, A.P. *see* Menzies, J.W.
Fairall, A.P. *see* O'Donoghue, D.
Falle, S.A.E.G., Giddings, J.R. Time-dependent cosmic ray modified shocks, 225, 399
Falle, S.A.E.G., Innes, D.E., Wilson, M.J. Steady stellar jets, 225, 741
Falle, S.A.E.G. *see* Innes, D.E.
Falomo, R., Boksenberg, A., Tanzi, E.G., Tarenghi, M., Treves, A. The complex, variable structure of stationary lines in SS 433, 224, 323
Fang, L.Z. *see* Cheng, F.H.
Fasano, G., Franceschini, A. A multidimensional version of the Kolmogorov-Smirnov test, 225, 155
Fawcett, B.C., Jordan, C., Lemen, J.R., Phillips, K.J.H. New spectral line identifications in high-temperature flares, 225, 1013
Feast, M.W. *see* Catchpole, R.M.
Fekel, F.C. *see* Lloyd Evans, T.
Fernández-Figuero, M.J. *see* Montesinos, B.
Femley, J.A., Jameson, R.F., Sherrington, M.R., Skillen, I. The radii and masses of dwarf Cepheids, 225, 451
Femley, J.A., Longmore, A.J., Jameson, R.F., Watson, F.G., Wesselink, T. The absolute magnitude of RR Lyraes and the distance to the Galactic Centre, 226, 927
Finn, L.S. *g*-modes in zero-temperature neutron stars, 227, 265
Fisher, W.A. *see* McFadzean, A.D.
Fitchett, M. Enhanced gravitational wave emission from perturbed wide binaries, 224, 567
Fitzsimmons, A. *see* Williams, I.P.
Flin, P. The alignment of galaxy clusters, 228, 941
Flower, D.R., Pineau des Forêts, G. Theoretical studies of interstellar molecular shocks - V. Solutions for J-type shocks as an initial value problem, 224, 403
Flower, D.R. *see* Danby, G.
Flower, D.R. *see* Dewangan, D.P.
Flower, D.R. *see* Monteiro, T.S.
Flower, D.R. *see* Pineau des Forêts, G.
Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F., Strong, A.W., Dawe, J.A., Murray, J.D. Deep Galaxy counts, H I and dust at the South Galactic Pole and in the Magellanic Stream, 224, 1059
Fong, R. *see* Boyle, B.J.
Fong, R. *see* Shanks, T.
Forster, J.R., Whiteoak, J.B., Kesteven, M.J., Manchester, R.N., Rayner, P.T., Ables, J.G., Peters, W.L. Aperture synthesis observations of galactic atomic hydrogen in the direction l -333° 5, b -0° 3, 226, 173
Forster, J.R. *see* Ables, J.G.
Forster, J.R. *see* Duncan, R.A.
Fosbury, R.A.E., Bird, M.C., Nicholson, W., Wall, J.V. The identification and nature of the powerful radio galaxy PKS 1934 - 63, 225, 761
Fosbury, R.A.E. *see* Breare, J.M.
Fosbury, R.A.E. *see* Robinson, A.
Fosbury, R.A.E. *see* Sansom, A.E.
Foster, A.J., Ross, R.R., Fabian, A.C. The formation of iron features in the cooling spectrum of X-ray bursts, 228, 259
Fowler, J.W. *see* Kuiper, T.B.H.

- Franceschini, A. *see* Fasano, G.
- Freitas Pacheco de, J.A., Veliz, J.G. The physical conditions in SwSt 1: the central star and the nebula, 227, 773
- Fuensalida, J.J. *see* Fuentes, F.J.
- Fuentes, F.J., Fuensalida, J.J., Sanchez-Magro, C. Measurements of the near-infrared stellar scintillation above the Observatorio del Teide (Tenerife), 226, 769
- Fujimoto, M. *see* Sztajno, M.
- Garcia-Pelayo, J.-M. *see* Melnick, J.
- Garden, R. *see* McLean, I.S.
- Gardner, F.F., Whiteoak, J.B., Palmer, P. VLA observations of 5-GHz excited OH lines towards Sgr B2, 225, 469
- Gardner, F.F. *see* Duncan, J.R.
- Gayley, I. *see* McLean, I.S.
- Gellatly, D.W. *see* Breare, J.M.
- Ghisellini, G. Pair production in synchrotron self-Compton models: the case of one generation of pairs, 224, 1
- Ghisellini, G. *see* Madau, P.
- Giddings, J.R. *see* Falle, S.A.E.G.
- Giddings, J.R. *see* Innes, D.E.
- Giménez, A., Kim, C.-H., Nha, H.-S. Apsidal motion in the early-type eclipsing binaries CW Cephei, Y Cygni and AG Persei, 224, 543
- Giommi, P. *see* White, N.E.
- Glass, I.S., Catchpole, R.M., Whitelock, P.A. J, H and K maps of the Galactic Centre region - II. Qualitative aspects of the interstellar absorption, 227, 373
- Glatzel, W. On the stability of compressible differentially rotating cylinder, 225, 227
- Glatzel, W. On the stability of compressible differentially rotating cylinders - II, 228, 77
- Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M. Optical imaging and polarization mapping of the variable nebula associated with the PMS star PV Cephei, 229, 643
- Gledhill, T.M. *see* Scarrott, S.M.
- Godfrey, P.D. *see* Brown, R.D.
- Godwin, J.G. *see* Metcalfe, N.
- Godwin, P.J., Lynden-Bell, D. Evidence of a small velocity dispersion for the Carina dwarf spheroidal?, 229, 7p
- Goldman, A. *see* Harris, M.J.
- Goldreich, P. *see* Goodman, J.
- Goldreich, P. *see* Narayan, R.
- Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F. Optical and infrared observations of RV Tauri stars, 227, 143
- Gómez, D.O., Niemela, V.S. LSS 2063 - a galactic Of/WN star, 224, 641
- Good, A.R. *see* Meadows, P.J.
- Good, A.R. *see* Morgan, D.H.
- Goodman, J.J., Romani, R.W., Blandford, R.D., Narayan, R. The effects of caustics on scintillating radio sources, 229, 73
- Goodman, J., Narayan, R., Goldreich, P. The stability of accretion tori - II. Non-linear evolution to discrete planets, 225, 695
- Goodman, J. *see* Narayan, R.
- Gopal-Krishna, Wiita, P.J. The expansion and cosmological evolution of powerful radio sources, 226, 531
- Goss, W.M., McAdam, W.B., Wellington, K.J., Ekers, R.D. The very low-brightness relic radio galaxy 1401-33, 226, 979
- Goss, W.M. *see* Sansom, A.E.
- Gott III, J.R., Rees, M.J. Astronomical constraints on a string-dominated universe, 227, 453
- Gottwald, M., Stella, L., White, N.E., Barr, P. An EXOSAT observation of the bursting X-ray transient 4U 1608-52, 229, 395
- Gower, A.C. *see* Saikia, D.J.
- Gratton, R.G. Radial velocities of RR Lyrae stars in the Baade Window, 224, 175
- Green, D.A. Confirmation of 3C 58's increasing radio flux density, 225, 11p
- Green, D.A., Downes, A.J.B. Radio observations of the filamentary nebula G2.4+1.4, 225, 221
- Green, D.A., Gull, S.F. Neutral hydrogen observations towards the compact radio source 0022+6352 in Tycho's SNR, 224, 1055
- Green, S.F. *see* Birkett, C.M.
- Grigoriev, D.Yu. *see* Deryagin, D.V.
- Grimm, M. *see* Cohen, R.J.
- Groot, M. *see* van Amerongen, S.
- Guilbert, P.W. *see* Fabian, A.C.
- Gulkis, S. *see* Cohen, R.J.
- Gull, S.F. *see* Green, D.A.
- Gull, T.R. *see* Leech, K.J.
- Gurevich, A.V. *see* Dogiel, V.A.
- Guthrie, B.N.G. Abundances of calcium for a sample of 57 classical Am stars, 226, 361
- Hachisu, I. *see* Sawada, K.
- Haefner, R., Schoembs, R. Periodic variations in PHL 227, 224, 231
- Hajivassiliou, C.A., Duffett-Smith, P.J. The effect of comet ion tails on radio source scintillation, 229, 485
- Hall, P.J. Decametre wavelength observations of PSR 0834+06 and PSR 1919+21, 227, 197
- Hamilton, P.A., Lyne, A.G. Faraday rotation measurements on 163 pulsars, 224, 1073
- Hamilton, P.A. *see* Biggs, J.D.
- Hanson, C.G. *see* Coe, M.J.
- Hanson, C.G. *see* Sembay, S.
- Harmon, R.T., Lahav, O., Meurs, E.J.A. The dipole anisotropy of a new, colour-selected, IRAS galaxy sample, 228, 5p
- Harnett, J.I. *see* Subrahmanya, C.R.
- Harnett, J.I. Radio continuum observations of nearby galaxies, 227, 887
- Harris, M.J., Lambert, D.L., Goldman, A. The $^{12}\text{C}/^{13}\text{C}$ and $^{16}\text{O}/^{18}\text{O}$ ratios in the solar photosphere, 224, 237

- Hartquist, T.W., Dyson, J.E. The formation of discrete high velocity molecular features, 228, 957
- Hartquist, T.W. *see* Bohringer, H.
- Hartquist, T.W. *see* Dyson, J.E.
- Hartquist, T.W. *see* Pineau des Forêts, G.
- Hasan, S.S., Sobouti, Y. Mode classification and wave propagation in a magnetically structured medium, 228, 427
- Hasegawa, T. *see* McLean, I.S.
- Hasinger, G. *see* Lewin, W.H.G.
- Hasinger, G. *see* Stollman, G.M.
- Hassall, B.J.M. *see* Naylor, T.
- Hassall, B.J.M. *see* Pringle, J.E.
- Hassall, B.J.M. *see* Verbunt, F.
- Hawkes, R.L. *see* Duffy, A.G.
- Hawley, J.F. Non-linear evolution of a non-axisymmetric disc instability, 225, 677
- Hayashi, M. *see* McLean, I.S.
- Haynes, R.F. *see* Caswell, J.L.
- Hazard, C., McMahon, R.G., Morton, D.C. A BAL QSO with $z_{\text{em}}=3.50$ and a QSO with $z=3.31$ from a UK Schmidt IIIa-F objective prism survey, 229, 371
- Heaton, B. *see* Brehner, G.C.
- Heaton, B.D. *see* Richards, P.J.
- Heavens, A.F., Meisenheimer, K. Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum, 225, 335
- Heavens, A.F. *see* Peacock, J.A.
- Heber, U. *see* Jeffery, C.S.
- Heise, J. *see* Pringle, J.E.
- Heise, J. *see* van der Woerd, H.
- Heisler, L.H. *see* Slee, O.B.
- Hellaby, C. *see* Stoeger, W.R.
- Hellier, C., Mason, K.O., Rosen, S.R., Córdoba, F.A. Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae, 228, 463
- Helou, G. *see* Rowan-Robinson, M.
- Hensler, A. *see* Burkert, A.
- Herbst, E. *see* Millar, T.J.
- Hewett, P. *see* Colless, M.
- Hewish, A. *see* Purvis, A.
- Hibbert, A. *see* Mohan, M.
- Hicks, R.B. *see* Lieu, R.
- Hilditch, R.W., Bell, S.A. On OB-type close binary stars, 229, 529
- Hilditch, R.W. *see* Bell, S.A.
- Hilditch, R.W. *see* McFadzean, A.D.
- Hilditch, R.W. *see* McFarlane, T.M.
- Hill, G. *see* Adelman, S.J.
- Hill, G. *see* McFadzean, A.D.
- Hill, P.W. *see* Jeffery, C.S.
- Hill, P.W. *see* Morrison, K.
- Hill, P.W. *see* O'Donoghue, D.
- Hills, R.E. *see* Russell, A.P.G.
- Hirst, C.J. *see* Jennings, R.W.
- Hogan, C.J., Weymann, R.J. Lyman-alpha emission from the Lyman-alpha forest, 225, 1p
- Holberg, J.B. *see* Polidan, R.S.
- Holberg, J.B. *see* Pringle, J.E.
- Honey, W.B. *see* Corbet, R.H.D.
- Home, K. *see* Marsh, T.R.
- Hough, J.H., Bailey, J.A., Rouse, M.F., Whittet, D.C.B. Interstellar polarization in the dust lane of Centaurus A (NGC 5128), 227, 1p
- Hough, J.H., Brindle, C., Axon, D.J., Bailey, J., Sparks, W.B. Infrared and optical polarimetry of the radio elliptical IC 5063 (PKS2048-57): discovery of a highly polarized non-thermal nucleus, 224, 1013
- Hough, J. *see* McLean, I.S.
- Howarth, I.D. The spectroscopic orbit of HD 128220, 226, 249
- Howarth, I.D. A subdwarf's startling stellar wind, 225, 33p
- Huang, T.-Y., Valtonen, M.J. An approximate solution to the energy change of a circular binary in a parabolic three-body encounter, 229, 333
- Hughes, D.W. On the distribution of cometary magnitudes, 226, 309
- Hummer, D.G., Storey, P.J. Recombination-line intensities for hydrogenic ions - I. Case B calculations for H I and He II, 224, 801 and on microfiche
- Hutton, R. *see* Traber, E.
- Inagaki, T. *see* Yabushita
- Innes, D.E., Giddings, J.R., Falle, S.A.E.G. Dynamical models of radiative shocks - I. Steady shocks, 224, 179
- Innes, D.E., Giddings, J.R., Falle, S.A.E.G. Dynamical models of radiative shocks - II. Unsteady shocks, 226, 67
- Innes, D.E., Giddings, J.R., Falle, S.A.E.G. Dynamical models of radiative shocks - III. Spectra, 227, 1021
- Innes, D.E. *see* Falle, S.A.E.G.
- Innis, J.L. *see* Slee, O.B.
- Inoue, M. *see* Matsuda, T.
- Inoue, M. *see* Sawada, K.
- Inoue, M. *see* Spruit, H.C.
- Instomin, Y.N. *see* Dogiel, V.A.
- Iovino, A. *see* Clowes, R.G.
- Irwin, M.J. *see* Demers, S.
- Iyengar, K.V.K., Rengarajan, T.N. IRAS observations of faint *Equatorial Infrared Catalogue 1* sources, 225, 731
- James, J.F. On the flickering of hot spots in cataclysmic variables, 224, 227
- James, P.A., Joseph, R.D., Collins, C.A. Large-scale streaming of cluster elliptical galaxies, 229, 53
- Jameson, R.F. *see* Callus, C.M.
- Jameson, R.F. *see* Fernley, J.A.
- Jansen, F. *see* Lewin, W.H.G.
- Jauncey, D.L. *see* Slee, O.B.

- Jedrzejewski, R.I. CCD surface photometry of elliptical galaxies – I. Observations, reduction and results, 226, 747
- Jeffery, C.S., Drilling, J.S., Heber, U. A radial velocity survey of extremely hydrogen-deficient stars, 226, 317
- Jeffery, C.S., Drilling, J.S., Hill, P.W. The orbital period of the hydrogen-deficient binary CPD-58° 2721, 225, 1005
- Jeffery, C.S. *see* Lynas-Gray, A.E.
- Jeffery, C.S. *see* Morrison, K.
- Jenkins, C.R. The Image Photon Counting System: performance in detail, and the quest for high accuracy, 226, 341
- Jenkins, C.R. Erratum: The Image Photon Counting System: performance in detail, and quest for high accuracy, 227, 543
- Jennings, R.E., Cameron, D.H.M., Cudlip, W., Hirst, C.J. *IRAS* observations of NGC 1333, 226, 461
- Johns, T.C., Nelson, A.H. Global simulations of gas flow in disc galaxies – II. Evolution of tilts and corrugation waves, 224, 863
- Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J. The optical spectra of central galaxies in southern clusters: evidence for star formation, 224, 75
- Johnstone, R.M., Penston, M.V. Follow-up Zeeman observations of the T Tauri Star RU Lup, 227, 797
- Johnstone, R.M. *see* Amaud, K.A.
- Johnstone, R.M. *see* Crawford, C.S.
- Johnstone, R.M. *see* Fabian, A.C.
- Jonas, J.L. *see* Mountfort, P.I.
- Jones, A.P., Duley, W.W., Williams, D.A. Interstellar extinction correlations, 229, 213
- Jones, A.P., Williams, D.A. Interplanetary material as a guide to the composition of interstellar grains, 224, 473
- Jones, D.H.P. *see* Martin, J.S.
- Jones, J. *see* Duffy, A.G.
- Jones, J.S. *see* Morrison, K.
- Jones, L.R. *see* Fong, R.
- Jones, M. *see* Perry, J.J.
- Jones, P.B. Neutron star magnetic field decay: flux expulsion from the superconducting interior, 228, 513
- Joras, P. *see* Singh, K.P.
- Jordan, C., Ayres, T.R., Brown, A., Linsky, J.L., Simon, T. The chromospheres and coronae of five G-K main-sequence stars, 225, 903
- Jordan, C. *see* Fawcett, B.C.
- Jordan, C. *see* Judge, P.G.
- Jorden, P.R. *see* Breare, J.M.
- Jordi, C., Rosselló, G. Corrections to the FK5 reference frame, 225, 723
- Joseph, R.D. *see* Chase, S.T.
- Joseph, R.D. *see* James, P.
- Judge, P.G., Jordan, C., Rowan-Robinson, M. δ Andromedae (K3 III): an *IRAS* source with an unusual ultraviolet spectrum, 224, 93
- Jugaku, J. *see* Stewart, G.C.
- Junor, W. *see* Saikia, D.J.
- Kaburaki, O. Mass accretion processes in magnetic fields: formation of quasi-Keplerian discs, 229, 165
- Kahn, F.D. *see* O'Brien, T.J.
- Kaifu, N. *see* McLean, I.S.
- Kaiser, N. Clustering in real space and in redshift space, 227, 1
- Kalafi, M. *see* Leggett, S.K.
- Kalnajs, A.J. *see* Ables, J.G.
- Kandrup, H.E. An *H*-theorem for violent relaxation?, 225, 995
- Kapahi, V.K., Shastri, P. Optically induced orientation bias in B2 radio quasars 224, 17p
- Keenan, F.P., Dufton, P.L., Kingston, A.E. The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars, 225, 859
- Kellett, B.J., Branduardi-Raymont, G., Culhane, J.L., Mason, I.M., Mason, K.O., Whitehouse, D.R. *EXOSAT* observations of the SNR PKS 1209 - 52, 225, 199
- Kemp, J.C. *see* Stewart, G.C.
- Kenson, G.D. *see* Stewart, G.C.
- Kesteven, M.J. *see* Caswell, J.L.
- Kesteven, M.J. *see* Forster, J.R.
- Khalilullina, A.I. DR Vulpeculae: the quadruple system, 225, 425
- Kibblewhite, E.J. *see* Cawson, M.G.M.
- Kibblewhite, E.J. *see* Phillips, S.
- Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S. Synchrotron X-ray haloes around gamma ray sources, 228, 243
- Kilkenny, D. Photometry of faint blue stars – VII. More southern stars, 228, 713
- Kilkenny, D. Photometry of faint blue stars – VIII. Photometry in UKST areas 345 and 788/9, 229, 345
- Kilkenny, D. *see* Bell, S.A.
- Kilkenny, D. *see* Lynas-Gray, A.E.
- Kilkenny, D. *see* Menzies, J.W.
- Kilkenny, D. *see* Whittet, D.C.B.
- Kilkenny, D.M. *see* Catchpole, R.M.
- Kim, C.H. *see* Giménez, A.
- King, A.R. Mass transfer rates and soft X-ray excess in AM Herculis binaries, 227, 205
- King, A.R. *see* Callus, C.M.
- King, A.R. *see* Pounds, K.A.
- King, A.R. *see* Watson, M.G.
- King, A.R. *see* Williams, G.A.
- King, D.J. *see* Whittet, D.C.B.
- King, D.J. A cometary globule with an embedded star, 226, 473
- Kingston, A.E. *see* Keenan, F.P.
- Kirrane, T.M. *see* Whittet, D.C.B.
- Klis van der, M. *see* Stollman, G.M.
- Komesaroff, M.M. *see* Caswell, J.L.
- Kontizas, E. *see* Kontizas, M.
- Kontizas, M., Theodossiou, E., Kontizas, E. SMC globular clusters: candidates for mass segregation?, 227, 257
- Kotanyi, C. *see* Wilkinson, A.
- Kraakman, H. *see* van Amerongen, S.

- Kraus, D.J. *see* Stewart, G.C.
- Krishnan, V. Anomalous heating of quasar emission-line regions, 226, 629
- Krishna Swamy, K.S. Synthetic Swan band profiles of (1, 0) of $^{12}\text{C}^{13}\text{C}$ and (0, 0) of $^{12}\text{C}^{12}\text{C}$ and $^{12}\text{C}^{13}\text{C}$ in comets, 224, 537
- Krishna Swamy, K.S., Wallis, M.K. Sulphur compounds in cometary IUE spectra, 228, 305
- Kuiper, T.B.H., Whiteoak, J.B., Fowler, J.W., Rice, W. IRAS observations of southern molecular clouds, 227, 1013
- Kumar, S. Twisted accretion discs - III. Application to Epsilon Aurigae, 225, 823
- Kurtz, D.W., Cropper, M.S. A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an $l=1$ oblique dipole oscillation, 228, 125
- Kurtz, D.W., Marang, F. The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations - I. The Rapidly Oscillating Ap star, HD 6532; the F2 IV/V star, HD 6491; and the He-weak B star, HD 6491; and the He-weak B star, HD 5737 (HR 280, αScI), 228, 141
- Kurtz, D.W., Marang, F. The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations - II. HR 1217 (HD 24712), 229, 285
- Kurtz, D.W., Martinez, P. The discovery and analysis of oscillations with periods between 8.8 and 9.1 min in the cool magnetic Ap star HD 166473, 226, 187
- Lahav, O. *see* Harmon, R.T.
- Lahave, O. Optical dipole anisotropy, 225, 213
- Laing, J.D. *see* Catchpole, R.M.
- Laing, R.A., Bridle, A.H. Rotation measure variation across M84, 228, 557
- Lambas, D.G. *see* Navarro, J.F.
- Lambert, D.L. *see* Harris, M.J.
- Lambert, D.L. *see* Smith, V.V.
- Lamers, H.J.L.M. *see* Taylor, A.R.
- Landstreet, J.D. On the importance of the decay-induced Lorentz force to the photospheric structure of hot magnetic stars, 225, 437
- Laney, C.D. *see* Catchpole, R.M.
- Laney, C.D. *see* Menzies, J.W.
- Laney, C.D. *see* Walker, A.R.
- Langmeier, A. *see* Lewin, W.H.G.
- Łapucha, M. *see* Dermiański, M.
- Large, M.I. *see* Slee, O.B.
- Lasenby, A.N. *see* Padin, S.
- LaViolette, P.A. The cometary breakup hypothesis re-examined, 224, 945
- Lawrence, A. *see* Unger, S.W.
- Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L. Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere, 225, 307
- Leahy, D.A. *Einstein* X-ray observations of the supernova remnant HB21, 228, 907
- Leahy, J.P. Small-scale variations in the Galactic Faraday rotation, 226, 433
- Leahy, J.P. *see* Alexander, P.
- Leahy, J.P. *see* Pooley, G.G.
- Lee, U., Saio, H. Low-frequency oscillations of uniformly rotating stars, 224, 513
- Lee, U., Saio, H. Non-adiabatic analysis of low-frequency oscillations of uniformly rotating stars, 225, 643
- Leech, K.J., Penston, M.V., Snijders, M.A.J., Gull, T.R. The Mg II line profile in the Seyfert galaxy NGC 4151: a new outflowing component, 225, 837
- Leggett, S.K., Brand, P.W.J.L., Mountain, C.M. The origin of the far-infrared flux from spiral galaxies, 228, 11P
- Leggett, S.K., Clowes, R.G., Kalafi, M., MacGillivray, H.T., Puxley, P.J., Savage, A., Wolstencroft, R.D. An infrared-optical study of IRAS point sources in the Virgo region, 227, 563
- Leggett, S.K. *see* Clowes, R.G.
- Leibowitz, E.M. *see* Stewart, G.C.
- Lemen, J.R. *see* Fawcett, B.C.
- Lepp, S. *see* Yee, J.H.
- Lester, J.B. On the colours of Am stars, 227, 135
- Lewin, W.H.G., van Paradijs, J., Hassinger, G., Penninx, W.H., Langmeier, A., van der Klis, M., Jansen, F., Basinska, E.M., Sztajno, M., Trümper, J. oscillations in the X-ray flux of GX 3+1 (4U 1744-26), 226, 383
- Lewin, W.H.G. *see* Stollman, G.M.
- Lewin, W.H.G. *see* Sztajno, M.
- Lewin, W.H.G. *see* Wijers, R.A.M.J.
- Lieu, R., Hicks, R.B., Bland, C.J. Performance of maximum entropy image restoration method, 229, 49P
- Lilly, S.J. The evolution of galaxies at moderate redshift, 229, 573
- Lilly, S.J., Prestage, R.M. Surface photometry of powerful radio galaxies - II. Relations with the radio, optical, and clustering properties, 225, 531
- Lin, D.N.C., Papaloizou, J.C.B., Ruden, S.P. On the confinement of planetary arcs, 227, 75
- Lin, D.N.C., Pringle, J.E. A viscosity prescription for a self-gravitating accretion disc, 225, 667
- Linsky, J.L. *see* Jordan, C.
- Little, L.T. *see* Richards, P.J.
- Lloyd Evans, T., Balona, L.A., Fekel, F.C. Studies of calcium emission stars - I. HD 158393 a giant star in a binary system, 226, 813
- Lloyd Evans, T.H.H. *see* Catchpole, R.M.
- Lloyd Evans, T.H.H. *see* Menzies, J.W.
- Loewenstein, M., Fabian, A.C., Nulsen, P.E.J. Formation of shells in elliptical galaxies from interstellar gas, 229, 129
- Longmore, A.J. *see* Coe, M.J.
- Longmore, A.J. *see* Fernley, J.A.
- Lorenzetti, D. *see* Berrilli, F.
- Lowne, C.M. *see* Breare, J.M.

- Lumsden, S.L. *see* Peacock, J.A.
 Lupton, W.F. *see* Breare, J.M.
 Lynas-Gray, A.E., Kilkenny, D., Skillen, I., Jeffery, C.S. Non-radial pulsations in the extreme helium star HD 160641, 227, 1073
 Lynden-Bell, D. *see* Collett, J.L.
 Lynden-Bell, D. *see* Godwin, P.J.
 Lyne, A.G., Pritchard, R.S. A glitch in the Crab Pulsar, 229, 223
 Lyne, A.G. *see* Hamilton, P.A.
- McAdam, W.B. *see* Bell, S.A.
 McCaughrean, M.J. *see* McLean, I.S.
 McCulloch, P.M. *see* Biggs, J.D.
 McFadzean, A.D., Hilditch, R.W., Hill, G., Aikman, G.C.L., Fisher, W.A. The South Galactic Pole: radial velocities of 157 O-F8 stars, 224, 393
 McFarlane, T.M., Hilditch, R.W. Contact and near-contact binary systems - VII. EZ Hydræ, 227, 381
 McGee, R.X. *see* Meaburn, J.
 MacGillivray, H.T. *see* Clowes, R.G.
 MacGillivray, H.T. *see* Leggett, S.K.
 McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W. Detailed EXOSAT and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions, 225, 355
 McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N. Discovery of an extended infrared reflection nebula around S106, 225, 393
 McMahon, R.G. *see* Hazard, C.
 McMahon, R.G. *see* Sparks, W.B.
 Macry, J.D. *see* Shafter, A.W.
 Madau, P., Ghisellini, G., Persic, M. Beaming in blazars, 224, 257
 Madsen, J. Pre-galactic shocks: influence on density perturbations, 228, 229
 Mahra, H.S. *see* Pandey, A.K.
 Maihara, T. *see* Mizutani, K.
 Malcolm, G.J. A photometric and spectroscopic study of the early-type binary V701 Scorpii, 226, 899
 Malcolm, G.J. *see* Bell, S.A.
 Malin, D.F., Ogura, K., Walsh, J.R. Herbig Haro objects in the vicinity of NGC 2023, 227, 361
 Malik, S.V. Erratum: Expanding chromospheres of late G and K supergiants, 227, 543
 Manchester, R.N. *see* Ables, J.G.
 Manchester, R.N. *see* Biggs, J.D.
 Manchester, R.N. *see* Forster, J.R.
 Marang, F. *see* Balona, L.A.
 Marang, F. *see* Catchpole, R.M.
 Marang, F. *see* Kurtz, D.W.
 Marang, F. *see* Menzies, J.W.
 Marang, F. *see* Verbunt, F.
 Marsh, T.R. LTE models of the emission lines of the dwarf nova Z Cha, 228, 779
 Marsh, T.R., Home, K., Shipman, H.L. A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis, 225, 551
 Marston, A.P. *see* Meaburn, J.
 Martin, G.P. *see* Breare, J.M.
 Martin, J.S., Jones, D.H.P., Smith, R.C. Spectroscopy and photometry of IP Peg in the near-infrared, 224, 1031
 Martinez, P. *see* Kurtz, D.W.
 Marston, I. *see* Traber, E.
 near-infrared, 224, 1031
 Mason, I.M. *see* Kellett, B.J.
 Mason, K.O., Branduardi-Raymont, G., Córdoba, F.A., Corbet, R.H.D. Observation of a partial X-ray eclipse in the long-period low-mass X-ray binary 2S 0921-630, 226, 423
 Mason, K.O. *see* Hellier, C.
 Mason, K.O. *see* Kellett, B.J.
 Mason, K.O. *see* Rosen, S.R.
 Mason, K.O. *see* Smale, A.P.
 Mason, K.O. *see* White, N.E.
 Mathewson, D.S. *see* Ables, J.G.
 Matsuda, T., Inoue, M., Sawada, K., Shima, E., Wakamatsu, K. A reinvestigation of gas response to an ovally deformed gravitational potential, 229, 295
 Matsuda, T., Inoue, M., Sawada, K. Spin-up and spin-down of an accreting compact object, 226, 781
 Matsuda, T. *see* Sawada, K.
 Matsuda, T. *see* Spruit, H.C.
 Matsuoka, M. *see* Stewart, G.C.
 May, J. *see* Binney, J.
 Mayer, C.J. *see* Lawson, K.D.
 Maze, T. *see* Stewart, G.C.
 Meaburn, J. The morphology and dynamics of a multi-lobed supernova remnant in the LMC (DEM 34a, N11L), 229, 457
 Meaburn, J., Clayton, C.A. Echelle observations of the spatially resolved kinematics of a region with high-speed motions in M17 (NGC 6618) - II, 229, 253
 Meaburn, J., Dyson, J.E. The dynamics of Herbig-Haro objects HH46 and 47A and their remarkable connecting filament HH47B, 225, 863
 Meaburn, J., Marston, A.P., McGee, R.X., Newton, L.M. The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud, 225, 591
 Meaburn, J. *see* Walsh, J.R.
 Meadows, P.J., Good, A.R., Wolstencroft, R.D. The identification of IRAS 15194 - 5115 with a bright extreme carbon star, 225, 43p
 Mehta, S. *see* Pim FitzGerald, M.
 Meisenheimer, K. *see* Heavens, A.F.
 Melnick, J., Moles, M., Terlevich, R., Garcia-Pelayo, J.-M. Giant H II regions as distance indicators - I. Relations between global parameters for the local calibrators, 226, 849
 Melnick, J. *see* Sparks, W.B.

- Melott, A.L. Voids and velocities in initially Gaussian models for large-scale structure, 228, 1001
- Mendoza, C., Zeppen, C.J. Electron impact excitation rate coefficients for Mg^{3+} and Mg^{4+} , 224, 7p
- Menzies, J.W., Catchpole, R.M., van Vuuren, G., Winkler, H., Laney, C.D., Whitelock, P.A., Cousins, A.W.J., Carter, B.S., Marang, F., Lloyd Evans, T.H.H., Roberts, G., Kilkenny, D., Spencer Jones, J., Sekiguchi, K., Fairall, A.P., Menzies, J.W. *see* Catchpole, R.M.
- Menzies, J.W. *see* Corbetta, R.H.D.
- Menzies, J.W. *see* McHardy, I.M.
- Menzies, J.W. *see* O'Donoghue, D.
- Mestel, L., Spruit, H.C. On magnetic braking of late-type stars, 226, 57
- Mestel, L., Weiss, N.O. Magnetic fields and non-uniform rotation in stellar radiative zones, 226, 123
- Mestel, L. *see* Campbell, C.G.
- Metcalfe, N., Godwin, J.G., Spenser, S.D. The Shapley 8 cluster of galaxies - redshifts and dynamics, 225, 581
- Meurs, E.J.A. *see* Harmon, R.T.
- Meurs, E.J.A. *see* Unger, S.W.
- Michelson, P.F. On detecting stochastic background gravitational radiation with terrestrial detectors, 227, 933
- Middlemass, D. *see* Clegg, R.E.S.
- Millar, T.J., Bennett, A., Herbst, E. An efficient gas phase synthesis for interstellar PN, 229, 41p
- Millar, T.J. *see* Pineau des Forêts, G.
- Milne, D.K. *see* Caswell, J.L.
- Mitchell, R.M. *see* Callus, C.M.
- Mitchell, R.M. *see* Robinson, G.
- Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H. Brackett- γ mapping observation of RCW38, 228, 721
- Mobasher, B., Raine, D.J. A dynamical model for the narrow line region of Seyfert galaxies, 228, 159
- Mohan, M., Baluja, K.L., Hibbert, A., Berrington, K.A. New atomic data for the transition $1s^2 2s^2 2p^5 2p^0_{1/2} - 2p^0_{3/2}$ in Fe xviii, 225, 377
- Moles, M. *see* Melnick, J.
- Monk, A.S. *see* Catchpole, R.M.
- Monk, A.S. *see* Sansom, A.E.
- Monteiro, T.S., Flower, D.R. Excitation of (OI) and (C I) fine structure transitions by He and H_2 : a neglected selection rule, 228, 101
- Monteiro, T.S. *see* Danby, G.
- Montesinos, B., Fernández-Figueroa, M.J., de Castro, E. Evidence of the connection between internal magnetic fields and chromospheric activity in late-type stars, 229, 627
- Morgan, D.H., Good, A.R. Two faint WR stars near 30 Doradus, 224, 435
- Morimoto, M. *see* McLean, I.S.
- Morisawa, K., Takahara, F. An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model, 228, 745
- Morrison, K. Photometric variability of the extreme hydrogen-deficient stars LSIV-10 2 and BD+10 4381, 224, 1083
- Morrison, K., Hill, P.W., Jeffery, C.S., Marang, F., Jones, J.S. Light and colour variations in the extremely hydrogen-deficient binary CPD-580 2721, 229, 269
- Morrison, K., Willingale, G.P.H. The photometric variability of the extremely hydrogen-deficient stars KS Persei and LSII + 33° 5, 228, 819
- Morton, D.C. *see* Hazard, C.
- Morton, D.C. *see* Sijnders, M.A.J.
- Mosconi, M.B. *see* Navarro, J.F.
- Moss, D. On the magnetic flux distribution in magnetic CP stars, 226, 297
- Moss, D. On the observable magnetic fields of the chemically peculiar stars, 228, 993
- Moss, D. The internal magnetic field of the Sun, 224, 1019
- Moss, D. Time-dependent models of magnetic stars - IV. Perpendicular axes, 226, 281
- Moss, D. Erratum: Time-dependent models of magnetic stars - IV. Perpendicular axes, 227, 543
- Mountain, C.M. *see* Leggett, S.K.
- Mountfort, P.I., Jonas, J.L., de Jager, G., Baart, E.E.A. 2.3-GHz radio continuum map of the Magellanic Cloud, 226, 917
- Mukai, K., Charles, P.A. Orbital motion of the secondary in three AM Her systems: evidence for low-mass white dwarfs, 226, 209
- Mukai, K. *see* Smale, A.P.
- Murdin, P.G. *see* White, N.E.
- Murphy, D.W. *see* Browne, I.W.A.
- Murray, J.D. *see* Fong, R.
- Mushotzky, R.F. *see* Amaud, K.A.
- Muxlow, T.W.B. *see* Saikia, D.J.
- Nagata, T., Yamashita, T., Sato, S., Suzuki, H., Hough, J.H., Garden, R., Gatley, I. Erratum: Infrared polarimetry of the reflection nebula near L1551 IRS5, 227, 543
- Nagata, T. *see* McLean, I.S.
- Nagata, T. *see* Tamura, M.
- Nahmad-Achar, E. Gravitational energy for spherically symmetric configurations, 228, 51p
- Nakano, T. Formation of planets around stars of various masses - I. Formulation and a star of one solar mass, 224, 107
- Napier, W.M. *see* Clube, S.V.M.
- Narayan, R., Goldreich, P., Goodman, J. Physics of modes in a differentially rotating system - analysis of the shearing sheet, 228, 1
- Narayan, R. *see* Goodman, J.
- Narayan, R. *see* Goodman, J.J.
- Narayan, R. *see* White, S.D.M.

- Navarro, J.F., Mosconi, M.B., Lambas, D.G. Merging instability in groups of galaxies with dark matter, 228, 501
- Naylor, T., Charles, P.A., Hassall, B.J.M., Bath, G.T., Berriman, G., Warner, B., Bailey, J., Reinsch, K. The 1985 May superoutburst of the dwarf nova OY Carinae - I. Optical and infrared photometry, 229, 183
- Neff, S.G. *see* Saikia, D.J.
- Nelson, A.H. *see* Johns, T.C.
- Nelson, G.J. *see* Slee, O.B.
- Netzer, H. Quasar discs - II. A composite model for the broad-line region, 225, 55
- Newton, L.M. *see* Meaburn, J.
- Nha, I.-S. *see* Giménez, A.
- Nicholson, W. *see* Fosbury, R.A.E.
- Niemela, V.S. *see* Gómez, D.O.
- Noguchi, M. Close encounter between galaxies - II. Tidal deformation of a disc galaxy stabilized by massive halo, 228, 635
- Nolthenius, R., White, S.D.M. Groups of galaxies in the CfA survey and in cold dark matter universes, 225, 505
- Norton, A.J. *see* Kifune, T.
- Nulsen, P.E.J., Carter, D. Optical distortion of M86: star formation from cooling gas?, 225, 939
- Nulsen, P.E.J. *see* Arnaud, K.A.
- Nulsen, P.E.J. *see* Johnstone, R.M.
- Nulsen, P.E.J. *see* Loewenstein, M.
- Nulsen, P.E.J. *see* Thomas, P.A.
- Oates, A.P. *see* Whittet, D.C.B.
- O'Brien, T.J., Kahn, F.D. Models for the remnants of recurrent novae - II. Dynamical effect of radiative heat loss, 228, 277
- O'Donoghue, D., Fairall, A.P., Warner, B. Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse, 225, 43
- O'Donoghue, D., Menzies, J.W., Hill, P.W. Photometry and spectroscopy of the interacting binary white dwarf V803 Cen (AE-1), 227, 347
- O'Donoghue, D., Warner, B. The period structure and stability of the pulsating white dwarf L 19-2, 228, 949
- O'Donoghue, D. *see* Warner, B.
- Ogura, K. *see* Malin, D.F.
- Okuda, H. *see* Mizutani, K.
- Olsson-Steel, D. Collisions in the Solar System - IV. Cometary impacts upon the planets, 227, 501
- Olsson-Steel, D. Comet Nishikawa-Takamizawa-Tago (1987c) and the Epsilon Geminid meteor shower, 228, 23p
- Olsson-Steel, D. The dispersal of the Geminid meteoroid stream by radiative effects, 226, 1
- Omodaka, T. *see* Stewart, G.C.
- Osborne, J.L. *see* Lawson, K.D.
- Ostriker, J.P. *see* Binney, J.
- Padin, S., Davis, R.J., Lasenby, A.N. The Jodrell Bank wide-band interferometers and their application to surface profile measurements of the telescopes, 224, 685
- Padman, R. *see* Russell, A.P.G.
- Page, C.G. *see* Cook, M.C.
- Pagel, B.E.J. *see* Diaz, A.I.
- Palmer, P. *see* Gardner, F.F.
- Palmer, P.L., Papaloizou, J. Instability in spherical stellar systems, 224, 1043
- Pandey, A.K. Interstellar extinction and galactic structure, 226, 635
- Pandey, A.K., Mahra, H.S. Interstellar extinction and galactic structure, 226, 635
- Papaloizou, J.C.B., Pringle, J.E. The dynamical stability of differentially rotating discs = III, 225, 267
- Papaloizou, J. *see* Palmer, P.L.
- Papaloizou, J.C.B. *see* Lin, D.N.C.
- Paradijs van, J. *see* Amerongen van, S.
- Paradijs van, J. *see* Stollman, G.M.
- Paradijs van, J. *see* Wijers, R.A.M.J.
- Parkinson, M.L. *see* Lawson, K.D.
- Parmar, A.N. *see* White, N.E.
- Parry, I.R. *see* Breare, J.M.
- Payne, B.J., Coc, M.J. The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145 - 619, 225, 985
- Payne, B.J. *see* Coc, M.J.
- Peacock, J.A., Lumsden, S.L., Heavens, A.F. Cosmological streaming velocities and large-scale density maxima, 229, 469
- Pedlar, A. *see* Unger, S.W.
- Peimbert, M. *see* Clegg, R.E.S.
- Penninx, W. *see* Sztajno, M.
- Penninx, W.H. *see* Lewin, W.H.G.
- Penston, M.V. The 'L α /Fe II problem' - solved by fluorescence?, 229 1p
- Penston, M.V. *see* Johnstone, R.M.
- Penston, M.V. *see* Leech, K.J.
- Perry, J.J., Ward, M.J., Jones, M. 3C 273 and the power-law myth, 228, 623
- Persi, P. *see* Taylor, A.R.
- Persic, M. *see* Madau, P.
- Peterson, B.A. *see* Boyle, B.J.
- Peterson, B.A. *see* Shanks, T.
- Peters, W.L. *see* Ables, J.G.
- Peters, W.L. *see* Forster, J.R.
- Peters, W.L. *see* Slee, O.B.
- Petrou, M. Self-consistent models of box-shaped ellipticals, 226, 111
- Phillipps, S. On a more precise L - σ relation, 226, 989
- Phillipps, S., Disney, M.J., Kibblewhite, E.J., Cawson, M.G.M. The surface brightness of 1550 galaxies in Fornax: automated galaxy surface photometry - II, 229, 505
- Phillipps, S., Shanks, T. Galaxy correlations and the luminosity function, 227, 115
- Phillipps, S., Shanks, T. On the variation of galaxy correlations with luminosity, 229, 621
- Phillipps, S. *see* Baxter, D.A.

- Phillipps, S. *see* Cawson M.G.M.
 Phillips, K.J.H. *see* Fawcett, B.C.
 Pim FitzGerald, M. The distribution of OB stars and dust in a Milky Way field at (l, b) = ($335^\circ, 0^\circ$), 229, 227
 Pim FitzGerald, M., Mehta, S. Spectroscopic and photometric observations in Bochum 10 and 11, 228, 545
 Pineau des Forêts, Flower, D.R. Chemical evidence for ambipolar diffusion in interstellar shocks: a suggested observational test, 228, 1P
 Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Millar, T.J. Theoretical studies of interstellar molecular shocks – VI. The formation of molecules containing two or three carbon atoms, 227, 993
 Pineau des Forêts, G. *see* Flower, D.R.
 Pointon, L. *see* Staveley-Smith, L.
 Polidan, R.S., Holberg, J.B. Multiwavelength monitoring of the dwarf nova VW Hydri – IV. Voyager observations, 225, 131
 Polidan, R.S. *see* Pringle, J.E.
 Pollacco, D. *see* Catchpole, R.M.
 Pooley, G.G., Leahy, J.P., Shakeshaft, J.R., Riley, J.M. Observations of 3C sources in the Galactic plane, 224, 847
 Pooley, G.G. *see* Spoelstra, T.A.T.
 Pooley, G. *see* White, N.E.
 Pounds, K.A., Stanger, V.J., Turner, T.J., King, A.R., Czerny, B. Discovery of a strong soft X-ray excess in Mkn 335 – evidence for an accretion disc?, 224, 443
 Powell, J.R. *see* Breare, J.M.
 Prestage, R.M. *see* Lilly, S.J.
 Pringle, J.E., Bateson, F.M., Hassall, B.J.M., van der Woerd, J.H., van der Woerd, H., Holberg, J.B., Polidan, R.S., van Amerongen, S., van Paradijs, J., Verbunt, F. Multiwavelength monitoring of the dwarf nova VW Hydri – I. Overview, 225, 73
 Pringle, J.E. *see* Edwards, D.A.
 Pringle, J.E. *see* Lin, D.N.C.
 Pringle, J.E. *see* Papaloizou, J.C.B.
 Pringle, J.E. *see* Verbunt, F.
 Prinja, K. The stellar winds of early-type stars in the Small Magellanic Cloud, 228, 173
 Pritchard, R.S. *see* Lyne, A.G.
 Purvis, A., Tappin, S.J., Rees, W.G., Hewish, A., Duffett-Smith, P.J. The Cambridge IPS survey at 81.5 MHz, 229, 589 and on *microfiche*
 Purvis, A. *see* Breare, J.M.
 Puxley, P.J. *see* Leggett, S.K.
 Pye, J.P. *see* McHardy, I.M.
 Reddish, V.C., Simmonds, E.W. A new mounting system for very large telescopes – with particular application to the classical Schmidt, 228, 537
 Redfern, R.M. *see* Callanan, P.J.
 Rees, M.J. Magnetic confinement of broad-line clouds in active galactic nuclei, 228, 47P
 Rees, M.J. *see* Carswell, R.F.
 Rees, M.J. *see* Gott III, J.R.
 Rees, M.J. *see* Subramanian, K.
 Rees, W.G. *see* Purvis, A.
 Regev, O., Shara, M.M. Hydrodynamic simulations of white dwarf-massive main-sequence star collisions in dense galactic nuclei, 227, 967
 Reid, N. The stellar mass function at low luminosities, 225, 873
 Reid, N. *see* Berriman, G.
 Reid, N. *see* Cameron, A.C.
 Reinsch, K. *see* Naylor, T.
 Rengarajan, T.N. *see* Iyengar, K.V.K.
 Rephaeli, Y. Gas heating by energetic particles in M87 and the Coma cluster, 225, 851
 Rephaeli, Y. The extent of beam dilution in measurements of the Zeldovich-Sunyaev effect, 228, 29P
 Rice, W. *see* Kuiper, T.B.H.
 Richards, P.J., Little, L.T., Toriseva, M., Heaton, B.D. HCO⁺ survey of unassociated compact molecular clouds in the *IRAS Point Source Catalog*, 228, 43
 Riegler, G.R. *see* Agrawal, P.C.
 Rietord, M., Bonazzola, S. Tidal heating in close binary stellar systems, 227, 295
 Riley, J.M. *see* Pooley, G.G.
 Roberts, G. *see* Catchpole, R.M.
 Roberts, G. *see* Menzies, J.W.
 Roberts, M.D. The orbit of Pluto and the cosmological constant, 228, 401
 Robertson, J.G. Absorption spectra of the QSO pair TOL 1037 - 27/1038 - 27, 227, 653
 Robertson, N.A. *see* Chase, S.T.
 Robinson, A., Binette, L., Fosbury, R.A.E., Tadhunter, C.N. Emission-line activity in radio galaxies, 227, 97
 Robinson, G., Mitchell, R.M., Aitken, D.K., Briggs, G.P., Roche, P.F. Infrared studies of Eta Carinae – I. Spectroscopy and a composite dust model, 227, 535
 Roche, P.F., Aitken, D.K., Smith, C.H. The nature of dust grains in the clouds of Magellan: 8–13 μ m spectra of LMC N44A and SMC N88A, 228, 269
 Roche, P.F. *see* Robinson, G.
 Roche, P.F. *see* Snijders, M.A.J.
 Romani, R.W. *see* Blandford, R.D.
 Romani, R.W. *see* Goodman, J.J.
 Rosen, S.R., Mason, K.O., Córdova, F.A. Phase-resolved optical spectroscopy of the AM Her systems E1405-451, 224, 987
 Rosen, S.R. *see* Hellier, C.
 Ross, R.R. *see* Foster, A.J.
 Russell, G. *see* Jordi, C.

Raine, D.J. *see* Mobasher, B.
 Rana, N.C., Wilkinson, D.A. The chemical evolution of the galaxy and the dark matter problem, 226, 395
 Rayner, P.T. *see* Ables, J.G.
 Rayner, P.T. *see* Forster, J.R.

- Roth, M. *see* Tapia, M.
 Rouse, M.F. *see* Hough, J.H.
 Rowan-Robinson, M., Helou, G., Walker, D. Studies of IRAS sources at high galactic latitudes – III. Luminosity functions at 25, 60 and 100 μ m and the correlation of optical and infrared luminosities, 227, 589
 Rowan-Robinson, M. *see* Judge, P.G.
 Roy, J.-R., Walsh, J.R. Imaging spectrophotometry of a chain of giant H II regions in the galaxy NGC 2997, 228, 883
 Rubakov, V.A. *see* Deryagin, D.V.
 Ruden, S.P. *see* Lin, D.N.C.
 Ruiz, M.T. *see* Tapia, M.
 Russell, A.P.G., Hills, R.E., Padman, R. A dense molecular outflow in Orion B, 226, 237
 Russell, A.P.G. *see* Cox, M.J.
 Russell, K.S. *see* Birkett, C.M.
 Ryan, S.G. *see* Slee, O.B.
- Sadzinska, M. *see* Kifune, T.
 Sagar, R. Study of interstellar extinction in some young open clusters, 228, 483
 Saikia, D.J., Salter, C.J., Muxlow, T.W.B. A radio study of the compact steep-spectrum quasar 3C 2 (0003-003), 224, 911
 Saikia, D.J., Salter, C.J., Neff, S.G., Gower, A.C., Sinha, R.P., Swarup, G. Radio observations of a few selected blazars, 228, 203
 Saikia, D.J., Singal, A.K., Cornwell, T.J. Polarization properties of radio cores in active galaxies, 224, 379
 Saikia, D.J., Staveley-Smith, L., Wills, D., Cornwell, T.J., Salter, C.J., Junor, W., Shastri, P. A wide-angle radio-tail quasar: B2 1419+315, 229, 495
 Saikia, D.J., Wiita, P.J., Cornwell, T.J. An oscillating jet in the nearby radio galaxy 1759+211, 224, 53
 Saio, H. *see* Lee, U.
 Saio, H. *see* Yoshii, Y.
 Salter, C.J. *see* Saikia, D.J.
 Sanchez-Magro, C. *see* Fuentes, F.J.
 Sanders, R.H. *see* Soares, D.S.L.
 Sansom, A.E., Danziger, I.J., Ekers, R.D., Fosbury, R.A.E., Goss, W.M., Monk, A.S., Shaver, P.A., Sparks, W.B., Wall, J.V. The radio and optical axes of radio elliptical galaxies, 229, 15
 Saraceno, P. *see* Berrilli, F.
 Sasaki, M. The magnitude-redshift relation in a perturbed Friedmann universe, 228, 653
 Sato, S. *see* McLean, I.S.
 Sato, S. *see* Tamura, M.
 Saunders, R., Baldwin, J.E., Warner, P.J. A totally incomplete sample of extended 6C radio sources, 225, 713
 Savage, A. *see* Clowes, R.G.
 Savage, A. *see* Leggett, S.K.
- Sawada, K., Matsuda, T., Inoue, M., Hachisu, I. Is the standard accretion disc model invulnerable, 224, 307
 Sawada, K. *see* Matsuda, T.
 Sawada, K. *see* Spruit, H.C.
 Sazhin, M.V. *see* Deryagin, D.V.
 Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D. Optical polarization studies of Herbig Haro objects – III. HH100 in Corona Australis, 228, 533
 Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F. Optical polarization studies of Herbig Haro objects – II. The HH24 and SSCV 140 nebuloities, 227, 1065
 Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F. Optical polarization studies of Herbig Haro objects – I. The HH57 region, 227, 701
 Scarrott, S.M., Ward-Thompson, D., Warren-Smith, R.F. Evidence for a spiral magnetic field configuration in the galaxy M51, 224, 299
 Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D. The Bruck 'bipolar': a nebulous star cluster, 225, 17p
 Scarrott, S.M., Warren-Smith, R.F., Wolstencroft, R.D., Zinnecker, H. An optical polarization study of the Chamaeleon IR nebula, 228, 827
 Scarrott, S.M., Warren-Smith, R.F. Optical polarization in the jet of 3C273, 228, 35p
 Scarrott, S.M. *see* Gledhill, T.M.
 Scarrott, S.M. *see* Warren-Smith, R.F.
 Scarrott, S.M. *see* Wolstencroft, R.D.
 Schnopper, H.W. *see* Singh, K.P.
 Schoembs, R. *see* Haefner, R.
 Schutz, B.F., Tinto, M. Antenna patterns of the interferometric detectors of gravitational waves – I. Linearly polarized waves, 224, 131
 Scott, P.F. *see* Cox, M.J.
 Seaquist, E.R. *see* Bode, M.F.
 Seaton, M.J. *see* Snijders, M.A.J.
 Seitter, W.C. *see* Duerbeck, H.W.
 Sekiguchi, K. *see* Catchpole, R.M.
 Sekiguchi, K. *see* Menzies, J.W.
 Sellwood, J.A., Athanassoula, E. Corrigendum: Unstable modes from galaxy simulations, 229, 707
 Sellwood, J.A. *see* Sparke, L.S.
 Sembay, S., Hanson, C.G., Coe, M.J. A mid- to far-infrared variability study of eight active galactic nuclei, 226, 137
 Shafer, R.A. *see* Amaud, K.A.
 Shafer, R.A. *see* Callanan, P.J.
 Shafer, A.W., Macry, J.D. Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086), 228, 193
 Shakeshaft, J.R. *see* Pooley, G.G.
 Shanks, T., Fong, R., Boyle, B.J., Peterson, B.A. The spatial clustering of QSOs, 227, 739
 Shanks, T. *see* Boyle, B.J.
 Shanks, T. *see* Fong, R.
 Shanks, T. *see* Philipps, S.
 Shara, M.M. *see* Regev, O.
 Sharples, R.M. *see* Couch, W.J.

- Shastri, P. *see* Kapahi, V.K.
 Shastri, P. *see* Saikia, D.J.
 Shaver, P. *see* Clowes, R.G.
 Shaver, P.A. *see* Cristiani, S.
 Shaver, P.A. *see* Sansom, A.E.
 Shaw, M. The nature of 'box' and 'peanut' shaped galactic bulges, 229, 691
 Sherrington, M.R. *see* Femley, J.A.
 Sherrington, M. *see* Callus, C.M.
 Shibai, H. *see* Mizutani, K.
 Shima, E. *see* Matsuda, T.
 Shipman, H.L. *see* Marsh, T.R.
 Shobbrook, R.R. uvby β photometry of southern clusters - VIII. Further data for NGC 3766, 225, 999
 Shobbrook, R.R., Visvanathan, N. The distance to the LMC from uvby β photometry of B stars, 225, 947
 Simmonds, E.W. *see* Reddish, V.C.
 Simon, T. *see* Jordan, C.
 Sinachopoulos, D. *see* Brosche, P.
 Singal, A.K. *see* Saikia, D.J.
 Singh, K.P., Slijkhuis, S., Westergaard, N.J., Schnopper, H.W., Elgaroy, Ø., Engvold, Ø., Joras, P. X-ray spectrum of sigma Geminorum: an RS Canum Venaticorum type binary, 224, 481
 Singh, K.P. *see* Agrawal, P.C.
 Sinha, R.P. *see* Saikia, D.J.
 Skillen, I. *see* Femley, J.A.
 Skillen, I. *see* Lynas-Gray, A.E.
 Skinner, C.J., Whitmore, B. The circumstellar environment of α Orionis, 224, 335
 Slee, O.B., Nelson, G.J., Stewart, R.T., Wright, I. A.E., Jauncey, D.L., Heisler, L.H., Bunton, J.D., Vaughan, A.E., Large, M.I., Peters, W.L., Ryan, S.G. A very intense, long-lasting radio flare on HD 32918, 227, 467
 Slee, O.B., Nelson, G.J., Stewart, R.T., Wright, A.E., Innis, J.L., Ryan, S.G., Vaughan, A.E. A microwave survey of southern active stars, 229, 659
 Slijkhuis, S. *see* Singh, K.P.
 Smale, A.P., Mason, K.O., Mukai, K. The period of the globular cluster X-ray source X1820 - 303; confirmation from *Ariel V* data, 225, 7p
 Smale, A.P. *see* Corbet, R.H.D.
 Smith, C.H. *see* Roche, P.F.
 Smith, M.D. A link between X-ray variability and absorption in active galactic nuclei, 227, 783
 Smith, R.C. *see* Martin, J.S.
 Smith, R.G. An infrared study of the stellar population in the direction of the Carina nebula: NGC 3372, 227, 943
 Smith, V.V., Lambert, D.L. Are the red supergiants ϵ Peg and 12 Pup victims of mild s-processing?, 226, 563
 Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C. Novae Aquilae 1982, 228, 329
 Snijders, M.A.J. *see* Leech, K.J.
 Soares, D.S.L., Sanders, R.H. The distribution and kinematics of stars formed from the cooling flow in M87, 229, 119
 Sobouti, Y. *see* Hasan, S.S.
 Sommer-Larsen, J. Round dynamical models of the galactic halo, 227, 25p
 Sommer-Larsen, J. Erratum: Round dynamical models of the galactic halo, 229, 355
 Sommer-Larsen, J., Christensen, P.R. Discovery of a star cluster in the galactic halo, 225, 499
 Sood, R.K. *see* Mizutani, K.
 Sparke, L.S., Sellwood, J.A. Dissection of an N-body bar, 225, 653
 Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J. An extragalactic constraint on local galactic reddening, 225, 769
 Sparks, W.B. *see* Hough, J.H.
 Sparks, W.B. *see* Sansom, A.E.
 Sparks, W.B. *see* Wilkinson, A.
 Spencer Jones, J. *see* Catchpole, R.M.
 Spencer Jones, J. *see* Menzies, J.W.
 Spenser, S.D. *see* Metcalfe, N.
 Spoelstra, T.A.T., Taylor, A.R., Pooley, G.G., Evans, A., Albinson, J.S. Pointers to conditions in the remnant of RS Ophiuchi from radio observations, 224, 791
 Spoelstra, T.A.T. *see* Snijders, M.A.J.
 Spruit, H.C., Matsuda, T., Inoue, M., Sawada, K. Spiral shocks and accretion in discs, 229, 517
 Spruit, H.C. *see* Mestel, L.
 Stagg, C. A photometric survey of the bright southern Be stars, 227, 213
 Stanger, V.J. *see* Pounds, K.A.
 Staveley-Smith, L., Cohen, R.J., Chapman, J.M., Pointon, L., Unger, S.W. A systematic search for OH megamasers, 226, 689
 Staveley-Smith, L., Davies, R.D. The peculiar velocity of the Local Group - I. HI observations of Sb and Sbc galaxies, 224, 953
 Staveley-Smith, L. *see* Saikia, D.J.
 Stella, L. *see* Gottwald, M.
 Stevens, G. *see* Cohen, R.J.
 Stevenson, P.R.F. *see* Fong, R.
 Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M. Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications, 228, 293
 Stewart, R.T. *see* Caswell, J.L.
 Stewart, R.T. *see* Slee, O.B.
 Stiavelli, M., Bertin, G. Statistical mechanics and equilibrium sequences of ellipticals, 229, 61
 Stift, M.J. The significance of stellar magnetic field measurements obtained with the photographic technique: the spurious magnetic field of the supergiant Canopus, 228, 109
 Stoeckley, T.R., Buscombe, W. Axial inclination and differential rotation for 19 rapidly rotating stars, 227, 801

- Stoeger, W.R., Ellis, G.F.R., Hellaby, C. The relationship between continuum homogeneity and statistical homogeneity in cosmology, 226, 373
- Stollman, G.M., Hasinger, G., Lewin, W.H.G., van der Klis, M., van Paradijs, J. Time lag between hard and soft X-ray photons in QPO sources, 227, 7p
- Storey, P.J. *see* Hummer, D.G.
- Strafella, F. *see* Berrilli, F.
- Strong, A.W. *see* Fong, R.
- Subrahmanya, C.R., Hammett, J.I. The local radio luminosity function of galaxies at 843 MHz, 225, 297
- Subramanian, K., Rees, M.J., Chitre, S.M. Gravitational lensing by dark galactic haloes, 224, 283
- Summers, H.P. *see* Burgess, A.
- Suto, H. *see* Mizutani, K.
- Svensson, R. Non-thermal pair production in compact X-ray sources: first-order Compton cascades in soft radiation fields, 227, 403
- Swarup, G. *see* Saikia, D.J.
- Sweeney, M.A. *see* White, N.E.
- Sztajno, M., Fujimoto, M.Y., van Paradijs, J., Vacca, W.D., Lewin, W.H.G., Penninx, W., Trümper, J. Constraints on the mass-radius relation of the neutron star in 4U 1746-37/NGC 6441, 226, 39
- Sztajno, M. *see* Lewin, W.H.G.
- Tadhunter, C.N. *see* Robinson, A.
- Takagishi, K. *see* Stewart, G.C.
- Takahara, F. *see* Morisawa, K.
- Takami, H. *see* Mizutani, K.
- Tamura, M., Nagata, T., Sato, S., Tanaka, M. Infrared polarimetry of dark clouds - I. Magnetic field structure in Heiles Cloud 2, 224, 413
- Tanaka, M. *see* Tamura, M.
- Tanzi, E.G. *see* Falomo, R.
- Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T. On the infrared emission of the exciting star of the Herbig-Haro objects 1 and 2, 224, 587
- Tappin, S.J. *see* Purvis, A.
- Tarenghi, M. *see* Falomo, R.
- Tarter, J. *see* Cohen, R.J.
- Taylor, R.J. Magnetic activity in pre-main-sequence stars, 227, 553
- Taylor, A.R., Waters, L.B.F.M., Lamers, H.J.L.M., Persi, P., Bjorkman, K.S. Radio detection of the Be star ψ Persei, 228, 811
- Taylor, A.R. *see* Spoelstra, T.A.T.
- Taylor, K. *see* Bland, J.
- Tennant, A.F. High-frequency oscillations from Cir X-1, 226, 971
- Tennant, A.F. Power spectra, with applications to EXOSAT data, 226, 963, 963
- Tennant, A.F. *see* Callanan, P.J.
- Terlevich, E. Evolution of N-body open clusters, 224, 193
- Terlevich, E. *see* Díaz, A.I.
- Terlevich, R.J. *see* Sparks, W.B.
- Teuben, P. Self-consistent equilibrium models for the perfect elliptic disc, 227, 815
- Theodossiou, E. *see* Kontizas, M.
- Thomas, J.A. *see* Mizutani, K.
- Thomas, N. Condensation and sublimation on Io - I, 226, 195
- Thomas, P.A., Fabian, A.C., Nulsen, P.E.J. Mass deposition in cooling flows - analysis of the X-ray data, 228, 973
- Thomas, P.A. *see* Fabian, A.C.
- Thompson, A.M., Cawthorne, T.V. Cyclotron emission from white dwarf accretion columns, 224, 425
- Thorne, D.J. *see* Breare, J.M.
- Thorsten, J.R. *see* Corbet, R.H.D.
- Tinto, M. Antenna patterns of interferometric detectors of gravitational waves - II. Elliptically and randomly polarized waves, 226, 829
- Tinto, M. Coincidence probabilities for a network of interferometric detectors of gravitational waves, 229, 315
- Tinto, M. *see* Schutz, B.F.
- Toriseva, M. *see* Richards, P.J.
- Torres, G., Carranza, G.J. The H II radial velocity field and kinematics of the Small Magellanic Cloud, 226, 513
- Torres-Peimbert, S. *see* Clegg, R.E.S.
- Trabert, E., Hutton, R., Martinson, I. Identification of intercombination transitions in Fe XIV and Fe XIII in the spectra of foil-excited ions and solar flares, 227, 31p
- Tremaine, S., Hénon, M., Lynden-Bell, D. Erratum: H-functions and mixing in violent relaxation, 227, 543
- Treves, A., Bocci, F. A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1, 225, 39p
- Treves, A. *see* Falomo, R.
- Trümper, J. *see* Lewin, W.H.G.
- Trümper, J. *see* Sztajno, M.
- Turner, T.J. *see* Pounds, K.A.
- Turner, T.J. Dramatic X-ray variability in the narrow emission line galaxy NGC 7314, 226, 9p
- Unger, S.W., Lawrence, A., Wilson, A.S., Elvis, M., Wright, A.E. Radio observations of a hard X-ray selected sample of active galaxies, 228, 521
- Unger, S.W., Pedlar, A., Axon, D.J., Whittle, M., Meurs, E.J.A., Ward, M.J. The extended narrow-line region in radio Seyferts: evidence for a collimated nuclear UV field?, 228, 671
- Unger, S.W. *see* Staveley-Smith, L.
- Vacca, W.D. *see* Sztajno, M.
- Valtonen, M.J. *see* Huang, T.-Y.
- Vaughan, A.E. *see* Slee, O.B.
- van Albada, T.S. *see* Bontekoe, T.J.R.

- van Amerongen, S., Bovenschen, H., van Paradijs, J.
Wavelength dependence of superhumps in VW Hyi,
229, 245
- van Amerongen, S., Damen, E., Groot, M., KrAAkman,
H., van Paradijs, J. Multiwavelength monitoring
of the dwarf nova VW Hydi - II. Walraven
photometry, 225, 93
- van Amerongen, S. *see* Pringle, J.E.
- van der Klis, M. *see* Lewin, W.H.G.
- van der Woerd, H., Heise, J. Multiwavelength
monitoring of the dwarf nova VW Hydi - V.
EXOSAT observations, 225, 141
- van der Woerd, H., van Paradijs, J. Recurrence
behaviour of outbursts in VW Hyi, 224, 271
- van der Woerd, H. *see* Pringle, J.E.
- van Paradijs, J. *see* Lewin, W.H.G.
- van Paradijs, J. *see* Pringle, J.E.
- van Paradijs, J. *see* Sztajno, M.
- van Paradijs, J. *see* van Amerongen, S.
- van Paradijs, J. *see* van der Woerd, H.
- van Vuuren, G. *see* Catchpole, R.M.
- Veliz, J.G. *see* Freitas Pacheco de, J.A.
- Venkatakrishnan, P. On the saturation of the
refractive index structure function - II.
Influence of the correlation length on
astronomical 'seeing', 229, 379
- Venkatakrishnan, P., Chatterjee, S. On the
saturation of the refractive index structure
function - I. Enhanced hopes for long baseline
optical interferometry, 224, 265
- Verbunt, F., Hassall, B.J.M., Pringle, J.E.,
Wamer, B., Marang, F. Multiwavelength
monitoring of the dwarf nova VW Hydi - III
IUE observations, 225, 113
- Verbunt, F. *see* Pringle, J.E.
- Vilchez, J.M. *see* Diaz, A.I.
- Visvanathan, N. *see* Shobbrook, R.R.
- Vuuren van, G. *see* Menzies, J.W.
- Wada, K. *see* Yabushita, S.
- Wakamatsu, K. *see* Matsuda, T.
- Walker, A.R. CCD light curves for seven Cepheid
variables in the LMC cluster NGC 1866, 225, 627
- Walker, A.R. CCD photometry of galactic clusters
containing Cepheid variables - V. Ruprecht 79,
229, 31
- Walker, A.R. Studies of dwarf irregular galaxies -
I. B and V CCD photometry of the brighter
stars in Sextans A, 224, 935
- Walker, A.R. Erratum: Studies of dwarf irregular
galaxies - I. B and V CCD photometry of the
brighter stars in Sextans A, 227, 543
- Walker, A.R., Laney, C.D. CCD photometry of
galactic clusters containing Cepheid variables -
IV. NGC 6649, 224, 61,
- Walker, D. *see* Rowan-Robinson, M.
- Walker, M.F. *see* Andersen, J.
- Wall, J.V. *see* Fosbury, R.A.E.
- Wall, J.V. *see* Sansom, A.E.
- Wall, J.V. *see* White, N.E.
- Wallis, M.K. *see* Krishna Samy, K.S.
- Wallis, M.K. Penetration of charged interstellar
dust into the Solar System, 227, 331
- Walsh, J.R., Meabum, J. The high radial velocity
of an outer filament of the Helix nebula (NGC
7293), 224, 885
- Walsh, J.R. *see* Malin, D.F.
- Walsh, J.R. *see* Roy, J.-R.
- Waltham, N.R. *see* Breare, J.M.
- Wang, G. *see* Clowes, R.G.
- Ward, M.J. *see* Perry, J.J.
- Ward, M.J. *see* Unger, S.W.
- Ward-Thompson, D. *see* Scarrott, S.M.
- Wargau, W.F. *see* Catchpole, R.M.
- Wamer, B. Absolute magnitudes of cataclysmic
variables, 227, 23
- Wamer, B., O'Donoghue, D. V2051 Ophiuchi: a low-
field polar?, 224, 733
- Wamer, B. *see* Naylor, T.
- Wamer, B. *see* O'Donoghue, D.
- Wamer, B. *see* Verbunt, F.
- Wamer, P.J. *see* Saunders, R.
- Warren-Smith, R.F., Draper, P.W., Scarrott, S.M.
Magnetic fields and star formation: evidence
from imaging polarimetry of the Serpens
Reflection Nebula, 227, 749
- Warren-Smith, R.F. *see* Gledhill, T.M.
- Warren-Smith, R.F. *see* Scarrott, S.M.
- Warren-Smith, R.F. *see* Wolstencroft, R.D.
- Warwick, R.S. *see* Adamson, A.J.
- Warwick, R.S. *see* Cook, M.C.
- Warwick, R.S. *see* Kifune, T.
- Waters, L.B.F.M. *see* Taylor, A.R.
- Watson, M.G., King, A.R., Williams, G. A.X-ray and
optical flickering in EF Eri, 226, 867
- Watson, F.G. *see* Fernley, J.A.
- Watson, F.G. *see* Whittet, D.C.B.
- Watson, M.G. *see* King, A.R.
- Watson, M.G. *see* Stewart, G.C.
- Wdowczyk, J. *see* Kifune, T.
- Webb, G.M. *see* Bogdan, T.J.
- Webster, J. *see* Breare, J.M.
- Wehner, H. *see* Ables, J.G.
- Weiss, N.O. *see* Mestel, L.
- Wellington, K.J. *see* Goss, W.M.
- Wesselink, T. *see* Fernley, J.A.
- Westergaard, N.J. *see* Singh, K.P.
- Weymann, R.J. *see* Hogan, C.J.
- White, G.L. Optical identifications of radio
sources from the Molonglo deep surveys - I. The
declination-20° portion of the first deep
survey, 227, 607
- White, G.L., Batty, M.J., Bunton, J.D., Brown,
D.R., Corben, J.B. Radio positions and optical
identifications for a complete sample of
southern flat-spectrum radio sources - I. Region
06h to 18h, 227, 705
- White, N.E., Culhane, J.L., Parmar, A.N., Sweeney,
M.A. An EXOSAT observation of 1.5 orbital
cycles of the 0.7 day short-period RS CVn system
ER Vul, 227, 545
- White, N.E., Mason, K.O., Giommi, P., Angelini, L.,

- Pooley, G., Branduardi-Raymont, G., Murdin, P.G., Wall, J.V. A 25 min modulation from the vicinity of the unusually soft X-ray source X0142+614, 226, 645
- White, N.E. *see* Gottwald, M.
- White III, R.E. Globular clusters belonging to galaxy clusters, 227, 185
- White, S.D.M., Narayan, R. Maximum entropy states and the structure of galaxies, 229, 103
- White, S.D.M. *see* Nolthenius, R.
- Whitehouse, D.R. *see* Kellett, B.J.
- Whitelock, P.A. *see* Catchpole, R.M.
- Whitelock, P.A. *see* Glass, I.S.
- Whitelock, P.A. *see* Menzies, J.W.
- Whiteoak, J.B. *see* Ables, J.G.
- Whiteoak, J.B. *see* Duncan, R.A.
- Whiteoak, J.B. *see* Forster, J.R.
- Whiteoak, J.B. *see* Gardner, F.F.
- Whiteoak, J.B. *see* Kuiper, T.B.H.
- Whitmore, B. *see* Skinner, C.J.
- Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J. A study of the Chamaeleon dark cloud and T-association - I. Extinction, distance and membership, 224, 497
- Whittet, D.C.B. *see* Hough, J.H.
- Whittle, M. *see* Unger, S.W.
- Wiita, P.J. *see* Gopal-Krishna
- Wiita, P.J. *see* Saikia, D.J.
- Wijers, R.A.M.J., Paradis van, J., Lewin, W.H.G. Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries, 228, 17p
- Wilkinson, A., Browne, I.W.A., Kotanyi, C., Christiansen, W.A., Williams, R., Sparks, W.B. Radio emission from shell elliptical galaxies, 224, 895
- Wilkinson, A., Browne, I.W.A., Wolstencroft, R.D. Shell galaxies detected with *IRAS*, 228, 933
- Wilkinson, D.A. *see* Bailey, M.E.
- Wilkinson, D.A. *see* Rana, N.C.
- Williams, D.A. *see* Jones, A.P.
- Williams, G.A., King, A.R., Brooker, J.R.E. LTE model atmospheres for accreting white dwarfs, 226, 225
- Williams, G.A. *see* Watson, M.G.
- Williams, G.P. *see* Williams, I.P.
- Williams, I.P., Andrews, P.J., Fitzsimmons, A., Williams, G.P. The variation in the brightness of Halley's comet from ground-based narrow-band photometry, 226, 1p
- Williams, R. *see* Wilkinson, A.
- Willingale, G.P.H. *see* Morrison, K.
- Willis, D. *see* Saikia, D.J.
- Willstrop, R.V. Atmospheric dispersion compensator for a wide-field three-mirror telescope, 225, 187
- Willstrop, R.V. Wide-field conversions for reflecting telescopes, 229, 143
- Wilson, A.S. *see* Unger, S.W.
- Wilson, M.J. Extragalactic jets: probes of the surrounding medium, 224, 155
- Wilson, M.J. Steady relativistic fluid jets, 226, 447
- Wilson, M.J. *see* Falle, S.A.E.G.
- Wilson, S.G. *see* Caswell, J.L.
- Winkler, H. *see* Catchpole, R.M.
- Winkler, H. *see* Menzies, J.W.
- Wolfendale, A.W. *see* Bailey, M.E.
- Wolfendale, A.W. *see* Kifune, T.
- Wolff, M.T., Durisen, R.H. The structure and evolution of interstellar bubbles in a multiphase interstellar medium = I. Physical model, 224, 701
- Wolstencroft, R.D. Spectroscopic and photometric observations of SN 1987a: the first 50 days, 227, 49p
- Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F. An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V, 228, 805
- Wolstencroft, R.D. *see* Clowes, R.G.
- Wolstencroft, R.D. *see* Leggett, S.K.
- Wolstencroft, R.D. *see* Meadows, P.J.
- Wolstencroft, R.D. *see* Menzies, J.W.
- Wolstencroft, R.D. *see* Scarrott, S.M.
- Wolstencroft, R.D. *see* Wilkinson, A.
- Wood, J.H. On the nature of the central object in Z Cha, 228, 797
- Worswick, S.P. *see* Breare, J.M.
- Wright, A.E. *see* Slee, O.B.
- Wright, A.E. *see* Unger, S.W.
- Wynne, C.G. *see* Breare, J.M.
- Yabushita, S., Inagaki, T., Arakawa, E.T., Wada, K. Yamato carbonaceous chondrites, 229, 45p
- Yee, J.H., Lepp, S., Dalgarno, A. Energetic N⁺ ions in the interstellar medium, 227, 461
- Yoshii, Y., Saio, H. On the velocity fields in elliptical galaxies with dark matter, 227, 677
- Zamecki, J.C. *see* Birkett, C.M.
- Zeppen, C.J. *see* Mendoza, C.
- Zinnecker, H. *see* Scarrott, S.M.
- Zybin, K.P. *see* Dogiel, V.A.

SUBJECT INDEX

Abundances of the elements

- Evidence for departures from LTE in Na and Al in late-type giants (Begley, M.J., Cottrell, P.L.), 224, 633
- The carbon-poor halo planetary nebula DDDM-1 (Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S.), 224, 761
- Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), 225, 43
- Quasar discs - II. A composite model for the broad-line region (Netzer, H.), 225, 55
- On the stability of compressible differentially rotating cylinders (Glatzel, W.), 225, 227
- The dynamical stability of differentially rotating discs - III (Papaloizou, J.C.B., Pringle, J.E.), 225, 267
- A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis (Marsh, T.R., Home, K., Shipman, H.L.), 225, 551
- A viscosity prescription for a self-gravitating accretion disc (Lin, D.N.C., Pringle, J.E.), 225, 607
- Non-linear evolution of a non-axisymmetric disc instability (Hawley, H.F.), 225, 677
- The stability of accretion tori - II. Non-linear evolution to discrete planets (Goodman, J., Narayan, R., Goldreich, P.), 225, 695
- Twisted accretion discs - III. Application to Epsilon Aurigae (Kumar, S.), 225, 823
- Detailed spectrophotometric study of the giant H II region NGC 604 (Díaz, A.I., Terlevich, E., Pagel, B.E.J., Vilchez, J.M., Edmunds, M.G.), 226, 19
- The chemical evolution of the galaxy and the dark matter problem (Tana, N.C., Wilkinson, D.A.), 226, 395
- Are the red supergiants ϵ Peg and 12 Pup victims of mild s-processing? (Smith, V.V., Lambert, D.L.), 226, 563
- Elemental abundance analyses with coadded DAO spectrograms - I. The field horizontal-branch stars HD 64488, 109995 and 161817 (Adelman, S.J., Hill, G.), 226, 581
- Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms - II. The mercury-manganese stars 53 Tauri, Mu Leporis and Kappa Cancri (Adelman, S.J.), 228, 573
- Imaging spectrophotometry of a chain of giant H II regions in the galaxy NGC 2997 (Roy, J.-R., Walsh, J.R.), 228, 883
- Mass accretion processes in magnetic fields: formation of quasi-Keplerian discs (Kaburaki, O.), 229, 165

- The 1985 May superoutburst of the dwarf nova OY Carinae - I. Optical and infrared photometry (Naylor, T., Charles, P.A., Hassall, B.J.M., Bath, G.T., Berriman, G., Warner, B., Bailey, J., Reinsch, K.), 229, 183
- The interaction of a magnetic neutron star with an accretion disc (Campbell, C.G.), 229, 405
- Spiral shocks and accretion in discs (Spruit, H.C., Matsuda, T., Inoue, M., Sawada, K.), 229, 517

Accretion and accretion discs

- Is the standard accretion disc model invulnerable? (Sawada, K., Matsuda, T., Inoue, M., Hachisu, I.), 224, 307
- Cyclotron emission from white dwarf accretion columns (Thompson, A.M., Cawthorne, T.V.), 224, 425
- Discovery of a strong soft X-ray excess in Mkn 335 - evidence for an accretion disc? (Pounds, K.A., Stanger, V.J., Turner, T.J., King, A.R., Czerny, B.), 224, 443
- Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), 224, 595
- V2051 Ophiuchi: a low-field polar? (Warner, B., O'Donoghue, D.), 224, 733
- Phase-resolved optical spectroscopy of the AM Her system E1405-451 (Rosen, S.R., Mason, K.O., Córdoba, F.A.), 224, 987
- Accretion disc coronae and the X-ray source in M15 (Fabian, A.C., Guilbert, P.W., Callanan, P.J.), 225, 29p
- A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1 (Treves, A., Bocci, F.), 225, 39p
- Orbital motion of the secondary in three AM Her systems: evidence for low-mass white dwarfs (Mukai, K., Charles, P.A.), 226, 209
- Observation of a partial X-ray eclipse in the long-period low-mass X-ray binary 2S 0921-630 (Mason, K.O., Branduardi-Raymont, G., Córdoba, F.A., Corbet, R.H.D.), 226, 423
- LTE model atmospheres for accreting white dwarfs (Williams, G.A., King, A.R., Brooker, J.R.E.), 226, 725
- Spin-up and spin-down of an accreting compact object (Matsuda, T., Inoue, M., Sawada, K.), 226, 781
- High-frequency oscillations from Cir X-1 (Tennant, A.F.), 226, 971
- Absolute magnitudes of cataclysmic variables (Warner, B.), 227, 23
- Mass transfer rates and soft X-ray excess in AM Herculis binaries (King, A.R., Watson, M.G.), 227, 205

Thermal conduction and self-similar accretion flows (Anderson, M.), 227, 623

Spectral variability of 4U1145-619 during X-ray outburst (Cook, M.C., Warwick, R.S.), 227, 661

A link between X-ray variability and absorption in active galactic nuclei (Smith, M.D.), 227, 783

Stabilization of non-axisymmetric instabilities in a rotating flow by accretion on to a central black hole (Blaes, O.M.), 227, 975

Physics of modes in a differentially rotating system - analysis of the shearing sheet (Narayan, R., Goldreich, P., Goodman, J.), 228, 1

On the stability of compressible differentially rotating cylinders - II (Glatzel, W.), 228, 77

On the pre-main-sequence evolution of stars with mass accretion (Bhattacharjee, S.K.), 228, 289

Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293

Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augusteijn, T., Paradijs van, J.), 228, 377

Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae (Hellier, C., Mason, K.O., Rosen, S.R., Córdoba, F.A.), 228, 463

LTE models of the emission lines of the dwarf nova Z Cha (Marsh, T.R.), 228, 779

On the nature of the central object in Z Cha (Wood, J.H.), 228, 797

Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries (Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.), 228, 17P

Asteroids

Infrared and optical observations of low-activity comets, P/ArendRigaux (1984k) and P/Neuimin 1 (1984c) (Birkett, C.M., Green, S.F., Zamecki, J.C., Russell, K.S.), 225, 285

Astrometry

Corrections to the FK5 reference frame (Jordi, C., Rosselleó, G.), 225, 723

Comparisons of positions of extragalactic compact radio sources (Brosche, P., Sinachopoulos, D.), 227, 341

Black holes

Enhanced gravitational wave emission from perturbed wide binaries (Fitchett, M.), 224, 567

Non-linear evolution of a non-axisymmetric disc instability (Hawley, H.F.), 225, 677

Stabilization of non-axisymmetric instabilities in a rotating flow by accretion on to a central black hole (Blaes, O.M.), 227, 975

Optical variability of the black hole candidate GX339 - 4(X1659 - 487, V821 Ara) - limits on periodic modulation (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Honey, W.B., Smale, A.P., Menzies, J.W.), 227, 1055

Gravitational energy for spherically symmetric configurations (Nahmad-Achar, E.), 228, 51P

BL Lac objects

Beaming in blazars (Madau, P., Ghisellini, G., Persic, M.), 224, 257

X-ray intensity and spectral variations in the BL Lac sources H2155 - 304 and PKS0548 - 322 (Agrawal, P.C., Singh, K.P., Riegler, G.R.), 227, 525

Radio observations of a few selected blazars (Saikia, D.J., Salter, C.J., Neff, S.G., Gower, A.C., Sinha, R.P., Swarup, G.), 228, 203

Photometric analysis and decomposition of AP Librae (PKS 1514-24) (Baxter, D.A., Disney, M.J., Philipps, S.), 228, 313

Bok globules

¹²CO(J = 1-0) observations of six southern Bok globules (Casali, M.M., Edgar, M.L.), 225, 481

The Bruck 'bipolar': a nebulous star cluster (Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D.), 225, 17P

A cometary globule with an embedded star (King, D.J.), 226, 473

Celestial mechanics

A completely analytical family of anisotropic Plummer models (Dejonghe, H.), 224, 13

Evolution of N-body open clusters (Terlevich, E.) 224, 193

Decay of galaxy satellite orbits by dynamical friction (Bontekoe, T.J.R., van Albada, T.S.), 224, 349

On $\partial E/\partial J$ for general steady states (Collett, J.L., Lynden-Bell, D.), 224, 489

Global simulations of gas flow in disc galaxies - II.

- Evolution of tilts and corrugation waves (Johns, T.C., Nelson, A.H.), 224, 863
- Instability in spherical stellar systems (Palmer, P.L., Papaloizou, J.), 224, 1043
- The dispersal of the Geminid meteoroid stream by radiative effects (Olsson-Steel, D.), 226, 1
- The dynamical stability of differentially rotating discs - III (Papaloizou, J.C.B., Pringle, J.E.), 225, 267
- Dissection of an N -body bar (Sparke, L.S., Sellwood, J.A.), 225, 653
- Corrections to the FK5 reference frame (Jordi, C., Roselló, G.), 225, 723
- An H-theorem for violent relaxation? (Kandrup, H.E.), 225, 995
- Timing a millisecond pulsar in a globular cluster (Blandford, R.D., Romani, R.W., Applegate, J.H.), 225, 51p
- On the confinement of planetary arcs (Lin, D.N.C., Papaloizou, J.C.B., Ruden, S.P.), 227, 75
- SMC globular clusters: candidates for mass segregation? (Kontizas, M., Theodosiou, E., Kontizas, E.), 227, 257
- On the velocity fields in elliptical galaxies with dark matter (Yoshii, Y., Saio, H.), 227, 677
- Self-consistent equilibrium models for the perfect elliptic disc (Teuben, P.), 227, 815
- Tidal resonances in binary star systems (Alexander, M.E.), 227, 843
- Can episodic comet showers explain the 30-Myr cyclicity in the terrestrial record? (Bailey, M.E., Wilkinson, D.A., Wolfendale, A.W.), 227, 863
- Physics of modes in a differentially rotating system - analysis of the shearing sheet (Narayan, R., Goldreich, P., Goodman, J.), 228, 1
- On the stability of compressible differentially rotating cylinders - II (Glatzel, W.), 228, 77
- The orbit of Pluto and the cosmological constant (Roberts, M.D.), 228, 401
- Merging instability in groups of galaxies with dark matter (Navarro, J.F., Mosconi, M.B., Lambas, D.G.), 228, 501
- Close encounter between galaxies - II. Tidal deformation of a disc galaxy stabilized by massive halo (Noguchi, M.), 228, 635
- Comet Nishikawa-Takamizawa-Tago (1987c) and the Epsilon Geminid meteor shower (Olsson-Steel, D.), 228, 23p
- Statistical mechanics and equilibrium sequences of ellipticals (Stiavelli, M., Bertin, G.), 229, 61
- Maximum entropy states and the structure of galaxies (White, S.D.M., Narayan, R.), 229, 103
- A reinvestigation of gas response to an ovally deformed gravitational potential (Matsuda, T., Inoue, M., Sawada, K., Shima, E., Wakamatsu, K.), 229, 295
- An approximate solution to the energy change of a circular binary in a parabolic three-body encounter (Huang, T.-Y., Valtonen, M.J.), 229, 333

Erratum: Round dynamical models of the galactic halo (Sommer-Larsen, J.), 229 355

Corrigendum: Unstable modes from galaxy simulations (Sellwood, J.A., Athanassoula, E.), 229, 707

Comets

- Synthetic Swan band profiles of (1,0) of $^{12}\text{C}^{13}\text{C}$ and (0,0) of $^{12}\text{C}^{12}\text{C}$ and $^{12}\text{C}^{13}\text{C}$ in comets (Krishna Swamy, K.S.), 224, 537
- The cometary breakup hypothesis re-examined (LaViolette, P.A.), 224, 945
- Infrared and optical observations of low-activity comets, P/Arend-Rigaux (1984k) and P/Neujmin 1 (1984c) (Birkett, C.M., Green, S.F., Zamecki, J.C., Russell, K.S.), 225, 285
- The cometary breakup hypothesis re-examined: a reply (Clube, S.V.M., Napier, W.M.), 225, 55p
- On the distribution of cometary magnitudes (Hughes, D.W.), 226, 309
- The variation in the brightness of Halley's comet from ground-based narrow-band photometry (Williams, I.P., Andrews, P.J., Fitzsimmons, A., Williams, G.P.), 226, 1p
- Collisions in the Solar System - IV. Cometary impacts upon the planets (Olsson-Steel, D.), 227, 501
- Can episodic comet showers explain the 30-Myr cyclicity in the terrestrial record? (Bailey, M.E., Wilkinson, D.A., Wolfendale, A.W.), 227, 863
- Sulphur compounds in cometary IUE spectra (Krishna Swamy, K.S., Wallis, M.K.), 228, 305
- Comet Nishikawa-Takamizawa-Tago (1987c) and the Epsilon Geminid meteor shower (Olsson-Steel, D.), 228, 23p
- The effect of comet ion tails on radio source scintillation (Hajivassiliou, C.A., Duffett-Smith, P.J.), 229, 485

Cosmic rays

- Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere (Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L.), 225, 307
- Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum (Heavens, A.F., Meisenheimer, K.), 225, 335
- Time-dependent cosmic ray modified shocks (Falle, S.A.E.G., Giddings, J.R.), 225, 399
- The non-linear self-regulation of cosmic ray acceleration at shocks (Bell, A.R.), 225, 615
- Radio survey of classical novae (Bode, M.F., Seagust, E.R., Evans, A.), 228, 217

- Synchrotron X-ray haloes around gamma ray sources (Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S.), 228, 243
- On relativistic particle acceleration in molecular clouds (Dogiel, V.A., Gurevich, A.V., Instomin, Y.N., Zybin, K.P.), 228, 843
- First-order Fermi acceleration in the two-stream limit (Bogdan, T.J., Webb, G.M.), 229, 41

Cosmology

- On the problem of topological structure of the Universe (Demiański, M., Łapucha, M.), 224, 527
- Constraints on voids at high redshifts from Ly α absorbers (Carswell, R.F., Rees, M.J.), 224, 13p
- A multidimensional version of the Kolmogorov-Smirnov test (Fasano, G., Franceschini, A.), 225, 155
- A search for the Sunyaev-Zeldovich effect at millimetre wavelengths (Chase, S.T., Joseph, R.D., Robertson, N.A., Ade, P.A.R.), 225, 171
- Optical dipole anisotropy (Lahav, O.), 225, 213
- Groups of galaxies in the CfA survey and in cold dark matter universes (Nolthenius, R., White, S.D.M.), 225, 505
- The statistics of peaks in three-dimensional Gaussian (Couchman, H.M.P.), 225, 777
- The statistical clustering of pregalactic objects and resultant astrophysical consequences in cosmologies with Cold Dark Matter (Couchman, H.M.P.), 225, 795
- The relationship between continuum homogeneity and statistical homogeneity in cosmology (Stoeger, W.R., Ellis, G.F.R., Hellaby, C.), 226, 373
- The expansion and cosmological evolution of powerful radio sources (Gopal-Krishna, Wiita, P.J.), 226, 531
- The statistics of cosmic background radiation fluctuations (Bond, J.R., Efstathiou, G.), 226, 655
- Clustering in real space and in redshift space (Kaiser, N.), 227, 1
- Astronomical constraints on a string-dominated universe (Gott III, J.R., Rees, M.J.), 227, 453
- The evolution of optically selected QSOs (Boyle, B.J., Fong, R., Shanks, T., Peterson, B.A.), 227, 717
- The spatial clustering of QSOs (Shanks, T., Fong, R., Boyle, B.J., Peterson, B.A.), 227, 739
- Clustering of quasars from the ROE/ESO large-scale AQD survey (Clowes, R.G., Iovino, A., Shaver, P.), 227, 921
- On detecting stochastic background gravitational radiation with terrestrial detectors (Michelson, P.F.), 227, 933
- Microwave anisotropy constraints on isocurvature baryon models (Efstathiou, G., Bond, J.R.), 227, 38p

- Pre-galactic shocks: influence on density perturbations (Madsen, J.), 228, 229
- The orbit of Pluto and the cosmological constant (Roberts, M.D.), 228, 401
- Non-Gaussian statistics and the microwave background radiation (Coles, P., Barrow, J.D.), 228, 407
- The magnitude-redshift relation in a perturbed Friedmann universe (Sasaki, M.), 228, 653
- The alignment of galaxy clusters (Flin, P.), 228, 941
- Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 228, 1001
- Are voids found in the Lyman-alpha forest? (Crotts, A.P.S.), 228, 41p
- Large-scale streaming of cluster elliptical galaxies (James, P.A., Joseph, R.D., Collins, C.A.), 229, 53
- Cosmological implications of the anomalies in the redshift distribution of QSO Lyman α absorption systems (Barcons, X., Fabian, A.C.), 229, 157
- Generation of gravitational waves by the anisotropic phases in the early Universe (Deryagin, D.V., Grigoriev, D. Yu., Rubakov, V.A., Sazhin, M.V.), 229, 357
- Cosmological streaming velocities and large-scale density maxima (Peacock, J.A., Lumsden, S.L., Heavens, A.F.), 229, 469
- The evolution of galaxies at moderate redshift (Lilly, S.J.), 229, 573
- IRAS galaxies: no evidence for a cosmological anisotropy (Clowes, R.G., Savage, A., Wang, G., Leggett, S.K., MacGillivray, H.T., Wolstencroft, R.D.), 229, 27p

Data reduction

- Automated galaxy surface photometry - I. Technique, calibration and validation (Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Phillips, S.), 224, 557
- A multidimensional version of the Kolmogorov-Smirnov test (Fasano, G., Franceschini, A.), 225, 155
- The statistics of peaks in three-dimensional Gaussian (Couchman, H.M.P.), 225, 777
- On Lynden-Bell's method for the determination of the luminosity function (Chołowiecki, J.), 226, 273
- Power spectra, with applications to EXOSAT data (Tennant, A.F.), 226, 963
- The Faint Object Spectrograph for the 2.5-m Isaac Newton Telescope (Breare, J.M., Cox, G.C., Ellis, R.S., Martin, G.P., Parry, I.R., Purvis, A., Waltham, N.R., Webster, J., Fosbury, R.A.E., Gellatly, D.W., Jordan, P.R., Lowne, C.M., Lupton, W.F., Powell, J.R., Thorne, D.J., van Breda, I.G., Worswick, S.P., Wynne, C.G.), 227, 909
- Performance of maximum entropy image restoration method (Lieu, R., Hicks, R.B., Bland, C.J.), 229, 49p

Distance scale

Giant H II regions as distance indicators - I.

Relations between global parameters for the local calibrators (Melnick, J., Moles, M., Terlevich, R., Garcia-Pelayo, J.-M.), 226, 849

The absolute magnitude of RR Lyraes and the distance to the Galactic Centre (Femley, J.A., Longmore, A.J., Jameson, R.F., Watson, F.G., Wesselink, T.), 226, 927

On a more precise $L-\sigma$ relation (Phillipps, S.), 226, 989

Earth

The cometary breakup hypothesis re-examined (LaViolette, P.A.), 224, 945

The cometary breakup hypothesis re-examined: a reply (Clube, S.V.M., Napier, W.M.), 225, 55p

Can episodic comet showers explain the 30-Myr cyclicity in the terrestrial record? (Bailey, M.E., Wilkinson, D.A., Wolfendale, A.W.), 227, 863

Galactic Centre

VLA observations of 5-GHz excited OH lines towards Sgr B2 (Gardner, F.F., Whiteoak, J.B., Palmer, P.), 225, 469

The absolute magnitude of RR Lyraes and the distance to the Galactic Centre (Femley, J.A., Longmore, A.J., Jameson, R.F., Watson, F.G., Wesselink, T.), 226, 927

J , H and K maps of the Galactic Centre region - II. Qualitative aspects of the interstellar absorption (Glass, I.S., Catchpole, R.M., Whitelock, P.A.), 227, 373

Galactic structure and stellar dynamics

A completely analytical family of anisotropic Plummer models (Dejonghe, H.), 224, 13

Radial velocities of RR Lyrae stars in the Baade Window (Gratton, R.G.), 224, 175

Evidence for a spiral magnetic field configuration in the galaxy M51 (Scarrott, S.M., Ward-Thompson, D., Warren-Smith, R.F.), 224, 299

Decay of galaxy satellite orbits by dynamical friction (Bontekoe, T.J.R., van Albada, T.S.), 224, 349

Near-infrared observations of M83 (Adamson, A.J., Adams, D.J., Warwick, R.S.), 224, 367

The South Galactic Pole: radial velocities of 157

O-F8 (McFadzean, A.D., Hilditch, R.W., Hill, G., Aikman, G.C.L., Fisher, W.A.), 224, 393

On $\partial E/\partial J$ for general steady states (Collett, J.L., Lynden-Bell, D.), 224, 489

Global simulations of gas flow in disc galaxies - II. Evolution of tilts and corrugation waves (Johns, T.C., Nelson, A.H.), 224, 863

Faraday rotation measurements on 163 pulsars (Hamilton, P.A., Lyne, A.G.), 224, 1073

Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere (Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L.), 225, 307

Discovery of a star cluster in the galactic halo

(Sommer-Larsen, J., Christensen, P.R.), 225, 499

Dissection of an N-body bar (Sparke, L.S., Sellwood, J.A.), 225, 653

The effect of anisotropy on galaxy formation

(Burkert, A., Hensler, G.), 225, 21p

Self-consistent models of box-shaped ellipticals, (Petrou, M.), 226, 111

On the flattening of dark haloes (Binney, J., May, A., Ostriker, J.P.), 226, 149

An H I study of the galaxy NGC 4945 with a two-element synthesis telescope (Ables, J.G., Forster, J.R., Manchester, R.N., Rayner, P.T., Whiteoak, J.B., Mathewson, D.S., Kalnajs, A.J., Peters, W.L., Wehner, H.), 226, 157

Aperture synthesis observations of galactic atomic hydrogen in the direction $l-333^{\circ}.5$, $b-0^{\circ}.3$, (Forster, J.R., Whiteoak, J.B., Kesteven, M.J., Manchester, R.N., Rayner, P.T., Ables, J.G., Peters, W.L.), 226, 173

The chemical evolution of the galaxy and the dark matter problem (Rana, N.C., Wilkinson, D.A.), 226, 395

The H II radial velocity field and kinematics of the Small Magellanic Cloud (Torres, G., Carranza, G.J.), 226, 513

Interstellar extinction and galactic structure (Pandey, A.K., Mahra, H.S.), 226, 635

CCD surface photometry of elliptical galaxies - I. Observations, reduction and results (Jedrzejewski, R.I.), 226, 747

On a more precise $L-\sigma$ relation (Phillipps, S.), 226, 989

On the velocity fields in elliptical galaxies with dark matter (Yoshii, Y., Saio, H.), 227, 677

Self-consistent equilibrium models for the perfect elliptic disc (Teuben, P.), 227, 815

Can episodic comet showers explain the 30-Myr cyclicity in the terrestrial record? (Bailey, M.E., Wilkinson, D.A., Wolfendale, A.W.), 227, 863

Density normalization of the thick disc of the Galaxy (Evans, D.W.), 227, 13p

Round dynamical models of the galactic halo (Sommer-Larsen, J.), 227, 25p

Physics of modes in a differentially rotating system - analysis of the shearing sheet (Narayan, R., Goldreich, P., Goodman, J.), 228, 1

- The structure and kinematics of the ionized gas within NGC 5128 (Cen A) – I. TAURUS observations (Bland, J., Taylor, K., Atherton, P.D.), 228, 595
- Close encounter between galaxies – II. Tidal deformation of a disc galaxy stabilized by massive halo (Noguchi, M.), 228, 635
- Statistical mechanics and equilibrium sequences of ellipticals (Stiavelli, M., Bertin, G.), 229, 61
- Maximum entropy states and the structure of galaxies (White, S.D.M., Narayan, R.), 229, 103
- The distribution and kinematics of stars formed from the cooling flow in M87 (Soares, D.S.L., Sanders, R.H.), 229, 119
- Formation of shells in elliptical galaxies from interstellar gas (Loewenstein, M., Fabian, A.C., Nulsen, P.E.J.), 229, 129
- The distribution of OB stars and dust in a Milky Way field at $(l, b) = (335^\circ, 0^\circ)$ (FitzGerald, M.P.), 229, 227
- A reinvestigation of gas response to an ovally deformed gravitational potential (Matsuda, T., Inoue, M., Sawada, K., Shima, E., Wakamatsu, K.), 229, 295
- Photometry of faint blue stars – VIII. Photometry in UKST areas 345 and 788/9 (Kilkenny, D.), 229, 345
- Erratum: Round dynamical models of the galactic halo (Sommer-Larsen, J.), 229 355
- Spiral shocks and accretion in discs (Spruit, H.C., Matsuda, T., Inoue, M., Sawada, K.), 229, 517
- The nature of 'box' and 'peanut' shaped galactic bulges (Shaw, M.A.), 229, 691
- Corrigendum: Unstable modes from galaxy simulations (Sellwood, J.A., Athanassoula, E.,), 229, 707
- Evidence of a small velocity dispersion for the Carina dwarf spheroidal? (Godwin, P.J., Lynden-Bell, D.), 229, 7p

Galaxies

- The optical spectra of central galaxies in southern clusters: evidence for star formation (Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J.), 224, 75
- Evidence for a spiral magnetic field configuration in the galaxy M51 (Scarrott S.M., Ward-Thompson, D., Warren-Smith, R.F.), 224, 299
- Decay of galaxy satellite orbits by dynamical friction (Bontekoe, T.J.R., van Albada, T.S.), 224, 349
- Near-infrared observations of M83 (Adamson, A.J., Adams, D.J., Warwick, R.S.), 224, 367
- The dynamics of rich clusters – I. Velocity data (Colless, M., Hewett, P.), 224, 453
- On the problem of topological structure of the Universe (Demiański, M., Łapucha, M.), 224, 527
- Automated galaxy surface photometry – I. Technique, calibration and validation (Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Philipps, S.), 224, 557

- Studies of dwarf irregular galaxies – I. B and V CCD photometry of the brighter stars in Sextans A (Walker, A.R.), 224, 935
- The peculiar velocity of the Local Group – I. HI observations of Sb and Sbc galaxies (Staveley-Smith, L., Davies, R.D.), 224, 953
- Deep Galaxy counts. HI and dust at the South Galactic Pole and in the Magellanic Stream (Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F., Strong, A.W., Dawe, J.A., Murray, J.D.), 224, 1059
- Optical dipole anisotropy (Lahav, O.), 225, 213
- Extragalactic dust – II. Far-infrared properties of early-type galaxies with dust lanes (Brosch, N.), 225, 257
- The local radio luminosity function of galaxies at 843 MHz (Subrahmanya, C.R., Hamett, J.I.), 225, 297
- The Shapley 8 cluster of galaxies – redshifts and dynamics (Metcalfe, N., Godwin, J.G., Spenser, S.D.), 225, 581
- An extragalactic constraint on local galactic reddening (Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J.), 225, 769
- Optical distortion of M86: star formation from cooling gas? (Nulsen, P.E.J., Carter, D.), 225, 939
- Self-consistent models of box-shaped ellipticals (Petrout, M.), 226, 111
- An H I study of the galaxy NGC 4945 with a two-element synthesis telescope (Ables, J.G., Forster, J.R., Manchester, R.N., Rayner, P.T., Whiteoak, J.B., Mathewson, D.S., Kalnajs, A.J., Peters, W.L., Wehner, H.), 226, 157
- On Lynden-Bell's method for the determination of the luminosity function (Chołowiecki, J.), 226, 273
- Structure and formation of superclusters – VI. Morphology–density–luminosity relation of isolated and grouped galaxies (Einasto, M., Einasto, J.), 226, 543
- A systematic search for OH megamasers (Staveley-Smith, L., Cohen, R.J., Chapman, J.M., Pointon, L., Unger, S.W.), 226, 689
- CCD surface photometry of elliptical galaxies – I. Observations, reduction and results (Jedrzejewski, R.I.), 226, 747
- Giant H II regions as distance indicators – I. Relations between global parameters for the local calibrators (Melnick, J., Moles, M., Terlevich, R., Garcia-Pelayo, J.-M.), 226, 849
- The long-period variables of Fornax – I. Search, discovery and periods (Demers, S., Irwin, M.J.), 226, 943
- On a more precise $L-\sigma$ relation (Philipps, S.), 226, 989
- Galaxy correlations and the luminosity function (Philipps, S., Shanks, T.), 227, 115
- Erratum: Studies of dwarf irregular galaxies – I. B and V CCD photometry of the brighter stars in Sextans A (Walker, A.R.), 227, 543
- An infrared–optical study of IRAS point sources

- in the Virgo region (Leggett, S.K., Clowes, R.G., Kalafi, M., MacGillivray, H.T., Puxley, P.J., Savage, A., Wolstencroft, R.D.), 227, 563
- Studies of *IRAS* sources at high galactic latitudes - III. Luminosity functions at 25, 60 and 100 μ m and the correlation of optical and infrared luminosities (Rowan-Robinson, M., Helou, G., Walker, D.), 227, 589
- On the velocity fields in elliptical galaxies with dark matter (Yoshii, Y., Saio, H.), 227, 677
- Self-consistent equilibrium models for the perfect elliptic disc (Teuben, P.), 227, 815
- Radio continuum observations of nearby galaxies (Hamett, J.I.), 227, 887
- Imaging spectrophotometry of a chain of giant H II regions in the galaxy NGC 2997 (Roy, J.-R., Walsh, J.R.), 228, 883
- Shell galaxies detected with *IRAS* (Wilkinson, A., Browne, I.W.A., Wolstencroft, R.D.), 228, 933
- The dipole anisotropy of a new, colour-selected, *IRAS* galaxy sample (Harmon, R.T., Lahav, O., Meurs, E.J.A.), 228, 5p
- The origin of the far-infrared flux from spiral galaxies (Leggett, S.K., Brand, P.W.J.L., Mountain, C.M.), 228, 11p
- Large-scale streaming of cluster elliptical galaxies (James, P.A., Joseph, R.D., Collins, C.A.), 229, 53
- The distribution and kinematics of stars formed from the cooling flow in M87 (Soares, D.S.L., Sanders, R.H.), 229, 119
- Formation of shells in elliptical galaxies from interstellar gas (Loewenstein, M., Fabian, A.C., Nulsen, P.E.J.), 229, 129
- A spectroscopic study of three rich galaxy clusters at $z=0.31$ (Couch, W.J., Sharples, R.M.), 229, 423
- The surface brightness of 1550 galaxies in Fomax: automated galaxy surface photometry - II (Phillipps, S., Disney, M.J., Kibblewhite, E.J., Cawson, M.G.M.), 229, 505
- The evolution of galaxies at moderate redshift (Lilly, S.J.), 229, 573
- On the variation of galaxy correlations with luminosity (Phillipps, S., Shanks, T.), 229, 621
- The nature of 'box' and 'peanut' shaped galactic bulges (Shaw, M.A.), 229, 691
- Evidence of a small velocity dispersion for the Carina dwarf spheroidal? (Godwin, P.J., Lynden-Bell, D.), 229, 7p
- IRAS* galaxies: no evidence for a cosmological anisotropy (Clowes, R.G., Savage, A., Wang, G., Leggett, S.K., MacGillivray, H.T., Wolstencroft, R.D.), 229, 27p
- An oscillating jet in the nearby radio galaxy 1759+211 (Saikia, D.J., Wiita, P.J., Cornwell, T.J.), 224, 53
- Extragalactic jets: probes of the surrounding medium (Wilson, M.J.), 224, 155
- Beaming in blazars (Madau, P., Ghisellini, G., Persic, M.), 224, 257
- Polarization properties of radio cores in active galaxies (Saikia, D.J., Singal, A.K., Cornwell, T.J.), 224, 379
- Observations of 3C sources in the Galactic plane (Pooley, G.G., Leahy, J.P., Shakeshaft, J.R., Riley, J.M.), 224, 847
- Infrared and optical polarimetry of the radio elliptical IC 5063 (PKS2048-57): discovery of a highly polarized non-thermal nucleus (Hough, J.H., Brindle, C., Axon, D.J., Bailey, J., Sparks, W.B.), 224, 1013
- Ageing and speeds in a representative sample of 21 classical double radio sources (Alexander, P., Leahy, J.P.), 225, 1
- A study of spectral ageing in the radio galaxy 3C 234 and its implications (Alexander, P.), 225, 27
- Quasar discs - II. A composite model for the broad-line region (Netzer, H.), 225, 55
- A multidimensional version of the Kolmogorov-Smirnov test (Fasano, G., Franceschini, A.), 225, 155
- Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum (Heavens, A.F., Meisenheimer, K.), 225, 335
- The width of jets in powerful edge-brightened extragalactic double radio sources (Banhatti, D.G.), 225, 487
- Surface photometry of powerful radio galaxies - II. Relations with the radio, optical, and clustering properties (Lilly, S.J., Prestage, R.M.), 225, 531
- A totally incomplete sample of extended 6C radio sources (Saunders, R., Baldwin, J.E., Wamer, P.J.), 225, 713
- The identification and nature of the powerful radio galaxy PKS 1934 - 63 (Fosbury, R.A.E., Bird, M.C., Nicholson, W., Wall, J.V.), 225, 761
- Gas heating by energetic particles in M87 and the Coma cluster (Rephaeli, Y.), 225, 851
- A mid- to far-infrared variability study of eight active galactic nuclei (Sembay, S., Hanson, C.G., Coe, M.J.), 226, 137
- Small-scale variations in the Galactic Faraday rotation (Leahy, J.P.), 226, 433
- Steady relativistic fluid jets (Wilson, M.J.), 226, 447
- The expansion and cosmological evolution of powerful radio sources (Gopal-Krishna, Wiita, P.J.), 226, 531
- The very low-brightness relic radio galaxy 1401 - 33 (Goss, W.M., McAdam, W.B., Wellington, K.J., Ekers, R.D.), 226, 979
- Dramatic X-ray variability in the narrow emission line galaxy NGC 7314 (Turner, T.J.), 226, 9p

Galaxies - active

- Pair production in synchrotron self-Compton models: the case of one generation of pairs (Ghisellini, G.), 224, 1

- Emission-line activity in radio galaxies (Robinson, A., Binette, L., Fosbury, R.A.E., Tadhunter, C.N.), 227, 97
- X-ray observations of the Ophiuchus, PKS 0745 - 191 and Cygnus-A clusters of galaxies (Arnaud, K.A., Johnstone, R.M., Fabian, A.C., Crawford, C.S., Nulsen, P.E.J., Shafer, R.A., Mushotzky, R.F.), 227, 241
- Non-thermal pair production in compact X-ray sources: first-order Compton cascades in soft radiation fields (Svensson, R.), 227, 403
- Optical identifications of radio sources from the Molonglo deep surveys - I. The declination -20° portion of the first deep survey (White, G.L.), 227, 607
- A link between X-ray variability and absorption in active galactic nuclei (Smith, M.D.), 227, 783
- IC 2476: a possible relic radio galaxy (Cordey, R.A.), 227, 695
- Radio positions and optical identifications for a complete sample of southern flat-spectrum radio sources - I. Region 06^h to 18^h (White, G. L. Batty, M.J., Bunton, J.D., Brown, D.R., Corben, J.B.), 227, 705
- Interstellar polarization in the dust lane of Centaurus A (NGC 5128) (Hough, J.H., Bailey, J.A., Rouse, M.F., Whittet, D.C.B.), 227, 1p
- Photometric analysis and decomposition of AP Librae (PKS 1514-24) (Baxter, D.A., Disney, M.J., Philipps, S.), 228, 313
- Radio observations of a hard X-ray selected sample of active galaxies (Unger, S.W., Lawrence, A., Wilson, A.S., Elvis, M., Wright, A.E.), 228, 521
- Rotation measure variation across M84 (Laing, R.A., Bridle, A.H.), 228, 557
- The structure and kinematics of the ionized gas within NGC 5128 (Cen A) - I. TAURUS observations (Bland, J., Taylor, K., Atherton, P.D.), 228, 595
- An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model (Morisawa, K., Takahara, F.), 228, 745
- Magnetic confinement of broad-line clouds in active galactic nuclei (Rees, M.J.), 228, 47p
- The radio and optical axes of radio elliptical galaxies (Sansom, A.E., Danziger, I.J., Ekers, R.D., Fosbury, R.A.E., Goss, W.M., Monk, A.S., Shaver, P.A., Sparks, W.B., Wall, J.V.), 229, 15
- The Cambridge IPS survey at 81.5 MHz (Purvis, A., Tappin, S.J., Rees, W.G., Hewish, A., Duffett-Smith, P.J.), 229, 589 and on microfiche
- The 'La/Fe II problem' - solved by fluorescence? (Penston, M.V.), 229, 1p

Galaxies - formation of

- Gravitational lensing by dark galactic haloes (Subramanian, K., Rees, M.J., Chitre, S.M.), 224, 283

- The statistical clustering of pregalactic objects and resultant astrophysical consequences in cosmologies with Cold Dark Matter (Couchman, H.M.P.), 225, 795
- The effect of anisotropy on galaxy formation (Burkert, A., Hensler, G.), 225, 21p
- On the flattening of dark haloes (Binney, J., May, A., Ostriker, J.P.), 226, 149
- Pre-galactic shocks: influence on density perturbations (Madsen, J.), 228, 229
- voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 228, 1001
- Cosmological streaming velocities and large-scale density maxima (Peacock, J.A., Lumsden, S.L., Heavens, A.F.), 229, 469

Galaxies - nuclei of

- Beaming in blazars (Madau, P., Ghisellini, G., Persic, M.), 224, 257
- Radio emission from shell elliptical galaxies (Wilkinson, A., Browne, I.W.A., Kotanyi, C., Christiansen, W.A., Williams, R., Sparks, W.B.), 224, 895
- Quasar discs - II. A composite model for the broad-line region (Netzer, H.), 225, 55
- A mid- to far-infrared variability study of eight active galactic nuclei (Sembay, S., Hanson, C.G., Coe, M.J.), 226, 137
- Hydrodynamic simulations of white dwarf-massive main-sequence star collisions in dense galactic nuclei (Regev, O., Shara, M.M.), 227, 967
- Magnetic confinement of broad-line clouds in active galactic nuclei (Rees, M.J.), 228, 47p
- The 'La/Fe II problem' - solved by fluorescence? (Penston, M.V.), 229, 1p

Galaxies - Seyfert

- Discovery of a strong soft X-ray excess in Mkn 335 - evidence for an accretion disc? (Pounds, K.A., Stanger, V.J., Turner, T.J., King, A.R., Czerny, B.), 224, 443
- The Mg II line profile in the Seyfert galaxy NGC 4151: a new outflowing component (Leech, K.J., Penston, M.V., Snijders, M.A.J., Gull, T.R.), 225, 837
- An archival study of *IUE* observations of low-redshift quasars (Cheng, F.H., Fang, L.Z.), 226, 485
- A dynamical model for the narrow line region of Seyfert galaxies (Mobasher, B., Raine, D.J.), 228, 159
- The extended narrow-line region in radio Seyferts: evidence for a collimated nuclear UV field? (Unger, S.W., Pedlar, A., Axon, D.J., Whittle, M., Meurs, E.J.A., Ward, M.J.), 228, 671

Galaxy clusters

- The optical spectra of central galaxies in southern clusters: evidence for star formation (Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J.), 224, 75
- The dynamics of rich clusters - I. Velocity data (Colless, M., Hewett, P.), 224, 453
- The peculiar velocity of the Local Group - I. HI observations of Sb and Sbc galaxies (Staveley-Smith, L., Davies, R.D.), 224, 953
- Narrow absorption lines from cooling flows (Crawford, C.S., Crehan, D.A., Fabian, A.C., Johnstone, R.M.), 224, 1007
- Constraints on voids at high redshifts from Ly α absorbers (Carswell, R.F., Rees, M.J.), 224, 13p
- A search for the Sunyaev-Zeldovich effect at millimetre wavelengths (Chase, S.T., Joseph, R.D., Robertson, N.A., Ade, P.A.R.), 225, 171
- Optical dipole anisotropy (Lahav, O.), 225, 213
- Groups of galaxies in the CFA survey and in cold dark matter universes (Nolthenius, R., White, S.D.M.), 225, 505
- Surface photometry of powerful radio galaxies - II. Relations with the radio, optical, and clustering properties (Lilly, S.J., Prestage, R.M.), 225, 531
- The Shapley 8 cluster of galaxies - redshifts and dynamics (Metcalfe, N., Godwin, J.G., Spenser, S.D.), 225, 581
- Gas heating by energetic particles in M87 and the Coma cluster (Rephaeli, Y.), 225, 851
- Structure and formation of superclusters - VI. Morphology-density-luminosity relation of isolated and grouped galaxies (Einasto, M., Einasto, J.), 226, 543
- Concentration of bright quasars in the Sculptor Group (Arp, H.), 226, 5p
- Clustering in real space and in redshift space (Kaiser, N.), 227, 1
- Galaxy correlations and the luminosity function (Phillipps, S., Shanks, T.), 227, 115
- Globular clusters belonging to galaxy clusters (White III, R.E.), 227, 185
- X-ray observations of the Ophiuchus, PKS 0745 - 191 and Cygnus-A clusters of galaxies (Amaud, K.A., Johnstone, R.M., Fabian, A.C., Crawford, C.S., Nulsen, P.E.J., Shafer, R.A., Mushotzky, R.F.), 227, 241
- An infrared-optical study of *IRAS* point sources in the Virgo region (Leggett, S.K., Clowes, R.G., Kalafi, M., MacGillivray, H.T., Puxley, P.J., Savage, A., Wolstencroft, R.D.), 227, 563
- On the absorption spectra of the quasars TOL 1037-271 and TOL 1038-272 (Cristiani, S., Danziger, I.J., Shaver, P.A.), 227, 639
- Absorption spectra of the QSO pair TOL 1037-27/1038-27 (Robertson, J.G.), 227, 653
- Non-Gaussian statistics and the microwave background radiation (Coles, P., Barrow, J.D.), 228, 407

- Merging instability in groups of galaxies with dark matter (Navarro, J.F., Mosconi, M.B., Lambas, D.G.), 228, 501
- The alignment of galaxy clusters (Flin, P.), 228, 941
- A cooling flow around the quasar 3C 48 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Thomas, P.A.), 228, 963
- Mass deposition in cooling flows - analysis of the X-ray data (Thomas, P.A., Fabian, A.C., Nulsen, P.E.J.), 228, 973
- Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), 228, 1001
- The dipole anisotropy of a new, colour-selected, *IRAS* galaxy sample (Harmon, R.T., Lahav, O., Meurs, E.J.A.), 228, 5p
- The extent of beam dilution in measurements of the Zeldovich-Sunyaev effect (Rephaeli, Y.), 228, 29p
- Large-scale streaming of cluster elliptical galaxies (James, P.A., Joseph, R.D., Collins, C.A.), 229, 53
- A spectroscopic study of three rich galaxy clusters at $z=0.31$ (Couch, W.J., Sharples, R.M.), 229, 423
- The surface brightness of 1550 galaxies in Fomax: automated galaxy surface photometry - II (Phillipps, S., Disney, M.J., Kibblewhite, E.J., Cawson, M.G.M.), 229, 505
- On the variation of galaxy correlations with luminosity (Phillipps, S., Shanks, T.), 229, 621
- IRAS* galaxies: no evidence for a cosmological anisotropy (Clowes, R.G., Savage, A., Wang, G., Leggett, S.K., MacGillivray, H.T., Wolstencroft, R.D.), 229, 27p

Gamma-ray astronomy

- Synchrotron X-ray haloes around gamma ray sources (Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S.) 228, 243

Gravitation and gravitational radiation

- Antenna patterns of interferometric detectors of gravitational waves - I. Linearly polarized waves (Schutz, B.F., Tinto, M.), 224, 131
- Gravitational lensing by dark galactic haloes (Subramanian, K., Rees, M.J., Chitre, S.M.), 224, 283
- Enhanced gravitational wave emission from perturbed wide binaries (Fitchett, M.), 224, 567
- Timing a millisecond pulsar in a globular cluster (Blandford, R.D., Romani, R.W., Applegate, J.H.), 225, 51p
- Antenna patterns of interferometric detectors of gravitational waves - II. Elliptically and randomly polarized waves (Tinto, M.), 226, 829

- Astronomical constraints on a string-dominated universe (Gott III, J.R., Rees, M.J.), 227, 453
- On detecting stochastic background gravitational radiation with terrestrial detectors (Michelson, P.F.), 227, 933
- The orbit of Pluto and the cosmological constant (Roberts, M.D.), 228, 401
- Gravitational energy for spherically symmetric configurations (Nahmad-Achar, E.), 228, 51p
- Coincidence probabilities for a network of interferometric detectors of gravitational waves (Tinto, M.), 229, 315
- Generation of gravitational waves by the anisotropic phases in the early Universe (Deryagin, D.V., Grigoriev, D.Yu., Rubakov, V.A., Sazhin, M.V.), 229, 357
- ### Herbig-Haro objects
- On the infrared emission of the exciting star of the Herbig-Haro objects 1 and 2 (Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T.), 224, 587
- The dynamics of Herbig-Haro objects HH46 and 47A and their remarkable connecting filament HH47B (Meaburn, J., Dyson, J.E.), 225, 863
- IRAS observations of NGC 1333 (Jennings, R.E., Cameron, D.H.M., Cudlip, W., Hirst, C.J.), 226, 461
- Herbig Haro objects in the vicinity of NGC 2023 (Malin, D.F., Ogura, K., Walsh, J.R.), 227, 361
- Optical polarization studies of Herbig Haro objects – I. The HH57 region (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F.), 227, 701
- Optical polarization studies of Herbig Haro objects – II. The HH24 and SSCV 140 nebulosities (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F.), 227, 1065
- Optical polarization studies of Herbig Haro objects – III. HH100 in Corona Australis (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D.), 228, 533
- ### Infrared astronomy
- δ Andromedae (K3 III): an IRAS source with an unusual ultraviolet spectrum (Judge, P.G., Jordan, C., Rowan-Robinson, M.), 224, 93
- The circumstellar environment of α Orionis (Skinner, C.J., Whitmore, B.), 224, 335
- On the infrared emission of the exciting star of the Herbig Haro objects 1 and 2 (Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T.), 224, 587
- Infrared and optical polarimetry of the radio elliptical IC 5063 (PKS2048-57): discovery of a highly polarized non-thermal nucleus (Hough, J.H., Brindle, C., Axon, D.J., Bailey, J., Sparks, W.B.), 224, 1013
- Spectroscopy and photometry of IP Peg in the near-infrared (Martin, J.S., Jones, D.H.P., Smith, R.C.), 224, 1031
- Extragalactic dust – II. Far-infrared properties of early-type galaxies with dust lanes (Broch, N.), 225, 257
- Infrared and optical observations of low-activity comets, P/Arend-Rigaux (1984k) and P/Neujmin 1 (1984c) (Birkett, C.M., Green, S.F., Zamecki, J.C., Russell, K.S.), 225, 285
- Discovery of an extended infrared reflection nebula around S106 (McLean, L.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N.), 225, 393
- IRAS observations of faint *Equatorial Infrared Catalogue 1* sources (Iyengar, K.V.K., Rengarajan, T.N.), 225, 731
- The identification of IRAS 15194-5115 with a bright extreme carbon star (Meadows, P.J., Good, A.R., Wolstencroft, R.D.), 225, 43p
- A mid- to far-infrared variability study of eight active galactic nuclei (Sembay, S., Hanson, C.G., Coe, M.J.), 226, 137
- A near-IR study of the X-ray transient V0332+53 (Coe, M.J., Longmore, A.J., Payne, B.J., Hanson, C.G.), 226, 455
- IRAS observations of NGC 1333 (Jennings, R.E., Cameron, D.H.M., Cudlip, W., Hirst, C.J.), 226, 461
- Measurements of the near-infrared stellar scintillation above the Observatorio del Teide (Tenerife) (Fuentes, F.J., Fuensalida, J.J., Sanchez-Magro, C.), 226, 769
- The absolute magnitude of RR Lyraes and the distance to the Galactic Centre (Femley, J.A., Longmore, A.J., Jameson, R.F., Watson, F.G., Wesselink, T.), 226, 927
- Optical and infrared observations of RV Tauri stars (Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F.), 227, 143
- Observations of M dwarfs beyond 2.2 μ m (Berriman, G., Reid, N.), 227, 315
- J, H and K maps of the Galactic Centre region – II. Qualitative aspects of the interstellar absorption (Glass, I.S., Catchpole, R.M., Whitelock, P.A.), 227, 373
- Infrared studies of Eta Carinae – I. Spectroscopy and a composite dust model (Robinson, G., Mitchell, R.M., Aitken, D.K., Briggs, G.P., Roche, P.F.), 227, 535
- An infrared-optical study of IRAS point sources in the Virgo region, Leggett, S.K., Clowes, R.G., Kalafi, M., MacGillivray, H.T., Puxley, P.J., Savage, A., Wolstencroft, R.D.), 227, 563
- Studies of IRAS sources at high galactic latitudes – III. Luminosity functions at 25,60 and 100 μ m and the correlation of optical and infrared luminosities (Rowan-Robinson, M., Helou, G., Walker, D.), 227, 589

- An infrared study of the stellar population in the direction of the Carina nebula: NGC 3372 (Smith, R.G.), 227, 943
- IRAS* observations of southern molecular clouds (Kuiper, T.B.H., Whiteoak, J.B., Fowler, J.W., Rice, W.), 227, 1013
- HCO⁺ survey of unassociated compact molecular clouds in the *IRAS Point Source Catalog* (Richards, P.J., Little, L.T., Toriseva, M., Heaton, B.D.), 228, 43
- The nature of dust grains in the clouds of Magellan: 8–13 μ m spectra of LMC N44A and SMC N88A (Roche, P.F., Aitken, D.K., Smith, C.H.), 228, 269
- Brackett- γ mapping observation of RCW38 (Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H.), 228, 721
- A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae (Berriman, G.), 228, 729
- An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F.), 228, 805
- Radio detection of the Be star ψ Persei (Taylor, A.R., Waters, L.B.F.M., Lames, H.J.L.M., Persi, P., Bjorkman, K.S.), 228, 811
- An optical polarization study of the Chamaeleon IR nebula (Scarrott, S.M., Warren-Smith, R.F., Wolstencroft, R.D., Zinnecker, H.), 228, 827
- Multiband photometry (8–13 μ m) of Herbig Ae/Be stars (Berrilli, F., Lorenzetti, D., Saraceno, P., Strafella, F.), 228, 833
- Shell galaxies detected with *IRAS* (Wilkinson, A., Browne, I.W.A., Wolstencroft, R.D.), 228, 933
- The dipole anisotropy of a new, colour-selected, *IRAS* galaxy sample (Hammon, R.T., Lahav, O., Meurs, E.J.A.), 228, 5p
- The origin of the far-infrared flux from spiral galaxies (Leggett, S.K., Brand, P.W.J.L., Mountain, C.M.), 228, 11p
- The 1985 May superoutburst of the dwarf nova OY Carinae – I. Optical and infrared photometry (Naylor, T., Charles, P.A., Hassall, B.J.M., Bath, G.T., Berriman, G., Warner, B., Bailey, J., Reinsch, K.), 229, 183
- IRAS* additional observations of classical novae (Callus, C.M., Evans, A., Albinson, J.S., Mitchell, R.M., Bode, M.F., Jameson, R.F., King, A.R., Sherrington, M.), 229, 539
- IRAS* galaxies: no evidence for a cosmological anisotropy (Clowes, R.G., Savage, A., Wang, G., Leggett, S.K., MacGillivray, H.T., Wolstencroft, R.D.), 229, 27p
- On the saturation of the refractive index structure function – I. Enhanced hopes for long baseline optical interferometry (Venkatakrishnan, P., Chatterjee, S.), 224, 265
- Automated galaxy surface photometry – I. Technique, calibration and validation (Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Phillips, S.), 224, 557
- The Jodrell Bank wide-band interferometers and their application to surface profile measurements of the telescopes (Padin, S., Davis, R.J., Lasenby, A.N.), 224, 685
- Low-frequency VLBI in space and interstellar refraction (Dennison, B., Booth, R.S.), 224, 927
- Atmospheric dispersion compensator for a wide-field three-mirror telescope (Willstrop, R.V.), 225, 187
- The Image Photon Counting System: performance in detail, and the quest for high accuracy, (Jenkins, C.R.), 226, 341
- Antenna patterns of interferometric detectors of gravitational waves – II. Elliptically and randomly polarized waves (Tinto, M.), 226, 829
- Erratum: The Image Photon Counting System: performance in detail, and quest for high accuracy (Jenkins, C.R.), 227, 543
- The Faint Object Spectrograph for the 2.5-m Isaac Newton Telescope (Breare, J.M., Cox, G.C., Ellis, R.S., Martin, G.P., Parry, I.R., Purvis, A., Waltham, N.R., Webster, J., Fosbury, R.A.E., Gellatly, D.W., Jorden, P.R., Lowne, C.M., Lupton, W.F., Powell, J.R., Thorne, D.J., van Breda, I.G., Worswick, S.P., Wynne C.G.), 227, 909
- On detecting stochastic background gravitational radiation with terrestrial detectors (Michelson, P.F.), 227, 933
- The determination of shower meteor parameters from single station observations (Duffy, A.G., Hawkes, R.L., Jones, J.), 228, 55
- The significance of stellar magnetic field measurements obtained with the photographic technique: the spurious magnetic field of the supergiant Canopus (Stift, M.J.), 228, 109
- A new mounting system for very large telescopes – with particular application to the classical Schmidt (Reddish, V.C., Simmonds, E.W.), 228, 537

Intergalactic medium

- The optical spectra of central galaxies in southern clusters: evidence for star formation (Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J.), 224, 75
- Extragalactic jets: probes of the surrounding medium (Wilson, M.J.), 224, 155
- Gravitational lensing by dark galactic haloes (Subramanian, K., Rees, M.J., Chitre, S.M.), 224, 283

Instruments and techniques

- Antenna patterns of interferometric detectors of gravitational waves – I. Linearly polarized waves (Schutz, B.F., Tinto, M.), 224, 131

- Are Lyman α clouds non-spherical? (Barcons, X., Fabian, A.C.), 224, 675
- Narrow absorption lines from cooling flows (Crawford, C.S., Crehan, D.A., Fabian, A.C., Johnstone, R.M.), 224, 1007
- Deep Galaxy counts. H I and dust at the South Galactic Pole and in the Magellanic Stream (Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F., Strong, A.W., Dawe, J.A., Murray, J.D.), 224, 1059
- Constraints on voids at high redshifts from Ly α absorbers (Carswell, R.F., Rees, M.J.), 224, 13p
- Groups of galaxies in the CfA survey and in cold dark matter universes (Nolthenius, R., White, S.D.M.), 225, 505
- Gas heating by energetic particles in M87 and the Coma cluster (Rephaeli, Y.), 225, 851
- Lyman-alpha emission from the Lyman-alpha forest (Hogan, C.J., Weymann, R.J.), 225, 1p
- Globular clusters belonging to galaxy clusters (White III, R.E.), 227, 185
- On the absorption spectra of the quasars TOL 1037-271 and TOL 1038-272 (Cristiani, S., Danziger, J., Shaver, P.A.), 227, 639
- Absorption spectra of the QSO pair TOL 1037-27/1038 - 27 (Robertson, J.G.), 227, 653
- Rotation measure variation across M84 (Laing, R.A., Bridle, A.H.), 228, 557
- A cooling flow around the quasar 3C 48 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Thomas, P.A.), 228, 963
- Mass deposition in cooling flows - analysis of the X-ray data (Thomas, P.A., Fabian, A.C., Nulsen, P.E.J.), 228, 973
- Are voids found in the Lyman-alpha forest? (Crofts, A.P.S.), 228, 41p
- The distribution and kinematics of stars formed from the cooling flow in M87 (Soares, D.S.L., Sanders, R.H.), 229, 119
- Cosmological implications of the anomalies in the redshift distribution of QSO Lyman α absorption systems (Barcons, X., Fabian, A.C.), 229, 157
- ### Interplanetary medium
- Interplanetary material as a guide to the composition of interstellar grains (Jones, A.P., Williams, D.A.), 224, 473
- ### Interstellar grains
- The circumstellar environment of a Orionis (Skinner, C.J., Whitmore, B.), 224, 335
- Interplanetary material as a guide to the composition of interstellar grains (Jones, A.P., Williams, D.A.), 224, 473
- A study of the Chamaeleon dark cloud and T-association - I. Extinction, distance and membership (Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J.), 224, 497
- On the infrared emission of the exciting star of the Herbig-Haro objects 1 and 2 (Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T.), 224, 587
- Deep Galaxy counts. H I and dust at the South Galactic Pole and in the Magellanic Stream (Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F., Strong, A.W., Dawe, J.A., Murray, J.D.), 224, 1059
- Extragalactic dust - II. Far-infrared properties of early-type galaxies with dust lanes (Brosch, N.), 225, 257
- Discovery of an extended infrared reflection nebula around S106 (McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N.), 225, 393
- IRAS observations of faint *Equatorial Infrared Catalogue 1* sources (Iyengar, K.V.K., Rengarajan, T.N.), 225, 731
- An extragalactic constraint on local galactic reddening (Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J.), 225, 769
- Interstellar extinction and galactic structure, (Pandey, A.K., Mahra, H.S.), 226, 635
- Penetration of charged interstellar dust into the Solar System (Wallis, M.K.), 227, 331
- J, H and K maps of the Galactic Centre region - II. Qualitative aspects of the interstellar absorption (Glass, I.S., Catchpole, R.M., Whitelock, P.A.), 227, 373
- Infrared studies of Eta Carinae - I. Spectroscopy and a composite dust model (Robinson, G., Mitchell, R.M., Aitken, D.K., Briggs, G.P., Roche, P.F.), 227, 535
- An infrared study of the stellar population in the direction of the Carina nebula: NGC 3372 (Smith, R.G.), 227, 943
- IRAS observations of southern molecular clouds (Kuiper, T.B.H., Whiteoak, J.B., Fowler, J.W., Rice, W.), 227, 1013
- Interstellar polarization in the dust lane of Centaurus A (NGC 5128) (Hough, J.H., Bailey, J.A., Rouse, M.F., Whittet, D.C.B.), 227, 1p
- The nature of dust grains in the clouds of Magellan: 8-13 μ m spectra of LMC N44A and SMC N88A (Roche, P.F., Aitken, D.K., Smith, C.H.), 228, 269
- Study of interstellar extinction in some young open clusters (Sagar, R.), 228, 483
- Brackett- γ mapping observation of RCW38 (Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H.), 228, 721
- Multiband photometry (8-13 μ m) of Herbig Ae/Be stars (Berrilli, F., Lorenzetti, D., Saraceno, P., Strafella, F.), 228, 833
- The origin of the far-infrared flux from spiral galaxies (Leggett, S.K., Brand, P.W.J.L., Mountain, C.M.), 228, 11p

- Interstellar extinction and the composition of dust grains (Duley, W.W.), 229, 203
- An efficient gas phase synthesis for interstellar PN (Millar, T.J., Bennett, A., Herbst, E.), 229, 41P
- Interstellar extinction correlations (Jones, A.P., Duley, W.W., Williams, D.A.), 229, 213
- UV and vacuum UV spectra of organic extract from Yamato carbonaceous chondrites (Yabushita, S., Inagaki, T., Anakawa, E.T., Wada, K.), 229, 45P

Interstellar medium

- Dynamical models of radiative shocks – I. Steady shocks (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), 224, 179
- Theoretical studies of interstellar molecular shocks – V. Solutions for J-type shocks as an initial value problem (Flower, D.R., Pineau des Forêts, G.), 224, 403
- The structure and evolution of interstellar bubbles in multiphase interstellar medium – I. Physical model (Wolff, M.T., Durisen, R.H.), 224, 701
- Global simulations of gas flow in disc galaxies – II. Evolution of tilts and corrugation waves (Johns, T.C., Nelson, A.H.), 224, 863
- Low-frequency VLBI in space and interstellar refraction (Dennison, B., Booth, R.S.), 224, 927
- Neutral hydrogen observations towards the compact radio source 0022+6352 in Tycho's SNR (Green, D.A., Gull, S.F.), 224, 1055
- Faraday rotation measurements on 163 pulsars (Hamilton, P.A., Lyne, A.G.), 224, 1073
- Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere (Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L.), 225, 307
- The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud (Meabum, J., Marston, A.P., McGee, R.X., Newton, L.M.), 225, 591
- The non-linear self-regulation of cosmic ray acceleration at shocks (Bell, A.R.), 225, 615
- An extragalactic constraint on local galactic reddening (Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J.), 225, 769
- Optical distortion of M86; star formation from cooling gas? (Nulsen, P.E.J., Carter, D.), 225, 939
- Dynamical models of radiative shocks – II. Unsteady shocks (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), 226, 67
- An H I study of the galaxy NGC 4945 with a two-element synthesis telescope (Ables, J.G., Forster, J.R., Manchester, R.N., Rayner, P.T., Whiteoak, J.B., Mathewson, D.S., Kelnaj, A.J., Peters, W.L., Wehner, H.), 226, 157
- Aperture synthesis observations of galactic atomic hydrogen in the direction $l=335^{\circ}.5$, $b=0^{\circ}.3$, (Forster, J.R., Whiteoak, J.B., Kesteven, M.J., Manchester, R.N., Rayner, P.T., Ables, J.G., Peters, W.L.), 226, 173
- The chemical evolution of the galaxy and the dark matter problem (Rana, N.C., Wilkinson, D.A.), 226, 395
- Small-scale variations in the Galactic Faraday rotation (Leahy, J.P.), 226, 433
- Rotationally inelastic collisions between H₂ molecules in interstellar magnetohydrodynamical shocks (Danby, G., Flower, D.R., Monteiro, T.S.), 226, 739
- Energetic N⁺ ions in the interstellar medium (Yee, J.H., Lepp, S., Dalgarno, A.), 227, 461
- Theoretical studies of interstellar molecular shocks – VI. The formation of molecules containing two or three carbon atoms (Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Millar, T.J.), 227, 993
- Excitation of (O) and (C) fine structure transitions by He and H₂: a neglected selection rule (Monteiro, T.S., Flower, D.R.), 228, 101
- A dynamical model for the narrow line region of Seyfert galaxies (Mobasher, B., Raine, D.J.), 228, 159
- Steady models of radiatively modified conductively driven evaporation from interstellar clouds (Bohringer, H., Hartquist, T.W.), 228, 915
- Chemical evidence for ambipolar diffusion in interstellar shocks: a suggested observational test (Pineau des Forêts, Flower, D.R.), 228, 1P
- The effects of caustics on scintillating radio sources (Goodman, J.J., Romani, R.W., Blandford, R.D., Narayan, R.), 229, 73
- Formation of shells in elliptical galaxies from interstellar gas (Loewenstein, M., Fabian, A.C., Nulsen, P.E.J.), 229, 129
- Echelle observations of the spatially resolved kinematics of a region with high-speed motions in M17 (NGC 6618) – II (Meabum, J., Clayton, C.A.), 229, 253
- A reinvestigation of gas response to an ovally deformed gravitational potential (Matsuda, T., Inoue, M., Sawada, K., Shima, E., Wakamatsu, K.), 229, 295

Laboratory astrophysics

- The dipole moment of C₃H₂ (Brown, R.D., Godfrey, P.D., Bettens, R.P.A.), 227, 19P
- Interstellar extinction and the composition of dust grains (Duley, W.W.), 229, 203

An efficient gas phase synthesis for interstellar PN
(Millar, T.J., Bennett, A., Herbst, E.), 229, 41p

Magellanic clouds

- Two faint WR stars near 30 Doradus (Morgan, D.H., Good, A.R.), 224, 435
- Deep Galaxy counts. HI and dust at the South Galactic Pole and in the Magellanic Stream (Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F., Strong, A.W., Dawe, J.A., Murray, J.D.), 224, 1059
- The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud (Meaburn, J., Marston, A.P., McGee, R.X., Newton, L.M.), 225, 591
- CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866 (Walker, A.R.), 225, 627
- The distance to the LMC from *uvby* β photometry of B stars (Shobbrook, R.R., Visvanathan, N.), 225, 947
- The H II radial velocity field and kinematics of the Small Magellanic Cloud (Torres, G., Carranza, G.J.), 226, 513
- A 2.3-GHz radio continuum map of the Magellanic Cloud (Mountfort, P.L., Jonas, J.L., de Jager, G., Baart, E.E.), 226, 917
- The determination of the masses of Magellanic Cloud planetary nebulae using [O II] doublet ratio electron densities (Barlow, M.J.), 227, 161
- SMC globular clusters: candidates for mass segregation? (Kontizas, M., Theodossiou, E., Kontizas, E.), 227, 257
- Spectroscopic and photometric observations of SN 1987a: the first 50 days (Menzies, J.W., Catchpole, R.M., van Vuuren, G., Winkler, H., Laney, C.D., Whitelock, P.A., Cousins, A.W.J., Carter, B.S., Marang, F., Lloyd Evans, T.H.H., Roberts, G., Kilkenny, D., Spencer Jones, J., Sekiguchi, K., Fairall, A.P., Wolstencroft, R.D.), 227, 49p
- The stellar winds of early-type stars in the Small Magellanic Cloud (Prinja, K.), 228, 173
- The nature of dust grains in the clouds of Magellan: 8–13 μ m spectra of LMC N44A and SMC N88A (Roche, P.F., Aitken, D.K., Smith, C.H.), 228, 269
- Colour-magnitude diagrams of star clusters in the Magellanic Clouds from wide-field electronography – III. NGC 1841 (Andersen, J., Blecha, A., Walker, M.F.), 229, 1
- The morphology and dynamics of a multi-lobed supernova remnant in the LMC (DEM 34a, N11L) (Meaburn, J.), 229, 457
- Spectroscopic and photometric observations of SN 1987a – II. Days 51 to 134 (Catchpole, R.M., Menzies, J.W., Monk, A.S., Wargau, W.F., Pollacco, D., Carter, B.S., Whitelock, P.A., Marang, F., Laney, C.D., Balona, L.A., Feast,

M.W., Lloyd Evans, T.H.H., Sekiguchi, K., Laing, J.D., Kilkenny, D.M., Spencer Jones, J., Roberts, G., Cousins, A.W.J., van Vuuren, G., Winkler, H.), 229, 15p

Masers

- VLA observations of 5-GHz excited OH lines towards Sgr B2 (Gardner, F.F., Whiteoak, J.B., Palmer, P.), 225, 469
- Narrow polarized components in the OH 1612-MHz maser emission from supergiant OH–IR sources (Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J.), 225, 491
- The formation of discrete high velocity molecular features (Hartquist, T.W., Dyson, J.E.), 228, 957
- MERLIN and VLA observations of the star-forming region G35.2 – 0.7N (Brebner, G.C., Heaton, B., Cohen, R.J., Davies, S.R.), 229, 679

Meteors

- The cometary breakup hypothesis re-examined: a reply (Clube, S.V.M., Napier, W.M.), 225, 55p
- The determination of shower meteor parameters from single station observations (Duffy, A.G., Hawkes, R.L., Jones, J.), 228, 55
- Comet Nishikawa–Takamizawa–Tago (1987c) and the Epsilon Geminid meteor shower (Olsson-Steel, D.), 228, 23p
- UV and vacuum UV spectra of organic extract from Yamato carbonaceous chondrites (Yabushita, S., Inagaki, T., Arakawa, E.T., Wada, K.), 229, 45p

Microwave background

- A search for the Sunyaev–Zeldovich effect at millimetre wavelengths (Chase, S.T., Joseph, R.D., Robertson, N.A., Ade, P.A.R.), 225, 171
- Microwave anisotropy constraints on isocurvature baryon models (Efstathiou, G., Bond, J.R.), 227, 38p
- Non-Gaussian statistics and the microwave background radiation (Coles, P., Barrow, J.D.), 228, 407
- The dipole anisotropy of a new, colour-selected, IRAS galaxy sample (Hammon, R.T., Lahav, O., Meurs, E.J.A.), 228, 5p
- The extent of beam dilution in measurements of the Zeldovich–Sunyaev effect (Rephaeli, Y.), 228, 29p
- Cosmological streaming velocities and large-scale density maxima (Peacock, J.A., Lumsden, S.L., Heavens, A.F.), 229, 469

Molecules

The dipole moment of C_3H_2 (Brown, R.D., Godfrey, P.D., Bettens, R.P.A.), 227, 19p

Molecules and molecular clouds

Theoretical studies of interstellar molecular shocks – V. Solutions for J-type shocks as an initial value problem (Flower, D.R., Pineau des Forêts, G.), 224, 403

Infrared polarimetry of dark clouds – I. Magnetic field structure in Heiles Cloud 2 (Tamura, M., Nagata, T., Sato, S., Tanaka, M.), 224, 413

A study of the Chamaeleon dark cloud and T-association – I. Extinction, distance and membership (Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J.), 224, 497

Synthetic Swan band profiles of (1,0) of $^{12}C^{13}C$ and (0,0) of $^{12}C^{12}C$ and $^{12}C^{13}C$ in comets (Krishna Swamy, K.S.), 224, 537

VLA observations of the 4.8-GHz H_2CO transition in L1551 (Duncan, R.A., Forster, J.R., Gardner, F.F., Whiteoak, J.B.), 224, 721

VLA observations of 5-GHz excited OH lines towards Sgr B2 (Gardner, F.F., Whiteoak, J.B., Palmer, P.), 225, 469

$^{12}CO(J=1-0)$ observations of six southern Bok globules (Casali, M.M., Edgar, M.L.), 225, 481

Narrow polarized components in the OH 1612-MHz maser emission from supergiant OH-IR sources (Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J.), 225, 491

A dense molecular outflow in Orion B (Russell, A.P.G., Hills, R.E., Padman, R.), 226, 237

IRAS observations of NGC 1333 (Jennings, R.E., Cameron, D.H.M., Cudlip, W., Hirst, C.J.), 226, 461

A systematic search for OH megamasers (Staveley-Smith, L., Cohen, R.J., Chapman, J.M., Pointon, L., Unger, S.W.), 226, 689

HCO observations of the W51 molecular cloud (Cox, M.J., Scott, P.F., Andersson, M., Russell, A.P.G.), 226, 703

Rotationally inelastic collisions between H_2 molecules in interstellar magnetohydrodynamical shocks (Danby, G., Flower, D.R., Monteiro, T.S.), 226, 739

Energetic N^+ ions in the interstellar medium (Yee, J.H., Lepp, S., Dalgarno, A.), 227, 461

Magnetic fields and star formation: evidence from imaging polarimetry of the Serpens Reflection Nebula (Warren-Smith, R.F., Draper, P.W., Scarrott, S.M.), 227, 749

Theoretical studies of interstellar molecular shocks – VI. The formation of molecules

containing two or three carbon atoms (Pineau des Forêts, G., Flower, D.R., Hartquist, T.W., Millar, T.J.), 227, 993

IRAS observations of southern molecular clouds (Kuiper, T.B.H., Whiteoak, J.B., Fowler, J.W., Rice, W.), 227, 1013

HCO⁺ survey of unassociated compact molecular clouds in the *IRAS Point Source Catalog* (Richards, P.J., Little, L.T., Toriseva, M., Heaton, B.D.), 228, 43

Sulphur compounds in cometary IUE spectra (Krishna Swamy, K.S., Wallis, M.K.), 228, 305

Brackett- γ mapping observation of RCW38 (Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H.), 228, 721

On relativistic particle acceleration in molecular clouds (Dogiel, V.A., Gurevich, A.V., Instomin, Y.N., Zybin, K.P.), 228, 843

The formation of discrete high velocity molecular features (Hartquist, T.W., Dyson, J.E.), 228, 957

Chemical evidence for ambipolar diffusion in interstellar shocks: a suggested observational test (Pineau des Forêts, Flower, D.R.), 228, 1p

The origin of the far-infrared flux from spiral galaxies (Leggett, S.K., Brand, P.W.J.L., Mountain, C.M.), 228, 11p

An efficient gas phase synthesis for interstellar PN (Millar, T.J., Bennett, A., Herbst, E.), 229, 41p

Nebulae – gaseous

Formation of planets around stars of various masses – I. Formulation and star of one solar mass (Nakano, T.), 224, 107

Radio observations of the filamentary nebula G2.4+1.4 (Green, D.A., Downes, A.J.B.), 225, 221

Detailed spectrophotometric study of the giant H II region NGC 604 (Diaz, A.I., Terlevich, E., Pagel, B.E.J., Vilchez, J.M., Edmunds, M.G.), 226, 19

A cometary globule with an embedded star (King, D.J.), 226, 473

The dynamics of the giant ring nebula Hubble III in NGC 6822 (Clayton, C.A.), 226, 493

The H II radial velocity field and kinematics of the Small Magellanic Cloud (Torres, G., Carranza, G.J.), 226, 513

Giant H II regions as distance indicators – I. Relations between global parameters for the local calibrators (Melnick, J., Moles, M., Terlevich, R., Garcia-Pelayo, J.-M.), 226, 849

Brackett- γ mapping observation of RCW38 (Mizutani, K., Suto, H., Takami, H., Maihara, T., Sood, R.K., Thomas, J.A., Shibai, H., Okuda, H.), 228, 721

Imaging spectrophotometry of a chain of giant H II regions in the galaxy NGC 2997 (Roy, J.-R., Walsh, J.R.), 228, 883

- Steady models of radiatively modified conductively driven evaporation from interstellar clouds (Bohringer, H., Hartquist, T.W.), 228, 915
- Echelle observations of the spatially resolved kinematics of a region with high-speed motions in M17 (NGC 6618) – II (Meaburn, J., Clayton, C.A.), 229, 253
- Fragmentation of a gas cloud with orthogonal rotation and magnetic axes (Campbell, C.G., Mestel, L.), 229, 549
- Optical imaging and polarization mapping of the variable nebulosity associated with the PMS star PV Cephei (Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M.), 229, 643

Nebulae – planetary

- The carbon-poor halo planetary nebula DDDM-1 (Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S.), 224, 761
- The high radial velocity of an outer filament of the Helix nebula (NGC 7293) (Walsh, J.R., Meaburn, J.), 224, 885
- Electron impact excitation rate coefficients for Mg^{3+} and Mg^{4+} (Mendoza, C., Zeippen, C.J.), 224, 7p
- The determination of the masses of Magellanic Cloud planetary nebulae using [O II] doublet ratio electron densities (Barlow, M.J.), 227, 161
- The physical conditions in SwSt 1: the central star and the nebula (Freitas Pacheco de, J.A., Veliz, J.G.), 227, 773
- Non-LTE model atmospheres for central stars of planetary nebulae (Clegg, R.E.S., Middlemass, D.), 228, 759
- Collisional effects in He I lines and helium abundances in planetary nebulae (Clegg, R.E.S.), 229, 31p

Nebulae – reflection

- Infrared polarimetry of dark clouds – I. Magnetic field structure in Heiles Cloud 2 (Tamura, M., Nagata, T., Sato, S., Tanaka, M.), 224, 413
- Discovery of an extended infrared reflection nebula around S106 (McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N.), 225, 393
- The Bruck 'bipolar': a nebulous star cluster (Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D.), 225, 17p
- Magnetic fields and star formation: evidence from imaging polarimetry of the Serpens Reflection Nebula (Scarrott, S.M.), 227, 749

- Optical polarization studies of Herbig Haro objects – II. The HH24 and SSCV 140 nebulosities (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F.), 227, 1065
- Optical polarization studies of Herbig Haro objects – III. HH100 in Corona Australis (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D.), 228, 533
- An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F.), 228, 805
- An optical polarization study of the Chamaeleon IR nebula (Scarrott, S.M., Warren-Smith, R.F., Wolstencroft, R.D., Zinnecker, H.), 228, 827

Neutron stars

- EXOSAT* observations of the SNR PKS 1209-52 (Kellert, B.J., Branduardi-Raymont, G., Culhane, J.L., Mason, I.M., Mason, K.O., Whitehouse, D.R.), 225, 199
- Accretion disc coronae and the X-ray source in M15 (Fabian, A.C., Guilbert, P.W., Callanan, P.J.), 225, 29p
- A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1 (Treves, A., Bocci, F.), 225, 39p
- Constraints on the mass-radius relation of the neutron star in 4U 1746-37/NGC 6441 (Sztajno, M., Fujimoto, M.Y., van Paradijs, J., Vacca, W.D., Lewin, W.H.G., Penninx, W., Trümper, J.), 226, 39
- Spin-up and spin-down of an accreting compact object (Matsuda, T., Inoue, M., Sawada, K.), 226, 781
- High-frequency oscillations from Cir X-1 (Tennant, A.F.), 226, 971
- g-modes in zero-temperature neutron stars (Finn, L.S.), 227, 265
- The formation of iron features in the cooling spectrum of X-ray bursts (Foster, A.J., Ross, R.R., Fabian, A.C.), 228, 259
- Neutron star magnetic field decay: flux expulsion from the superconducting interior (Jones, P.B.), 228, 513
- A glitch in the Crab Pulsar (Lyne, A.G., Pritchard, R.S.), 229, 223
- The interaction of a magnetic neutron star with an accretion disc (Campbell, C.G.), 229, 405

Novae

- Recurrence behaviour of outbursts in VW Hyi (van der Woerd, H., van Paradijs, J.), 224, 271
- Pointers to conditions in the remnant of RS Ophiuchi from radio observations (Spoelstra, T.A.T., Taylor, A.R., Pooley, G.G., Evans, A., Albinson, J.S.), 224, 791

Multiwavelength monitoring of the dwarf nova VW Hydri - I. Overview (Pringle, J.E., Bateson, F.M., Hassall, B.J.M., van der Woerd, J.H., van der Woerd, H., Holberg, J.B., Polidan, R.S., van Amerongen, S., van Paradijs, J., Verbunt, F.), 225, 73

Multiwavelength monitoring of the dwarf nova VW Hydri - II. Walraven photometry (van Amerongen, S., Damen, E., Groot, M., Kraakman, H., van Paradijs, J.), 225, 93

Multiwavelength monitoring of the dwarf nova VW Hydri - III. IUE observations (Verbunt, F., Hassall, B.J.M., Pringle, J.E., Warner, B., Marang, F.), 225, 113

Multiwavelength monitoring of the dwarf nova VW Hydri - IV. *Voyager* observations (Polidan, R.S., Holberg, J.B.), 225, 131

Multiwavelength monitoring of the dwarf nova VW Hydri - V. *EXOSAT* observations (van der Woerd, H., Heise, J.), 225, 141

A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis (Marsh, T.R., Home, K., Shipman, H.L.), 225, 551

Radio survey of classical novae (Bode, M.F., Seaquist, E.R., Evans, A.), 228, 217

Models for the remnants of recurrent novae - II. Dynamical effect of radiative heat loss (O'Brien, T.J., Kahn, F.D.), 228, 277

Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329

A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae (Berriman, G.), 228, 729

LTE models of the emission lines of the dwarf nova Z Cha (Marsh, T.R.), 228, 779

On the nature of the central object in Z Cha (Wood, J.H.), 228, 797

The 1985 May superoutburst of the dwarf nova OY Carinae - I. Optical and infrared photometry (Naylor, T., Charles, P.A., Hassall, B.J.M., Bath, G.T., Berriman, G., Warner, B., Bailey, J., Reinsch, K.), 229, 183

Wavelength dependence of superhumps in VW Hyi (van Amerongen, S., Bovenschen, H., van Paradijs, J.), 229, 245

Numerical calculations of mass transfer flow in semi-detached binary systems (Edwards, D.A., Pringle, J.E.), 229, 383

IRAS additional observations of classical novae (Callus, C.M., Evans, A., Albinson, J.S., Mitchell, R.M., Bode, M.F., Jameson, R.F., King, A.R., Sherrington, M.), 229, 539

Occultations

Corrections to the FK5 reference frame (Jordi, C., Rosselló, G.), 225, 723

Photometry - non-stellar

Automated galaxy surface photometry - I. Technique, calibration and validation (Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Philipps, S.), 224, 557

An extragalactic constraint on local galactic reddening (Sparks, W.B., Ellis, R.S., McMahon, R.G., Terlevich, R.J., Melnick, J.), 225, 769

A mid- to far-infrared variability study of eight active galactic nuclei (Sembay, S., Hanson, C.G., Coe, M.J.), 226, 137

The dynamics of the giant ring nebula Hubble III in NGC 6822 (Clayton, C.A.), 226, 493

CCD surface photometry of elliptical galaxies - I. Observations, reduction and results (Jedrzejewski, R.I.), 226, 747

On a more precise $L - \sigma$ relation (Phillips, S.), 226, 989

The variation in the brightness of Halley's comet from ground-based narrow-band photometry (Williams, I.P., Andrews, P.J., Fitzsimmons, A., Williams, G.P.), 226, 1p

The determination of the masses of Magellanic Cloud planetary nebulae using [O II] doublet ratio electron densities (Barlow, M.J.), 227, 161

Photometric analysis and decomposition of AP Librae (PKS 1514-24) (Baxter, D.A., Disney, M.J., Philipps, S.), 228, 313

The surface brightness of 1550 galaxies in Fomax: automated galaxy surface photometry - II (Phillips, S., Disney, M.J., Kibblewhite, E.J., Cawson, M.G.M.), 229, 505

Physical processes

Pair production in synchrotron self-Compton models: the case of one generation of pairs (Ghisellini, G.), 224, 1

An oscillating jet in the nearby radio galaxy 1759+211 (Saikia, D.J., Wiita, P.J., Cornwell, T.J.), 224, 53

Extragalactic jets: probes of the surrounding medium (Wilson, M.J.), 224, 155

Dynamical models of radiative shocks - I. Steady shocks (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), 224, 179

Evolution of N-body open clusters (Terlevich, E.), 224, 193

On the saturation of the refractive index structure function - I. Enhanced hopes for long baseline optical interferometry (Venkatakrishnan, P., Chatterjee, S.), 224, 265

Is the accretion disc model invulnerable (Sawada, K., Matsuda, T., Inoue, M., Hachisu, I.), 224, 307

Theoretical studies of interstellar molecular shocks - V. Solutions for J-type shocks as an initial

- value problem (Flower, D.R., Pineau des Forêts, G.), 224, 403
- Cyclotron emission from white dwarf accretion columns (Thompson, A.M., Cawthorne, T.V.), 224, 425
- On $\partial E/\partial J$ for general steady states (Collett, J.L., Lynden-Bell, D.), 224, 489
- Low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), 224, 513
- The structure and evolution of interstellar bubbles in multiphase interstellar medium - I. Physical model (Wolff, M.T., Durisen, R.H.), 224, 701
- On the stability of compressible differentially rotating cylinders (Glatzel, W.), 225, 227
- Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum (Heavens, A.F., Meisenheimer, K.), 225, 335
- Time-dependent cosmic ray modified shocks (Falle, S.A.E.G., Giddings, J.R.), 225, 399
- A viscosity prescription for a self-gravitating accretion disc (Lin, D.N.C., Pringle, J.E.), 225, 607
- The non-linear self-regulation of cosmic ray acceleration at shocks (Bell, A.R.), 225, 615
- Non-linear evolution of a non-axisymmetric disc instability (Hawley, H.F.), 225, 677
- The stability of accretion tori - II. Non-linear evolution to discrete planets (Goodman, J., Narayan, R., Goldreich, P.), 225, 695
- Steady stellar jets (Falle, S.A.E.G., Innes, D.E., Wilson, M.J.), 225, 741
- Gas heating by energetic particles in M87 and the Coma cluster (Rephaeli, Y.), 225, 851
- On magnetic braking of late-type stars (Mestel, L., Spruit, H.C.), 226, 57
- Dynamical models of radiative shocks - II. Unsteady shocks (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), 226, 67
- Condensation and sublimation on Io - I (Thomas, N.), 226, 195
- Radiative Gaunt factors (Burgess, A., Summers, H.P.), 226, 257
- Steady relativistic fluid jets, Wilson, M.J.), 226, 447
- Rotational excitation of OH by para-H₂: rate coefficients calculated in an intermediate coupling representation (Dewangan, D.P., Flower, D.R., Alexander, M.H.), 226, 505
- The expansion and cosmological evolution of powerful radio sources (Gopal-Krishna, Wiita, P.J.), 226, 531
- Anomalous heating of quasar emission-line regions (Krishan, V.), 226, 629
- Rotationally inelastic collisions between H₂ molecules in interstellar magnetohydrodynamical shocks (Danby, G., Flower, D.R., Monteiro, T.S.), 226, 739
- Spin-up and spin-down of an accreting compact object (Matsuda, T., Inoue, M., Sawada, K.), 226, 781
- Giant H II regions as distance indicators - I. Relations between global parameters for the local calibrators (Melnick, J., Moles, M., Terlevich, R., Garcia-Pelayo, J.-M.), 226, 849
- g-modes in zero-temperature neutron stars (Finn, L.S.), 227, 265
- Tidal heating in close binary stellar systems (Rieutord, M., Bonazzola, S.), 227, 295
- Non-thermal pair production in compact X-ray sources: first-order Compton cascades in soft radiation fields (Svensson, R.), 227, 403
- A very intense, long-lasting radio flare on HD 32918 (Slee, O.B., Nelson, G.J., Stewart, R.T., Wright, A.E., Jauncey, D.L., Heisler, L.H., Bunton, J.D., Vaughan, A.E., Large, M.I., Peters, W.L., Ryan, S.G.), 227, 467
- Thermal conduction and self-similar accretion flows (Anderson, M.), 227, 623
- A link between X-ray variability and absorption in active galactic nuclei (Smith, M.D.), 227, 783
- Hydrodynamic simulations of white dwarf-massive main-sequence star collisions in dense galactic nuclei (Regev, O., Shara, M.M.), 227, 967
- Stabilization of non-axisymmetric instabilities in a rotating flow by accretion on to a central black hole (Blaes, O.M.), 227, 975
- Time lag between hard and soft X-ray photons in QPO sources (Stollman, G.M., Hasinger, G., Lewin, W.H.G., van der Klis, M., van Paradijs, J.), 227, 7p
- Microwave anisotropy constraints on isocurvature baryon models (Efsthathiou, G., Bond, J.R.), 227, 38p
- Physics of modes in a differentially rotating system - analysis of the shearing sheet (Narayan, R., Goldreich, P., Goodman, J.), 228, 1
- On the stability of compressible differentially rotating cylinders - II (Glatzel, W.), 228, 77
- Pre-galactic shocks: influence on density perturbations (Madsen, J.), 228, 229
- Synchrotron X-ray haloes around gamma ray sources (Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S.) 228, 243
- Models for the remnants of recurrent novae - II. Dynamical effect of radiative heat loss (O'Brien, T.J., Kahn, F.D.), 228, 277
- Mode classification and wave propagation in a magnetically structured medium (Hasan, S.S., Sobouti, Y.), 228, 427
- Mass loaded astronomical flows - III. The structure of supernova remnants and the local soft X-ray background (Dyson, J.E., Hartquist, T.W.), 228, 453
- Neutron star magnetic field decay: flux expulsion from the superconducting interior (Jones, P.B.), 228, 513
- Reaction rates and spectra in relativistic plasmas (Baring, M.), 228, 681
- The effect of cooling processes on the tail of a relativistic thermal pair distribution (Baring, M.), 228, 695

An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model (Morisawa, K., Takahara, F.), 228, 745

On relativistic particle acceleration in molecular clouds (Dogiel, V.A., Gurevich, A.V., Instomin, Y.N., Zybin, K.P.), 228, 843

Steady models of radiatively modified conductively driven evaporation from interstellar clouds (Bohringer, H., Hartquist, T.W.), 228, 915

The formation of discrete high velocity molecular features (Hartquist, T.W., Dyson, J.E.), 228, 957

Chemical evidence for ambipolar diffusion in interstellar shocks: a suggested observational test (Pineau des Forêts, Flower, D.R.), 228, 1P

Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries (Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.), 228, 17P

First-order Fermi acceleration in the two-stream limit (Bogdan, T.J., Webb, G.M.), 229, 41

Statistical mechanics and equilibrium sequences of ellipticals (Stiavelli, M., Bertin, G.), 229, 61

Maximum entropy states and the structure of galaxies (White, S.D.M., Narayan, R.), 229, 103

Mass accretion processes in magnetic fields: formation of quasi-Keplerian discs (Kaburaki, O.), 229, 165

Generation of gravitational waves by the anisotropic phases in the early Universe (Deryagin, D.V., Grigoriev, D.Yu., Rubakov, V.A., Sazhin, M.V.), 229, 357

Cosmological streaming velocities and large-scale density maxima (Peacock, J.A., Lumsden, S.L., Heavens, A.F.), 229, 469

Spiral shocks and accretion in discs (Spruit, H.C., Matsuda, T., Inoue, M., Sawada, K.), 229, 517

Fragmentation of a gas cloud with orthogonal rotation and magnetic axes (Campbell, C.G., Mestel, L.), 229, 549

Planets

Formation of planets around stars of various masses – I. Formulation and star of one solar mass (Nakano, T.), 224, 107

Condensation and sublimation on Io – I (Thomas, N.), 226, 195

On the confinement of planetary arcs (Lin, D.N.C., Papaloizou, J.C.B., Ruden, S.P.), 227, 75

Collisions in the Solar System – IV. Cometary impacts upon the planets (Olsson-Steel, D.), 227, 501

The orbit of Pluto and the cosmological constant (Roberts, M.D.), 228, 401

Spiral shocks and accretion in discs (Spruit, H.C., Matsuda, T., Inoue, M., Sawada, K.), 229, 517

Polarization of starlight

Evidence for a spiral magnetic field configuration in the galaxy M51 (Scarrott, S.M., Ward-Thompson, D., Warren-Smith, R.F.), 224, 299

Infrared polarimetry of dark clouds – I. Magnetic field structure in Heiles Cloud 2 (Tamura, M., Nagata, T., Sato, S., Tanaka, M.), 224, 413

Infrared and optical polarimetry of the radio elliptical IC 5063 (PKS2048-57): discovery of a highly polarized non-thermal nucleus (Hough, J.H., Brindle, C., Axon, D.J., Bailey, J., Sparks, W.B.), 224, 1013

Discovery of an extended infrared reflection nebula around S106 (McLean, I.S., McCaughrean, M.J., Gatley, I., Hough, J., Sato, S., Nagata, T., Axon, D., Burton, M.G., Garden, R., Aspin, C., Hasegawa, T., Hayashi, M., Morimoto, M., Kaifu, N.), 225, 393

The Bruck 'bipolar': a nebulous star cluster (Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D.), 225, 17P

Optical polarization studies of Herbig Haro objects – I. The HH57 region (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F.), 227, 701

Magnetic fields and star formation: evidence from imaging polarimetry of the Serpens Reflection Nebula (Warren-Smith, R.F., Draper, P.W., Scarrott, S.M.), 227, 749

Optical polarization studies of Herbig Haro objects – II. The HH24 and SSCV 140 nebulosities (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F.), 227, 1065

Interstellar polarization in the dust lane of Centaurus A (NGC 5128) (Hough, J.H., Bailey, J.A., Rouse, M.F., Whittet, D.C.B.), 227, 1P

Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389

Optical polarization studies of Herbig Haro objects – III. HH100 in Corona Australis (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D.), 228, 533

An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F.), 228, 805

An optical polarization study of the Chamaeleon IR nebula (Scarrott, S.M., Warren-Smith, R.F., Wolstencroft, R.D., Zinnecker, H.), 228, 827

Optical polarization in the jet of 3C273 (Scarrott, S.M., Warren-Smith, R.F.), 228, 35P

Optical imaging and polarization mapping of the variable nebulosity associated with the PMS star PV Cephei (Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M.), 229, 643

Pulsars

Faraday rotation measurements on 163 pulsars (Hamilton, P.A., Lyne, A.G.), 224, 1073

- The galactic radio sources G5.4-1.2 and G5.27-0.90 (Caswell, J.L., Kesteven, M.J., Komesaroff, M.M., Haynes, R.F., Milne, D.K., Stewart, R.T., Wilson, S.G.), 225, 329
- A pulse timing study of the X-ray pulsar 4U1145-619 (Cook, M.C., Warwick, R.S.), 225, 369
- The X-ray properties of 3A1907+09 (Cook, M.C., Page, C.G.), 225, 381
- The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145-619 (Payne, B.J., Coe, M.J.), 225, 985
- Timing a millisecond pulsar in a globular cluster (Blandford, R.D., Romani, R.W., Applegate, J.H.), 225, 51p
- Decametre wavelength observations of PSR 0834+06 and PSR 1919+21 (Hall, P.J.), 227, 197
- Astronomical constraints on a string-dominated universe (Gott III, J.R., Rees, M.J.), 227, 453
- Spectral variability of 4U1145-619 during X-ray outburst (Cook, M.C., Warwick, R.S.), 227, 661
- The drifting subpulses of PSR 0818-13 (Biggs, J.D., McCulloch, P.M., Hamilton, P.A., Manchester, R.N.), 228, 119
- The effects of caustics on scintillating radio sources (Goodman, J.J., Romani, R.W., Blandford, R.D., Narayan, R.), 229, 73
- A glitch in the Crab Pulsar (Lyne, A.G., Pritchard, R.S.), 229, 223
- The Cambridge IPS survey at 81.5 MHz (Purvis, A., Tappin, S.J., Rees, W.G., Hewish, A., Duffett-Smith, P.J.), 229, 589 and on microfiche

Quasars

- Beaming in blazars (Madau, P., Ghisellini, G., Persic, M.), 224, 257
- Polarization properties of radio cores in active galaxies (Saikia, D.J., Singal, A.K., Cornwell, T.J.), 224, 379
- On the problem of topological structure of the Universe (Demianski, M., apucha, M.), 224, 527
- Are Lyman α clouds non-spherical? (Barcons, X., Fabian, A.C.), 224, 675
- A radio study of the compact steep-spectrum quasar 3C 2 (0003-003) (Saikia, D.J., Salter, C.J., Muxlow, T.W.B.), 224, 911
- Optically induced orientation bias in B2 radio quasars (Kapahi, V.K., Shastri, P.), 224, 17p
- Quasar discs - II. A composite model for the broad-line region (Netzer, H.), 225, 55
- Lyman-alpha emission from the Lyman-alpha forest (Hogan, C.J., Weymann, R.J.), 225, 1p
- On Lynden-Bell's method for the determination of the luminosity function (Chotomniewski, J.), 226, 273
- An archival study of *IUE* observations of low-redshift quasars (Cheng, F.H., Fang, L.Z.), 226, 485
- Beaming and the X-ray, optical and radio properties of quasars (Browne, I.W.A., Murphy, D.W.), 226, 601
- Anomalous heating of quasar emission-line regions (Krishnan, V.), 226, 629
- Concentration of bright quasars in the Sculptor Group (Aep, H.), 226, 5p
- Comparisons of positions of extragalactic compact radio sources (Brosche, P., Sinachopoulos, D.), 227, 341
- Astronomical constraints on a string-dominated universe (Gott III, J.R., Rees, M.J.), 227, 453
- Optical identifications of radio sources from the Molonglo deep surveys - I. The declination-20 portion of the first deep survey (White, G.L.), 227, 607
- On the absorption spectra of the quasars TOL 1037-271 and TOL 1038-272 (Cristiani, S., Danziger, J., Shaver, P.A.), 227, 639
- Absorption spectra of the QSO pair TOL 1037-27/1038-27 (Robertson, J.G.), 227, 653
- Radio positions and optical identifications for a complete sample of southern flat-spectrum radio sources - I. Region 06h to 18h (White, G.L., Batty, M.J., Bunton, J.D., Brown, D.R., Corben, J.B.), 227, 705
- The evolution of optically selected QSOs (Boyle, B.J., Fong, R., Shanks, T., Peterson, B.A.), 227, 717
- The spatial clustering of QSOs (Shanks, T., Fong, R., Boyle, B.J., Peterson, B.A.), 227, 739
- Clustering of quasars from the ROE/ESO large-scale AQD survey (Clowes, R.G., Iovino, A., Shaver, P.), 227, 921
- Radio observations of a few selected blazars (Saikia, D.J., Salter, C.J., Neff, S.G., Gower, A.C., Sinha, R.P., Swarup, G.), 228, 203
- 3C 273 and the power-law myth (Perry, J.J., Ward, M.J., Jones, M.), 228, 623
- An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model (Morisawa, K., Takahara, F.), 228, 745
- A cooling flow around the quasar 3C 48 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Thomas, P.A.), 228, 963
- Optical polarization in the jet of 3C273 (Scarrott, S.M., Warren-Smith, R.F.), 228, 35p
- Are voids found in the Lyman-alpha forest? (Crofts, A.P.S.), 228, 41p
- Cosmological implications of the anomalies in the redshift distribution of QSO Lyman α absorption systems (Barcons, X., Fabian, A.C.), 229, 157
- A BAL QSO with $z_{em}=3.50$ and a QSO with $z=3.31$ from a UK Schmidt IIIa-F objective prism survey (Hazard, C., McMahon, R.G., Morton, D.C.), 229, 371
- A wide-angle radio-tail quasar: B2 1419+315 (Saikia, D.J., Staveley-Smith, L., Wills, D., Cornwell, T.J., Salter, C.J., Junor, W., Shastri, P.), 229, 495

The Cambridge IPS survey at 81.5 MHz (Purvis, A., Tappin, S.J., Rees, W.G., Hewish, A., Duffett-Smith, P.J.), 229, 589 and on microfiche

Radiative transfer

- Pair production in synchrotron self-Compton models: the case of one generation of pairs (Ghisellini, G.), 224, 1
- On the flickering of hot spots in cataclysmic variables (James, J.F.), 224, 227
- Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), 224, 595
- Measurements of the near-infrared stellar scintillation above the Observatorio del Teide (Tenerife) (Fuentes, F.J., Fuensalida, J.J., Sanchez-Magro, C.), 226, 769
- Non-thermal pair production in compact X-ray sources: first-order Compton cascades in soft radiation fields (Svensson, R.), 227, 403
- Dynamical models of radiative shocks - III. Spectra (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), 227, 1021
- Time lag between hard and soft X-ray photons in QPO sources (Stollman, G.M., Hasinger, G., Lewin, W.H.G., van der Klis, M., van Paradijs, J.), 227, 7p
- Non-Gaussian statistics and the microwave background radiation (Coles, P., Barrow, J.D.), 228, 407
- Reaction rates and spectra in relativistic plasmas (Baring, M.), 228, 681
- The effect of cooling processes on the tail of a relativistic thermal pair distribution (Baring, M.), 228, 695
- The effects of caustics on scintillating radio sources (Goodman, J.J., Romani, R.W., Blandford, R.D., Narayan, R.), 229, 73
- On the saturation of the refractive index structure function - II. Influence of the correlation length on astronomical 'seeing' (Venkatakrishnan, P.), 229, 379
- The effect of comet ion tails on radio source scintillation (Hajivassiliou, C.A., Duffett-Smith, P.J.), 229, 485

Radio astronomy

- An oscillating jet in the nearby radio galaxy 1759+211 (Saikia, D.J., Wiita, P.J., Cornwell, T.J.), 224, 53
- Polarization properties of radio cores in active galaxies (Saikia, D.J., Singal, A.K., Cornwell, T.J.), 224, 379

The Jodrell Bank wide-band interferometers and their application to surface profile measurements of the telescopes (Padin, S., Davis, R.J., Lasenby, A.N.), 224, 685

VLA observations of the 4.8-GHz H_2CO transition in L1551 (Duncan, R.A., Forster, J.R., Gardner, F.F., Whiteoak, J.B.), 224, 721

Pointers to conditions in the remnant of RS Ophiuchi from radio observations (Spoelstra, T.A.T., Taylor, A.R., Pooley, G.G., Evans, A., Albinson, J.S.), 224, 791

Observations of 3C sources in the Galactic plane (Pooley, G.G., Leahy, J.P., Shakeshaft, J.R., Riley, J.M.), 224, 847

Radio emission from shell elliptical galaxies (Wilkinson, A., Browne, I.W.A., Kotanyi, C., Christiansen, W.A., Williams, R., Sparks, W.B.), 224, 895

A radio study of the compact steep-spectrum quasar 3C 2 (0003-003) (Saikia, D.J., Salter, C.J., Muxlow, T.W.B.), 224, 911

Low-frequency VLBI in space and interstellar refraction (Dennison, B., Booth, R.S.), 224, 927

The peculiar velocity of the Local Group - I. HI observations of Sb and Sbc galaxies (Staveley-Smith, L., Davies, R.D.), 224, 953

Neutral hydrogen observations towards the compact radio source 0022+6352 in Tycho's SNR (Green, D.A., Gull, S.F.), 224, 1055

Faraday rotation measurements on 163 pulsars (Hamilton, P.A., Lyne, A.G.), 224, 1073

Optically induced orientation bias in B2 radio quasars (Kapahi, V.K., Shastri, P.), 224, 17p

Ageing and speeds in a representative sample of 21 classical double radio sources (Alexander, P., Leahy, J.P.), 225, 1

A study of spectral ageing in the radio galaxy 3C 234 and its implications (Alexander, P.), 225, 27

A search for the Sunyaev-Zeldovich effect at millimetre wavelengths (Chase, S.T., Joseph, R.D., Robertson, N.A., Ade, P.A.R.), 225, 171

Radio observations of the filamentary nebula G2.4+1.4 (Green, D.A., Downes, A.J.B.), 225, 221

The local radio luminosity function of galaxies at 843 MHz (Subrahmanya, C.R., Hamett, J.I.), 225, 297

Variations in the spectral index of the galactic radio continuum emission in the northern hemisphere (Lawson, K.D., Mayer, C.J., Osborne, J.L., Parkinson, M.L.), 225, 307

The galactic radio sources G5.4-1.2 and G5.27-0.90 (Caswell, J.L., Kesteven, M.J., Komesaroff, M.M., Haynes, R.F., Milne, D.K., Stewart, R.T., Wilson, S.G.), 225, 329

Particle acceleration in extragalactic sources: the role of synchrotron losses in determining the spectrum (Heavens, A.F., Meisenheimer, K.), 225, 335

VLA observations of 5-GHz excited OH lines towards Sgr B2 (Gardner, F.F., Whiteoak, J.B., Palmer, P.), 225, 469

- $^{12}\text{CO}(J-1-0)$ observations of six southern Bok globules (Casali, M.M., Edgar, M.L.), 225, 481
- The width of jets in powerful edge-brightened extragalactic double radio sources (Banhatti, D.G.), 225, 487
- Narrow polarized components in the OH 1612-MHz maser emission from supergiant OH-IR sources (Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Taner, J.), 225, 491
- Surface photometry of powerful radio galaxies - II. Relations with the radio, optical, and clustering properties (Lilly, S.J., Prestage, R.M.), 225, 531
- The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud (Meaburn, J., Marston, A.P., McGee, R.X., Newton, L.M.), 225, 591
- A totally incomplete sample of extended 6C radio sources (Saunders, R., Baldwin, J.E., Wamer, P.J.), 225, 713
- The identification and nature of the powerful radio galaxy PKS 1934-63 (Fosbury, R.A.E., Bird, M.C., Nicholson, W., Wall, J.V.), 225, 761
- Confirmation of 3C 58's increasing radio flux density (Green, D.A.), 225, 11P
- An H I study of the galaxy NGC 4945 with a two-element synthesis telescope (Ables, J.G., Forster, J.R., Manchester, R.N., Rayner, P.T., Whiteoak, J.B., Mathewson, D.S., Kalnajs, A.J., Peters, W.L., Wehner, H.), 226, 157
- Aperture synthesis observations of galactic atomic hydrogen in the direction $l-333^{\circ}.5$, $b-0^{\circ}.3$, (Forster, J.R., Whiteoak, J.B., Kesteven, M.J., Manchester, R.N., Rayner, P.T., Ables, J.G., Peters, W.L.), 226, 173
- A dense molecular outflow in Orion B (Russell, A.P.G., Hills, R.E., Padman, R.), 226, 237
- Small-scale variations in the Galactic Faraday rotation (Leahy, J.P.), 226, 433
- Steady relativistic fluid jets (Wilson, M.J.), 226, 447
- The expansion and cosmological evolution of powerful radio sources (Gopal-Krishna, Wiita, P.J.), 226, 531
- Beaming and the X-ray, optical and radio properties of quasars (Browne, I.W.A., Murphy, D.W.), 226, 601
- Anomalous heating of quasar emission-line regions (Krishan, V.), 226, 629
- The statistics of cosmic background radiation fluctuations (Bond, J.R., Efstathiou, G.), 226, 655
- A systematic search for OH megamasers (Staveley-Smith, L., Cohen, R.J., Chapman, J.M., Pointon, L., Unger, S.W.), 226, 689
- HCO⁺ observations of the W51 molecular cloud (Cox, M.J., Scott, P.F., Andersson, M., Russell, A.P.G.), 226, 703
- A 2.3-GHz radio continuum map of the Magellanic Cloud region (Mountfort, P.L., Jonas, J.L., de Jager, G., Baart, E.E.), 226, 917
- The very low-brightness relic radio galaxy 1401-33 (Goss, W.M., McAdam, W.B., Wellington, K.J., Ekers, R.D.), 226, 979
- Emission-line activity in radio galaxies (Robinson, A., Binette, L., Fosbury, R.A.E., Tadhunter, C.N.), 227, 97
- Decametre wavelength observations of PSR 0834+06 and PSR 1919+21 (Hall, P.J.), 227, 197
- Comparisons of positions of extragalactic compact radio sources (Brosche, P., Sinachopoulos, D.), 227, 341
- A very intense, long-lasting radio flare on HD 32918 (Slee, O.B., Nelson, G.J., Stewart, R.T., Wright, A.E., Jauncey, D.L., Heisler, L.H., Bunton, J.D., Vaughan, A.E., Large, M.I., Peters, W.L., Ryan, S.G.), 227, 467
- Optical identifications of radio sources from the Molonglo deep surveys - I. The declination - 20 portion of the first deep survey (White, G.L.), 227, 607
- IC 2476: a possible relic radio galaxy (Cordey, R.A.), 227, 695
- Radio positions and optical identifications for a complete sample of southern flat-spectrum radio sources - I. Region 06^{h} to 18^{h} (White, G.L., Batty, M.J., Bunton, J.D., Brown, D.R., Corben, J.B.), 227, 705
- Radio continuum observations of nearby galaxies (Hamett, J.I.), 227, 887
- HCO⁺ survey of unassociated compact molecular clouds in the *IRAS Point Source Catalog* (Richards, P.J., Little, L.T., Toriseva, M., Heaton, B.D.), 228, 43
- The drifting subpulses of PSR 0818-13 (Biggs, J.D., McCulloch, P.M., Hamilton, P.A., Manchester, R.N.), 228, 119
- Radio observations of a few selected blazars (Saikia, D.J., Salter, C.J., Neff, S.G., Gower, A.C., Sinha, R.P., Swarup, G.), 228, 203
- Radio survey of classical novae (Bode, M.F., Seaquist, E.R., Evans, A.), 228, 217
- Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329
- Radio observations of a hard X-ray selected sample of active galaxies (Unger, S.W., Lawrence, A., Wilson, A.S., Elvis, M., Wright, A.E.), 228, 521
- Rotation measure variation across M84 (Laing, R.A., Bridle, A.H.), 228, 557
- 3C 273 and the power-law myth (Perry, J.J., Ward, M.J., Jones, M.), 228, 623
- The extended narrow-line region in radio Seyferts: evidence for a collimated nuclear UV field? (Unger, S.W., Pedlar, A., Axon, D.J., Whittle, M., Meurs, E.J.A., Ward, M.J.), 228, 671
- An interpretation of the statistical properties of extragalactic radio sources with a relativistic beaming model (Morisawa, K., Takahara, F.), 228, 745
- Radio detection of the Be star ψ Persei (Taylor, A.R., Waters, L.B.F.M., Lames, H.J.L.M., Persi, P., Bjorkman, K.S.), 228, 811

Shell galaxies detected with IRAS (Wilkinson, A., Browne, I.W.A., Wolstencroft, R.D.), 228, 933

The extent of beam dilution in measurements of the Zeldovich-Sunyaev effect (Rephaeli, Y.), 228, 29p

The radio and optical axes of radio elliptical galaxies (Sansom, A.E., Danziger, I.J., Ekers, R.D., Fosbury, R.A.E., Goss, W.M., Monk, A.S., Shaver, P.A., Sparks, W.B., Wall, J.V.), 229, 15

The effects of caustics on scintillating radio sources (Goodman, J.J., Romani, R.W., Blandford, R.D., Narayan, R.), 229, 73

A glitch in the Crab Pulsar (Lyne, A.G., Pritchard, R.S.), 229, 223

The effect of comet ion tails on radio source scintillation (Hajivassiliou, C.A., Duffett-Smith, P.J.), 229, 485

A wide-angle radio-tail quasar: B2 1419+315 (Saikia, D.J., Staveley-Smith, L., Wills, D., Cornwell, T.J., Salter, C.J., Junor, W., Shastri, P.), 229, 496

The Cambridge IPS survey at 81.5 MHz (Purvis, A., Tappin, S.J., Rees, W.G., Hewish, A., Duffett-Smith, P.J.), 229, 589 *and on microfiche*

A microwave survey of southern active stars (Slee, O.B., Nelson, G.J., Stewart, R.T., Wright, A.E., Innis, J.L., Ryan, S.G., Vaughan, A.E.), 229, 659

MERLIN and VLA observations of the star-forming region G35.2 - 0.7N (Brebner, G.C., Heaton, B., Cohen, R.J., Davies, S.R.), 229, 679

Relativity

Reaction rates and spectra in relativistic plasmas (Baring, M.), 228, 681

The effect of cooling processes on the tail of a relativistic thermal pair distribution (Baring, M.), 228, 695

Gravitational energy for spherically symmetric configurations (Nahmad-Achar, E.), 228, 51p

Seeing

On the saturation of the refractive index structure function - I. Enhanced hopes for long baseline optical interferometry (Venkatakrishnan, P., Chatterjee, S.), 224, 265

Measurements of the near-infrared stellar scintillation above the Observatorio del Teide (Teniente) (Fuentes, F.J., Fuensalida, J.J., Sanchez-Magro, C.), 226, 769

On the saturation of the refractive index structure function - II. Influence of the correlation length on astronomical 'seeing' (Venkatakrishnan, P.), 229, 379

Solar system

Formation of planets around stars of various masses - I. Formulation and a star of one solar mass (Nakano, T.), 224, 107

Interplanetary material as a guide to the composition of interstellar grains (Jones, A.P., Williams, D.A.), 224, 473

The cometary breakup hypothesis re-examined: a reply (Clube, S.V.M., Napier, W.M.), 225, 55p

The dispersal of the Geminid meteoroid stream by radiative effects (Olsson-Steel, D.), 226, 1

Condensation and sublimation on Io - I (Thomas, N.), 226, 195

On the confinement of planetary arcs (Lin, D.N.C., Papaloizou, J.C.B., Ruden, S.P.), 227, 75

Penetration of charged interstellar dust into the Solar System (Wallis, M.K.), 227, 331

Collisions in the Solar System - IV. Cometary impacts upon the planets (Olsson-Steel, D.), 227, 501

Solar wind

Penetration of charged interstellar dust into the Solar System (Wallis, M.K.), 227, 331

Spectroscopy

Mode identification from line profile variations - III. Temperature variation and toroidal modes (Balona, L.A.), 224, 41

Synthetic Swan band profiles of (1,0) of $^{12}\text{C}^{13}\text{C}$ and (0,0) of $^{12}\text{C}^{12}\text{C}$ and $^{12}\text{C}^{13}\text{C}$ in comets (Krishna Swamy, K.S.), 224, 537

Recombination-line intensities for hydrogenic ions - I. Case B calculations for H_I and He_I (Hummer, D.G., Storey, P.J.), 224, 801 *and on microfiche*

Electron impact excitation rate coefficients for Mg^{3+} and Mg^{4+} (Mendoza, C., Zeippen, C.J.), 224, 7p

New atomic data for the transition $1s^2 2s^2 2p^5 3p^0 1/2 - 2p^0 3/2$ in Fe XVIII (Mohan, M., Baluja, K.L., Hibbert, A., Berrington, K.A.), 225, 377

The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars (Keenan, F.P., Dufton, P.L., Kingston, A.E.), 225, 859

New spectral line identifications in high-temperature flares (Fawcett, B.C., Jordan, C., Lemen, J.R., Phillips, K.J.H.), 225, 1013

Radiative Gaunt factors (Burgess, A., Summers, H.P.), 226, 257

The Image Photon Counting System: performance in detail, and the quest for high accuracy, (Jenkins, C.R.), 226, 341

- Rotational excitation of OH by para-H₂: rate coefficients calculated in an intermediate coupling representation (Dewangan, D.P., Flower, D.R., Alexander, M.H.), 226, 505
- Rotationally inelastic collisions between H₂ molecules in interstellar magnetohydrodynamical shocks (Danby, G., Flower, D.R., Monteiro, T.S.), 226, 939
- Erratum: The Image Photon Counting System: performance in detail, and quest for high accuracy (Jenkins, C.R.), 227, 543
- The Faint Object Spectrograph for the 2.5-m Isaac Newton Telescope (Breare, J.M., Cox, G.C., Ellis, R.S., Martin, G.P., Parry, I.R., Purvis, A., Waltham, N.R., Webster, J., Fosbury, R.A.E., Gellatly, D.W., Jorden, P.R., Lowne, C.M., Lupton, W.F., Powell, J.R., Thorne, D.J., van Breda, I.G., Worswick, S.P., Wynne C.G.), 227, 909
- Dynamical models of radiative shocks - III. Spectra (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), 227, 1021
- The dipole moment of C₃H₂ (Brown, R.D., Godfrey, P.D., Bettens, R.P.A.), 227, 19p
- Identification of intercombination transitions in Fe XIV and Fe XIII in the spectra of foil-excited ions and solar flares (Trabert, E., Hutton, R., Martinson, I.), 227, 31p
- Excitation of (OI) and (CI) fine structure transitions by He and H₂: a neglected selection rule (Monteiro, T.S., Flower, D.R.), 228, 101
- The formation of iron features in the cooling spectrum of X-ray bursts (Foster, A.J., Ross, R.R., Fabian, A.C.), 228, 259
- Sulphur compounds in cometary IUE spectra (Krishna Swamy, K.S., Wallis, M.K.), 228, 305
- The 'L α /Fe II problem' - solved by fluorescence? (Penston, M.V.), 229, 1p
- Collisional effects in He I lines and helium abundances in planetary nebulae (Clegg, R.E.S.), 229, 31p
- The ¹²C/¹³C and ¹⁶O/¹⁸O ratios in the solar photosphere (Harris, M.J., Lambert, D.L., Goldman, A.), 224, 237
- Evidence for departures from LTE in Na and Al in late-type giants (Begley, M.J., Cottrell, P.L.), 224, 633
- An activity-rotation relationship in F-M dwarfs from Mg II h and k flux (Doyle, J.G.), 224, 1p
- On the importance of the decay-induced Lorentz force to the photospheric structure of hot magnetic stars (Landstreet, J.D.), 225, 437
- The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars (Keenan, F.P., Dufton, P.L., Kingston, A.E.), 225, 859
- The chromospheres and coronae of five G-K main-sequence stars (Jordan, C., Ayres, T.R., Brown, A., Linsky, J.L., Simon, T.), 225, 903
- Abundances of calcium for a sample of 57 classical Am stars (Guthrie, B.N.G.), 226, 361
- Are the red supergiants ϵ Peg and 12 Pup victims of mild s-processing? (Smith, V.V., Lambert, D.L.), 226, 563
- LTE model atmospheres for accreting white dwarfs (Williams, G.A., King, A.R., Brooker, J.R.E.), 226, 725
- On the colours of Am stars (Lester, J.B.), 227, 135
- A very intense, long-lasting radio flare on HD 32918 (Slee, O.B., Nelson, G.J., Stewart, R.T., Wright, A.E., Jauncey, D.L., Heisler, L.H., Bunton, J.D., Vaughan, A.E., Large, M.I., Peters, W.L., Ryan, S.G.), 227, 467
- Magnetic activity in pre-main-sequence stars (Tayler, R.J.), 227, 553
- Non-LTE model atmospheres for central stars of planetary nebulae (Clegg, R.E.S., Middlemass, D.), 228, 759
- Evidence of the connection between internal magnetic fields and chromospheric activity in late-type stars (Montesinos, B., Fernández-Figueroa, M.J., de Castro, E.), 229, 627

Stars - binary

Stars

- Low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), 224, 513
- The stellar mass function at low luminosities (Reid, N.), 225, 873

Stars - atmospheres of

- Mode identification from line profile variations - III. Temperature variation and toroidal modes (Balona, L.A.), 224, 41

- Periodic variations in PHL 227 (Haefner, R., Schoembs, R.), 224, 231
- Is the accretion disc model invulnerable (Sawada, K., Matsuda, T., Inoue, M., Hachisu, I.), 224, 307
- Cyclotron emission from white dwarf accretion columns (Thompson, A.M., Cawthorne, T.V.), 224, 425
- X-ray spectrum of sigma Geminorum: an RS Canum Venaticorum type binary (Singh, K.P., Slijkhuis, S., Westergaard, N.J., Schnopper, H.W., Elgaroy, Ø., Engvold, Ø., Joras, P.), 224, 481
- Apsidal motion in the early-type eclipsing binaries CW Cephei, Y Cygni and AG Persei (Giménez, A., Kim, C.-H., Nha, H.-S.), 224, 543
- Enhanced gravitational wave emission from perturbed wide binaries (Fitchett, M.), 224, 567

- Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), 224, 595
- Simultaneous differential photometry with the St Andrews twin photometric telescope - II. The eclipsing binaries SX Aurigae and TT Aurigae (Bell, S.A., Adamson, A.J., Hilditch, R.W.), 224, 649
- V2051 Ophiuchi: a low-field polar? (Warner, B., O'Donoghue, D.), 224, 733
- EXOSAT observations of the X-ray source in M15 (Callanan, P.J., Fabian, A.C., Tennant, A.F., Redfern, R.M., Shafer, R.A.), 224, 781
- Close binary stars and old stellar populations - II. Old disc clusters (Cameron, A.C., Reid, N.), 224, 821
- Phase-resolved optical spectroscopy of the AM Her systems E1405-451 (Rosen, S.R., Mason, K.O., Córdova, F.A.), 224, 987
- Spectroscopy and photometry of IP Peg in the near-infrared (Martin, J.S., Jones, D.H.P., Smith, R.C.), 224, 1031
- Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), 225, 43
- Detailed EXOSAT and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions (McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W.), 225, 355
- A pulse timing study of the X-ray pulsar 4U1145-619 (Cook, M.C., Warwick, R.S.), 225, 369
- The X-ray properties of 3A1907+09 (Cook, M.C., Page, C.G.), 225, 381
- DR Vulpeculae: the quadruple system (Khaliullina, A.I.), 225, 425
- A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis (Marsh, T.R., Horne, K., Shipman, H.L.), 225, 551
- Twisted accretion discs - III. Application to Epsilon Aurigae (Kumar, S.), 225, 823
- A photometric and spectroscopic study of the early-type binary V1182 Aquilae (Bell, S.A., Hilditch, R.W., Adamson, A.J.), 225, 961
- The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145 - 619 (Payne, B.J., Coe, M.J.), 225, 985
- The orbital period of the hydrogen-deficient binary CPD - 58° 2721 (Jeffery, C.S., Drilling, J.S., Hill, P.W.), 225, 1005
- The period of the globular cluster X-ray source X1820 - 303; confirmation from *Ariel V* data (Smaile, A.P., Mason, K.O., Mukai, K.), 225, 7P
- Accretion disc coronae and the X-ray source in M15 (Fabian, A.C., Guilbert, P.W., Callanan, P.J.), 225, 29P
- A subdwarf's startling stellar wind (Howarth, I.D.), 225, 33P
- A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1 (Treves, A., Bocci, F.), 225, 39P
- Instability in the red spot of semi-detached binary systems - II (Edwards, D.A.), 226, 95
- Orbital motion of the secondary in three AM Her systems: evidence for low-mass white dwarfs (Mukai, K., Charles, P.A.), 226, 209
- The spectroscopic orbit of HD 128220 (Howarth, I.D.), 226, 249
- A radial velocity survey of extremely hydrogen-deficient stars (Jeffery, C.S., Drilling, J.S., Heber, U.), 226, 317
- Quasi-periodic oscillations in the X-ray flux of GX 3+1 (4U 1744-26) (Lewin, W.H.G., van Paradijs, J., Hasinger, G., Penninx, W.H., Langmeier, A., van der Klis, M., Jansen, F., Basinska, E.M., Szajn, M., Trümper, J.), 226, 383
- Observation of a partial X-ray eclipse in the long-period low-mass X-ray binary 2S 0921-630 (Mason, K.O., Branduardi-Raymont, G., Córdova, F.A., Corbet, R.H.D.), 226, 423
- A near-IR study of the X-ray transient V0332+53 (Coe, M.J., Longmore, A.J., Payne, B.J., Hanson, C.G.), 226, 455
- Spin-up and spin-down of an accreting compact object (Matsuda, T., Inoue, M., Sawada, K.), 226, 781
- Studies of calcium emission stars - I. HD 158393 a giant star in a binary system (Lloyd Evans, T., Balona, L.A., Fekel, F.C.), 226, 813
- X-ray and optical flickering in EF Eri (Watson, M.G., King, A.R., Williams, G.A.), 226, 867
- A photometric and spectroscopic study of the early-type binary AI Crucis (Bell, S.A., Kilkenny, D., Malcolm, G.J.), 226, 879
- A photometric and spectroscopic study of the early-type binary V701 Scorpii (Bell, S.A., Malcolm, G.J.), 226, 899
- Absolute magnitudes of cataclysmic variables (Warner, B.), 227, 23
- Mass transfer rates and soft X-ray excess in AM Herculis binaries (King, A.R., Watson, M.G.), 227, 205
- Tidal heating in close binary stellar systems (Rieutord, M., Bonazzola, S.), 227, 295
- Photometry and spectroscopy of the interacting binary white dwarf V803 Cen (AE-1) (O'Donoghue, D., Menzies, J.W., Hill, P.W.), 227, 347
- Contact and near-contact binary systems - VII. EZ Hydræ, AD Phoenicis and RS Columbae (McFarlane, T.M., Hilditch, R.W.), 227, 381
- RZ Pyxidis: an early-type marginal contact binary (Bell, S.A., Malcolm, G.J.), 227, 481
- An EXOSAT observation of 1.5 orbital cycles of the 0.7 day short-period RS CVn system ER Vul (White, N.E., Culhane, J.L., Parmar, A.N., Sweeney, M.A.), 227, 545
- Spectral variability of 4U1145 - 619 during X-ray outburst (Cook, M.C., Warwick, R.S.), 227, 661
- Tidal resonances in binary star systems (Alexander, M.E.), 227, 843
- Optical variability of the black hole candidate GX339-4(X1659-487, V821 Ara) - limits on

- periodic modulation (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Honey, W.B., Smale, A.P., Menzies, J.W.), 227, 1055
- Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086) (Shafter, A.W., Macry, J.D.), 228, 193
- Observations of X-ray emission from the RS CVn binary HD 155555 and the detection of a nearby serendipitous source (Barstow, M.A.), 228, 251
- Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoaka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293
- Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augusteijn, T., Paradijs van, J.), 228, 377
- Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389
- Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae (Hellier, C., Mason, K.O., Rosen, S.R., Córdoba, F.A.), 228, 463
- A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae (Berriman, G.), 228, 729
- LTE models of the emission lines of the dwarf nova Z Cha (Marsh, T.R.), 228, 779
- On the nature of the central object in Z Cha (Wood, J.H.), 228, 797
- H α region spectroscopy of the RS CVn system HR 5110, (Eker, Z., Doherty, L.R.), 228, 869
- Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries (Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.), 228, 17p
- Light and colour variations in the extremely hydrogen-deficient binary CPD-58° 2721 (Morrison, K., Hill, P.W., Jeffery, C.S., Marang, F., Spencer Jones, J.), 229, 269
- An approximate solution to the energy change of a circular binary in a parabolic three-body encounter (Huang, T.-Y., Valtonen, M.J.), 229, 333
- Numerical calculations of mass transfer flow in semi-detached binary systems (Edwards, D.A., Pringle, J.E.), 229, 383
- On OB-type close binary stars (Hilditch, R.W., Bell, S.A.), 229, 529
- Orbital elements of the exnova CP Puppis (Duerbeck, H.W., Seitter, W.C., Duemmler, R.), 229, 653
- A microwave survey of southern active stars (Slee, O.B., Nelson, G.J., Stewart, R.T., Wright, A.E., Innis, J.L., Ryan, S.G., Vaughan, A.E.), 229, 659
- Evidence for departures from LTE in Na and Al in late-type giants (Begley, M.J., Cottrell, P.L.), 224, 633
- The carbon-poor halo planetary nebula DDDM-1 (Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S.), 224, 761
- Abundances of calcium for a sample of 57 classical Am stars (Guthrie, B.N.G.), 226, 361
- Are the red supergiants ϵ Peg and 12 Pup victims of mild s-processing? (Smith, V.V., Lambert, D.L.), 226, 563
- Elemental abundance analyses with coadded DAO spectrograms - I. The field horizontal-branch stars HD 64488, 109995 and 161817 (Adelman, S.J., Hill, G.), 226, 581
- Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms - II. The mercury-manganese stars 53 Tauri, Mu Leporis and Kappa Cancri (Adelman, S.J.), 228, 573
- On the observable magnetic fields of the chemically peculiar stars (Moss, D.), 228, 993
- Colour-magnitude diagrams of star clusters in the Magellanic Clouds from wide-field electronography - III. NGC 1841 (Andersen, J., Blecha, A., Walker, M.F.), 229, 1
- ### Stars - clusters of
- A completely analytical family of anisotropic Plummer models (Dejonghe, H.), 224, 13
- CCD photometry of galactic clusters containing Cepheid variables - IV. NGC 6649 (Walker, A.R., Laney, C.D.), 224, 61
- Evolution of N-body open clusters (Terlevich, E.), 224, 193
- Close binary stars and old stellar populations - II. Old disc clusters (Cameron, A. C., Reid, N.), 224, 821
- Instability in spherical stellar systems (Palmer, P.L., Papaloizou, J.), 224, 1043
- Discovery of a star cluster in the galactic halo (Sommer-Larsen, J., Christensen, P.R.), 225, 499
- CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866 (Walker, A.R.), 225, 627
- An H-theorem for violent relaxation? (Kandrup, H.E.), 225, 995
- uvby* β photometry of southern clusters - VIII. Further data for NGC 3766 (Shobbrook, R.R.), 225, 999
- The period of the globular cluster X-ray source X1820-303; confirmation from *Ariel V* data (Smale, A.P., Mason, K.O., Mukai, K.), 225, 7p
- The Bruck 'bipolar': a nebulous star cluster (Scarrott, S.M., Warren-Smith, R.F., Draper, P.W., Bruck, M.T., Wolstencroft, R.D.), 225, 17p
- Timing a millisecond pulsar in a globular cluster (Blandford, R.D., Romani, R.W., Applegate, J.H.), 225, 51p
- ### Stars - chemical composition of
- The $^{12}\text{C}/^{13}\text{C}$ and $^{16}\text{O}/^{18}\text{O}$ ratios in the solar photosphere (Harris, M.J., Lambert, D.L., Goldman, A.), 224, 237

Globular clusters belonging to galaxy clusters
(White III, R.E.), 227, 185

SMC globular clusters: candidates for mass
segregation? (Kontizas, M., Theodossiou, E.,
Kontizas, E.), 227, 257

An infrared study of the stellar population in the
direction of the Carina nebula: NGC 3372 (Smith,
R.G.), 227, 943

Study of interstellar extinction in some young open
clusters (Sagar, R.), 228, 483

Spectroscopic and photometric observations in Bochum
10 and 11 (Pim FitzGerald, M., Mehta, S.), 228,
545

Colour-magnitude diagrams of star clusters in the
Magellanic Clouds from wide-field
electronography - III. NGC 1841 (Andersen, J.,
Blecha, A., Walker, M.F.), 229, 1

CCD photometry of galactic clusters containing
Cepheid variables - V. Ruprecht 79 (Walker,
A.R.), 229, 31

The distribution of OB stars and dust in a Milky
Way field at $(l, b) = (335^\circ, 0^\circ)$ (FitzGerald, M.P.),
229, 227

Stars - formation of

The optical spectra of central galaxies in southern
clusters: evidence for star formation (Johnstone,
R.M., Fabian, A.C., Nulsen, P.E.J.), 224, 75

Formation of planets around stars of various masses -
I. Formulation and a star of one solar mass
(Nakano, T.), 224, 107

Extragalactic dust - II. Far-infrared properties
of early-type galaxies with dust lanes (Brosch,
N.), 225, 257

The statistical clustering of pregalactic objects
and resultant astrophysical consequences in
cosmologies with Cold Dark Matter (Couchman,
H.M.P.), 225, 795

Optical distortion of M86; star formation from
cooling gas? (Nulsen, P.E.J., Carter, D.), 225,
939

IRAS observations of NGC 1333 (Jennings, R.E.,
Cameron, D.H.M., Cudlip, W., Hirst, C.J.), 226,
461

Magnetic fields and star formation: evidence from
imaging polarimetry of the Serpens Reflection
Nebula (Warren-Smith, R.F., Draper, P.W.,
Scarrott, S.M.), 227, 749

The distribution and kinematics of stars formed
from the cooling flow in M87 (Soares, D.S.L.,
Sanders, R.H.), 229, 119

Formation of shells in elliptical galaxies from
interstellar gas (Loewenstein, M., Fabian, A.C.,
Nulsen, P.E.J.), 229, 129

Fragmentation of a gas cloud with orthogonal
rotation and magnetic axes (Campbell, C.G.,
Mestel, L.), 229, 585

Stars - magnetic fields in

Cyclotron emission from white dwarf accretion columns
(Thompson, A.M., Cawthorne, T.V.), 224, 425

The internal magnetic field of the Sun (Moss, D.),
224, 1019

On the importance of the decay-induced Lorentz force
to the photospheric structure of hot magnetic
stars (Landstreet, J.D.), 225, 437

On magnetic braking of late-type stars (Mestel, L.,
Spruit, H.C.), 226, 57

Magnetic fields and non-uniform rotation in stellar
radiative zones (Mestel, L., Weiss, N.O.), 226,
123

The discovery and analysis of oscillations with
periods between 8.8 and 9.1 min in the cool
magnetic Ap star HD 166473 (Kurtz, D.W.,
Martinez, P.), 226, 187

On the magnetic flux distribution in magnetic CP
stars (Moss, D.), 226, 297

Time-dependent models of magnetic stars - IV.
Perpendicular axes (Moss, D.), 226, 281

Erratum: Time-dependent models of magnetic stars -
IV. Perpendicular axes (Moss, D.), 227, 543

Magnetic activity in pre-main-sequence stars
(Tayler, R.J.), 227, 553

Follow-up Zeeman observations of the T Tauri Star
RU Lup (Johnstone, R.M., Penston, M.V.), 227, 797

The significance of stellar magnetic field
measurements obtained with the photographic
technique: the spurious magnetic field of the
supergiant Canopus (Stift, M.J.), 228, 109

A frequency solution to the light variations in the
rapidly oscillating Ap star HD 6532: evidence
for an $l=1$ oblique dipole oscillation (Kurtz,
D.W., Cropper, M.S.), 228, 125

The determination of the rotational periods of
Rapidly Oscillating Ap stars from their mean
light variations - I. The Rapidly Oscillating Ap
star, HD 6532; the F2 IV/V star, HD 6491; and

the He-weak B star, HD 5737 (HR 280, α Scl) (Kurtz,
D.W., Marang, F.), 228, 141

Spin-down of the white dwarf in the DQ Herculis
system FO Aquarii (H2215-086) (Shafter, A.W.,
Macry, J.D.), 228, 193

Spin-down of the white dwarf in the intermediate
polar V1223 Sgr 4U1849-31 (Amerongen van, S.,
Augusteijn, T., Paradis van, J.), 228, 377

Polarimetry of BL Hyi (H0139-68) in high and low
states (Cropper, M.), 228, 389

Mode classification and wave propagation in a
magnetically structured medium (Hasan, S.S.,
Sobouti, Y.), 228, 427

Time resolved optical spectroscopy of the eclipsing
intermediate polar EX Hydrae (Hellier, C.,
Mason, K.O., Rosen, S.R., Córdoba, F.A.), 228,
463

Neutron star magnetic field decay: flux expulsion
from the superconducting interior (Jones, P.B.),
228, 513

- On the observable magnetic fields of the chemically peculiar stars (Moss, D.), 228, 993
- The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – II. HR 1217 (HD 24712) (Kurtz, D.W., Marang, F.), 229, 285
- The interaction of a magnetic neutron star with an accretion disc (Campbell, C.G.), 229, 405
- Evidence of the connection between internal magnetic fields and chromospheric activity in late-type stars (Montesinos, B., Fernández-Figueroa, M.J., de Castro, E.), 229, 627
- Optical imaging and polarization mapping of the variable nebulosity associated with the PMS star PV Cephei (Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M.), 229, 643
- Stars – mass loss from**
- δ Andromedae (K3 III): an *IRAS* source with an unusual ultraviolet spectrum (Judge, P.G., Jordan, C., Rowan-Robinson, M.), 224, 93
- The circumstellar environment of α Orionis (Skinner, C.J., Whitmore, B.), 224, 335
- Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), 224, 595
- LSS 2063 – a galactic Of/WN star (Gómez, D.O., Niemela, V.S.), 224, 641
- The structure and evolution of interstellar bubbles in a multiphase interstellar medium – I. Physical model (Wolff, M.T., Durisen, R.H.), 224, 701
- The carbon-poor halo planetary nebula DDDM-1 (Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S.), 224, 761
- The high radial velocity of an outer filament of the Helix nebula (NGC 7293) (Walsh, J.R., Meabum, J.), 224, 885
- Radio observations of the filamentary nebula G2.4+1.4 (Green, D.A., Downes, A.J.B.), 225, 221
- Narrow polarized components in the OH 1612-MHz maser emission from supergiant OH-IR sources (Cohen, R.J., Downs, G., Emerson, R., Grimm, M., Gulkis, S., Stevens, G., Tarter, J.), 225, 491
- The neutral hydrogen sheets and supergiant shells of the Large Magellanic Cloud (Meabum, J., Marston, A.P., McGee, R.X., Newton, L.M.), 225, 591
- Steady stellar jets (Falle, S.A.E.G., Innes, D.E., Wilson, M.J.), 225, 741
- The dynamics of Herbig-Haro objects HH46 and 47A and their remarkable connecting filament HH47B (Meabum, J., Dyson, J.E.), 225, 863
- A subdwarf's startling stellar wind (Howarth, I.D.), 225, 33p
- On magnetic braking of late-type stars (Mestel, L., Spruit, H.C.), 226, 57
- Instability in the red star of semi-detached binary systems – II (Edwards, D.A.), 226, 95
- A dense molecular outflow in Orion B (Russell, A.P.G., Hills, R.E., Padman, R.), 226, 237
- A near-IR study of the X-ray transient V0332+53 (Coe, M.J., Longmore, A.J., Payne, B.J., Hanson, C.G.), 226, 455
- The dynamics of the giant ring nebula Hubble III in NGC 6822 (Clayton, C.A.), 226, 493
- Optical and infrared observations of RV Tauri stars (Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F.), 227, 143
- Infrared studies of Eta Carinae – I. Spectroscopy and a composite dust model (Robinson, G., Mitchell, R.M., Aitken, D.K., Briggs, G.P., Roche, P.F.), 227, 535
- The physical conditions in SwSt 1: the central star and the nebula (Freitas Pacheco de, J.A., Veliz, J.G.), 227, 773
- Follow-up Zeeman observations of the T Tauri star RU Lup (Johnstone, R.M., Penston, M.V.), 227, 797
- Optical polarization studies of Herbig Haro objects – II. The HH24 and SSCV 140 nebulosities (Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F.), 227, 1065
- The stellar winds of early-type stars in the Small Magellanic Cloud (Prinja, K.), 228, 173
- Models for the remnants of recurrent novae – II. Dynamical effect of radiative heat loss (O'Brien, T.J., Kahn, F.D.), 228, 277
- Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329
- Non-LTE model atmospheres for central stars of planetary nebulae (Clegg, R.E.S., Middlemass, D.), 228, 759
- On the nature of the central object in Z Cha (Wood, J.H.), 228, 797
- An optical counterpart of the infrared bipolar nebula NGC 6334 IRS V (Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F.), 228, 805
- Radio detection of the Be star μ Persei (Taylor, A.R., Waters, L.B.F.M., Lames, H.J.L.M., Persi, P., Bjorkman, K.S.), 228, 811
- The formation of discrete high velocity molecular features (Hartquist, T.W., Dyson, J.E.), 228, 957
- Echelle observations of the spatially resolved kinematics of a region with high-speed motions in M17 (NGC 6618) – II (Meabum, J., Clayton, C.A.), 229, 253
- Numerical calculations of mass transfer flow in semi-detached binary systems (Edwards, D.A., Pringle, J.E.), 229, 383
- Optical imaging and polarization mapping of the variable nebulosity associated with the PMS star PV Cephei (Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M.), 229, 643
- MERLIN and VLA observations of the star-forming region G35.2-0.7N (Brehner, G.C., Heaton, B., Cohen, R.J., Davies, S.R.), 229, 679

- CCD photometry of galactic clusters containing Cepheid variables – IV. NGC 6649 (Walker, A.R., Lane, C.D.), 224, 61
- Periodic variations in PHL 227 (Haefner, R., Schoembs, R.), 224, 231
- A study of the Chamaeleon dark cloud and T-association – I. Extinction, distance and membership (Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J.), 224, 497
- Apsidal motion in the early-type eclipsing binaries CW Cephei, Y Cygni and AG Persei (Giménez, A., Kim, C.-H., Nha, H.-S.), 224, 543
- Simultaneous differential photometry with the St Andrews twin photometric telescope – II. The eclipsing binaries SX Aurigae and TT Aurigae (Bell, S.A., Adamson, A.J., Hilditch, R.W.), 224, 649
- V2051 Ophiuchi: a low-field polar? (Warner, B., O'Donoghue, D.), 224, 733
- Studies of dwarf irregular galaxies – I. B and V CCD photometry of the brighter stars in Sextans A (Walker, A.R.), 224, 935
- Spectroscopy and photometry of IP Peg in the near-infrared (Martin, J.S., Jones, D.H.P., Smith, R.C.), 224, 1031
- Photometric variability of the extreme hydrogen-deficient stars LSIV-10 2 and BD+10 4381 (Morrison, K.), 224, 1083
- An activity-rotation relationship in F-M dwarfs from Mg II h and k flux (Doyle, J.G.), 224, 1p
- Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), 225, 43
- Multiwavelength monitoring of the dwarf nova VW Hydi – I. Overview (Pringle, J.E., Bateson, F.M., Hassall, B.J.M., van der Woerd, J.H., van der Woerd, H., Holberg, J.B., Polidan, R.S., van Amerongen, S., van Paradijs, J., Verbunt, F.), 225, 73
- Multiwavelength monitoring of the dwarf nova VW Hydi – II. Walraven photometry (van Amerongen, S., Damen, E., Groot, M., KrAAkman, H., van Paradijs, J.), 225, 93
- Multiwavelength monitoring of the dwarf nova VW Hydi – III. IUE observations (Verbunt, F., Hassall, B.J.M., Pringle, J.E., Warner, B., Marang, F.), 225, 113
- Multiwavelength monitoring of the dwarf nova VW Hydi – IV. Voyager observations (Polidan, R.S., Holberg, J.B.), 225, 131
- Multiwavelength monitoring of the dwarf nova VW Hydi – V. EXOSAT observations (van der Woerd, H., Heise, J.), 225, 141
- The radii and masses of dwarf Cepheids (Femley, J.A., Jameson, R.F., Sherrington, M.R., Skillen, I.), 225, 451
- CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866 (Walker, A.R.), 225, 627
- IRAS observations of faint Equatorial Infrared Catalogue 1 sources (Iyengar, K.V.K., Rengarajan, T.N.), 225, 731
- The stellar mass function at low luminosities (Reid, N.), 225, 873
- The distance to the LMC from $uvby\beta$ photometry of B stars (Shobbrook, R.R., Visvanathan, N.), 225, 947
- A photometric and spectroscopic study of the early-type binary V1182 Aquilae (Bell, S.A., Hilditch, R.W., Adamson, A.J.), 225, 961
- $uvby\beta$ photometry of southern clusters – VIII. Further data for NGC 3766 (Shobbrook, R.R.), 225, 999
- The identification of IRAS 15194-5115 with a bright extreme carbon star (Meadows, P.J., Good, A.R., Wolstencroft, R.D.), 225, 43p
- The discovery and analysis of oscillations with periods between 8.8 and 9.1 min in the cool magnetic Ap star HD 166473 (Kurtz, D.W., Martinez, P.), 226, 187
- Studies of calcium emission stars – I. HD 158393 a giant star in a binary system (Lloyd Evans, T., Balona, L.A., Fekel, F.C.), 226, 813
- X-ray and optical flickering in EF Eri (Watson, M.G., King, A.R., Williams, G.A.), 226, 867
- A photometric and spectroscopic study of the early-type binary AI Crucis (Bell, S.A., Kilkenny, D., Malcolm, G.J.), 226, 879
- A photometric and spectroscopic study of the early-type binary V701 Scorpii (Bell, S.A., Malcolm, G.J.), 226, 899
- The absolute magnitude of RR Lyraes and the distance to the Galactic Centre (Femley, J.A., Longmore, A.J., Jameson, R.F., Watson, F.G., Wesselink, T.), 226, 927
- The long-period variables of Fornax – I. Search, discovery and periods (Demers, S., Irwin, M.J.), 226, 943
- Power spectra, with applications to EXOSAT data (Tennant, A.F.), 226, 963
- Absolute magnitudes of cataclysmic variables (Warner, B.), 227, 23
- Achamar (Balona, L.A., Engelbrecht, C.A., Marang, F.), 227, 123
- On the colours of Am stars (Lester, J.B.), 227, 135
- Optical and infrared observations of RV Tauri stars (Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F.), 227, 143
- A photometric survey of the bright southern Be stars (Stagg, C.), 227, 213
- Photometry and spectroscopy of the interacting binary white dwarf V803 Cen (AE-1) (O'Donoghue, D., Menzies, I.W., Hill, P.W.), 227, 347
- Contact and near-contact binary systems – VII. EZ Hydrae (McFarlane, T.M., Hilditch, R.W.), 227, 381
- RZ Pyxidis: an early-type marginal contact binary (Bell, S.A., Malcolm, G.J.), 227, 481

- Erratum: Studies of dwarf irregular galaxies – I. B and V CCD photometry of the brighter stars in Sextans A (Walker, A.R.), 227, 543
- An infrared study of the stellar population in the direction of the Carina nebula: NGC 3372 (Smith, R.G.), 227, 943
- Optical variability of the black hole candidate GX339-4(X1659-487, V821 Ara) – limits on periodic modulation (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Honey, W.B., Smale, A.P., Menzies, J.W.), 227, 1055
- Non-radial pulsations in the extreme helium star HD 160641 (Lynas-Gray, A.E., Kilkenny, D., Skillen, I., Jeffery, C.S.), 227, 1073
- Spectroscopic and photometric observations of SN 1987a: the first 50 days (Menzies, J.W., Catchpole, R.M., van Vuuren, G., Winkler, H., Laney, C.D., Whitelock, P.A., Cousins, A.W.J., Carter, B.S., Marang, F., Lloyd Evans, T.H.H., Roberts, G., Kilkenny, D., Spencer Jones, J., Sekiguchi, K., Fairall, A.P., Wolstencroft, R.D.), 227, 49p
- A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an $l=1$ oblique dipole oscillation (Kurtz, D.W., Cropper, M.S.), 228, 125
- The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – I. The Rapidly Oscillating Ap star, HD 6532; the F2 IV/V star, HD 6491; and the He-weak B star, HD 5737 (HR 280, α ScI) (Kurtz, D.W., Marang, F.), 228, 141
- Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086) (Shafer, A.W., Macry, J.D.), 228, 193
- Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293
- Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329
- Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augsteijn, T., Paradijs van, J.), 228, 377
- Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389
- Study of interstellar extinction in some young open clusters (Sagar, R.), 228, 483
- Spectroscopic and photometric observations in Bochum 10 and 11 (Pim FitzGerald, M., Mehta, S.), 228, 545
- Photometry of faint blue stars – VII. More southern stars (Kilkenny, D.), 228, 713
- A new analysis of the infrared eclipses of the ultra-short period dwarf nova OY Carinae (Berriman, G.), 228, 729
- The photometric variability of the extremely hydrogen-deficient stars KS Persei and LSII + 33° 5 (Morrison, K., Willingale, G.P.H.), 228, 819
- Multiband photometry (8–13 μ m) of Herbig Ae/Be stars (Berrilli, F., Lorenzetti, D., Saraceno, P., Strafella, F.), 228, 833
- The period structure and stability of the pulsating white dwarf L 19-2 (O'Donoghue, D., Warner, B.), 228, 949
- Colour-magnitude diagrams of star clusters in the Magellanic Clouds from wide-field electronography – III. NGC 1841 (Andersen, J., Blecha, A., Walker, M.F.), 229, 1
- CCD photometry of galactic clusters containing Cepheid variables – V. Ruprecht 79 (Walker, A.R.), 229, 31
- The 1985 May superoutburst of the dwarf nova OY Carinae – I. Optical and infrared photometry (Naylor, T., Charles, P.A., Hassall, B.J.M., Bath, G.T., Berriman, G., Warner, B., Bailey, J., Reinsch, K.), 229, 183
- The distribution of OB stars and dust in a Milky Way field at $(l,b)=(335^\circ,0^\circ)$ (FitzGerald, M.P.), 229, 227
- Wavelength dependence of superhumps in VW Hyi (van Amerongen, S., Bovenschen, H., van Paradijs, J.), 229, 245
- Light and colour variations in the extremely hydrogen-deficient binary CPD-58 2721 (Morrison, K., Hill, P.W., Jeffery, C.S., Marang, F., Spencer Jones, J.), 229, 269
- The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – II. HR 1217 (HD 24712) (Kurtz, D.W., Marang, F.), 229, 285
- Photometry of faint blue stars – VIII. Photometry in UKST areas 345 and 788/9 (Kilkenny, D.), 229, 345
- Spectroscopic and photometric observations of SN 1987a – II. Days 51 to 134 (Catchpole, R.M., Menzies, J.W., Monk, A.S., Wargau, W.F., Pollacco, D., Carter, B.S., Whitelock, P.A., Marang, F., Laney, C.D., Balona, L.A., Feast, M.W., Lloyd Evans, T.H.H., Sekiguchi, K., Laing, J.D., Kilkenny, D.M., Spencer Jones, J., Roberts, G., Cousins, A.W.J., van Vuuren, G., Winkler, H.), 229, 15p

Stars – rotation of

- Low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), 224, 513
- Close binary stars and old stellar populations – II. Old disc clusters (Cameron, A.C., Reid, N.), 224, 821
- An activity-rotation relationship in F–M dwarfs from Mg II h and k flux (Doyle, J.G.), 224, 1p

Non-adiabatic analysis of low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), 225, 643

On magnetic braking of late-type stars (Mestel, L., Spruit, H.C.), 226, 57

Magnetic fields and non-uniform rotation in stellar radiative zones (Mestel, L., Weiss, N.O.), 226, 123

Axial inclination and differential rotation for 19 rapidly rotating stars (Stoeckley, T.R., Buscombe, W.), 227, 801

Tidal resonances in binary star systems (Alexander, M.E.), 227, 843

Spin-down of the white dwarf in the intermediate polar V1223 Sgr 4U1849-31 (Amerongen van, S., Augusteijn, T., Paradijs van, J.), 228, 377

Stars - spectroscopy of

Mode identification from line profile variations - III. Temperature variation and toroidal modes (Balona, L.A.), 224, 41

δ Andromedae (K3 III): an IRAS source with an unusual ultraviolet spectrum (Judge, P.G., Jordan, C., Rowan-Robinson, M.), 224, 93

Periodic variations in PHL 227 (Haefner, R., Schoembs, R.), 224, 231

The $^{12}\text{C}/^{13}\text{C}$ and $^{16}\text{O}/^{18}\text{O}$ ratios in the solar photosphere (Harris M.J., Lambert, D.L., Goldman, A.), 224, 237

The complex, variable structure of stationary lines in SS 433 (Falomo, R., Boksborg, A., Tanzi, E.G., Tarengi, M., Treves, A.), 224, 323

The circumstellar environment of α Orionis (Skinner, C.J., Whitmore, B.), 224, 335

Two faint WR stars near 30 Doradus (Morgan, D.H., Good, A.R.), 224, 435

A study of the Chamaeleon dark cloud and T-association - I. Extinction, distance and membership (Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J.), 224, 497

Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), 224, 595

LSS 2063 - a galactic Of/WN star (Gómez, D.O., Niemela, V.S.), 224, 641

Simultaneous differential photometry with the St Andrews twin photometric telescope - II. The eclipsing binaries SX Aurigae and TT Aurigae (Bell, S.A., Adamson, A.J., Hilditch, R.W.), 224, 649

Close binary stars and old stellar populations - II. Old disc clusters (Cameron, A.C., Reid, N.), 224, 821

The high radial velocity of an outer filament of the

Helix nebula (NGC 7293) (Walsh, J.R., Meaburn, J.), 224, 885

Phase-resolved optical spectroscopy of the AM Her systems E1405-451 (Rosen, S.R., Mason, K.O., Córdova, F.A.), 224, 987

Spectroscopy and photometry of IP Peg in the near-infrared (Martin, J.S., Jones, D.H.P., Smith, R.C.), 224, 1031

Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), 225, 43

Detailed EXOSAT and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions (McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W.), 225, 355

Discovery of a star cluster in the galactic halo (Sommer-Larsen, J., Christensen, P.R.), 225, 499

A spectrophotometric study of the emission lines in the quiescent dwarf nova Z Chamaeleontis (Marsh, T.R., Home, K., Shipman, H.L.), 225, 551

The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars (Keenan, F.P., Dufton, P.L., Kingston, A.E.), 225, 859

A photometric and spectroscopic study of the early-type binary V1182 Aquilae (Bell, S.A., Hilditch, R.W., Adamson, A.J.), 225, 961

A subdwarf's startling stellar wind (Howarth, I.D.), 225, 33p

The identification of IRAS 15194 - 5115 with a bright extreme carbon star (Meadows, P.J., Good, A.R., Wolstencroft, R.D.), 225, 43p

Detailed spectrophotometric study of the giant H II region NGC 604 (Diaz, A.I., Terlevich, E., Pagel, B.E.J., Vilchez, J.M., Edmunds, M.G.), 226, 19

Orbital motion of the secondary in three AM Her systems: evidence for low-mass white dwarfs, (Mukai, K., Charles, P.A.), 226, 209

The spectroscopic orbit of HD 128220 (Howarth, I.D.), 226, 249

Elemental abundance analyses with coadded DAO spectrograms - I. The field horizontal-branch stars HD 64488, 109995 and 161817 (Adelman, S.J., Hill, G.), 226, 581

A photometric and spectroscopic study of the early-type binary AI Crucis (Bell, S.A., Kilkenny, D., Malcolm, G.J.), 226, 879

A photometric and spectroscopic study of the early-type binary V701 Scorpii (Bell, S.A., Malcolm, G.J.), 226, 899

Achernar (Balona, L.A., Engelbrecht, C.A., Marang, F.), 227, 123

On the colours of Am stars (Lester, J.B.), 227, 135

Observations of M dwarfs beyond 2.2 μm (Berriman, G., Reid, N.), 227, 315

Photometry and spectroscopy of the interacting binary white dwarf V803 Cen (AE-1) (O'Donoghue, D., Menzies, J.W., Hill, P.W.), 227, 347

RZ Pyxidis: an early-type marginal contact binary (Bell, S.A., Malcolm, G.J.), 227, 481

- Follow-up Zeeman observations of the T Tauri Star RU Lup (Johnstone, R.M., Penston, M.V.), 227, 797
- Axial inclination and differential rotation for 19 rapidly rotating stars (Stoeckley, T.R., Buscombe, W.), 227, 801
- Identification of intercombination transitions in Fe XIV and Fe XIII in the spectra of foil-excited ions and solar flares (Trabert, E., Hutton, R., Martinson, I.), 227, 31p
- Spectroscopic and photometric observations of SN 1987a: the first 50 days (Menzies, J.W., Catchpole, R.M., van Vuuren, G., Winkler, H., Laney, C.D., Whitelock, P.A., Cousins, A.W.J., Carter, B.S., Marang, F., Lloyd Evans, T.H.H., Roberts, G., Kilkenny, D., Spencer Jones, J., Sekiguchi, K., Fairall, A.P., Wolstencroft, R.D.), 227, 49p
- The significance of stellar magnetic field measurements obtained with the photographic technique: the spurious magnetic field of the supergiant Canopus (Stift, M.J.), 228, 109
- The stellar winds of early-type stars in the Small Magellanic Cloud (Prinja, K.), 228, 173
- Time resolved optical spectroscopy of the eclipsing intermediate polar EX Hydrae (Hellier, C., Mason, K.O., Rosen, S.R., Córdova, F.A.), 228, 463
- Spectroscopic and photometric observations in Bochum 10 and 11 (Pim FitzGerald, M., Mehta, S.), 228, 545
- Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms - II. The mercury-manganese stars 53 Tauri, Mu Leporis and Kappa Cancri (Adelman, S.J.), 228, 573
- LTE models of the emission lines of the dwarf nova Z Cha (Marsh, T.R.), 228, 779
- H α region spectroscopy of the RS CVn system HR 5110, (Eker, Z., Doherty, L.R.), 228, 869
- The distribution of OB stars and dust in a Milky Way field at (l, b) = (335°, 0°) (FitzGerald, M.P.), 229, 227
- Spectroscopic and photometric observations of SN 1987a - II. Days 51 to 134, (Catchpole, R.M., Menzies, J.W., Monk, A.S., Wargau, W.F., Pollacco, D., Carter, B.S., Whitelock, P.A., Marang, F., Laney, C.D., Balona, L.A., Feast, M.W., Lloyd Evans, T.H.H., Sekiguchi, K., Laing, J.D., Kilkenny, D.M., Spencer Jones, J., Roberts, G., Cousins, A.W.J., van Vuuren, G., Winkler, H.), 229, 15p
- Stars - station of**
- On magnetic braking of late-type stars (Mestel, L., Spruit, H.C.), 226, 5
- Stars - structure and evolution of**
- Apsidal motion in the early-type eclipsing binaries CW Cephei, Y Cygni and AG Persei (Giménez, A., Kim, C.-H., Nha, H.-S.), 224, 543
- The internal magnetic field of the Sun (Moss, D.), 224, 1019
- The radii and masses of dwarf Cepheids (Femley, J.A., Jameson, R.F., Sherrington, M.R., Skillen, I.), 225, 451
- Instability in the red star of semi-detached binary systems - II (Edwards, D.A.), 226, 95
- Time-dependent models of magnetic stars - IV. Perpendicular axes (Moss, D.), 226, 281
- Are the red supergiants ϵ Peg and 12 Pup victims of mild s-processing? (Smith, V.V., Lambert, D.L.), 226, 563
- g-modes in zero-temperature neutron stars (Finn, L.S.), 227, 265
- Erratum: Time-dependent models of magnetic stars - IV. Perpendicular axes (Moss, D.), 227, 543
- Hydrodynamic simulations of white dwarf-massive main-sequence star collisions in dense galactic nuclei (Regev, O., Shara, M.M.), 227, 967
- On the pre-main-sequence evolution of stars with mass accretion (Bhattacharjee, S.K.), 228, 289
- The period structure and stability of the pulsating white dwarf L 19-2 (O'Donoghue, D., Warner, B.), 228, 949
- On OB-type close binary stars (Hilditch, R.W., Bell, S.A.), 229, 529
- Evidence of the connection between internal magnetic fields and chromospheric activity in late-type stars (Montesinos, B., Fernández-Figueroa, M.J., de Castro, E.), 229, 627
- Stars - variable**
- Mode identification from line profile variations - III. Temperature variation and toroidal modes (Balona, L.A.), 224, 41
- CCD photometry of galactic clusters containing Cepheid variables - IV. NGC 6649 (Walker, A.R., Laney, C.D.), 224, 61
- Radial velocities of RR Lyrae stars in the Baade Window (Gratton, R.G.), 224, 175
- On the flickering of hot spots in cataclysmic variables (James, J.F.), 224, 227
- Periodic variations in PHL 227 (Haefer, R., Schoembs, R.), 224, 231
- Recurrence behaviour of outbursts in VW Hyi (van der Woerd, H., van Paradijs, J.), 224, 271
- The complex, variable structure of stationary lines in SS 433 (Falomo, R., Boksenberg, A., Tanzi, E.G., Tarengi, M., Treves, A.), 224, 323
- V2051 Ophiuchi: a low-field polar? (Warner, B., O'Donoghue, D.), 224, 733
- Pointers to conditions in the remnant of RS Ophiuchi from radio observations (Spoelstra, T.A.T., Taylor, A.R., Pooley, G.G., Evans, A., Albinson, J.S.), 224, 791

- Phase-resolved optical spectroscopy of the AM Her systems E1405-451 (Rosen, S.R., Mason, K.O., Córdoba, F.A.), 224, 987
- Photometric variability of the extreme hydrogen-deficient stars LSIV-1° 2 and BD +1° 4381 (Morrison, K.), 224, 1083
- Photometry and spectroscopy of the nova-like variable VZ Sculptoris during eclipse (O'Donoghue, D., Fairall, A.P., Warner, B.), 225, 43
- Detailed *EXOSAT* and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions (McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W.), 225, 355
- The radii and masses of dwarf Cepheids (Fernley, J.A., Jameson, R.F., Sherrington, M.R., Skillen, I.), 225, 451
- CCD light curves for seven Cepheid variables in the LMC cluster NGC 1866 (Walker, A.R.), 225, 627
- Non-adiabatic analysis of low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), 225, 643
- The period of the globular cluster X-ray source X1820 - 303; confirmation from *Ariel V* data (Smale, A.P., Mason, K.O., Mukai, K.), 225, 7p
- The discovery and analysis of oscillations with periods between 8.8 and 9.1 min in the cool magnetic Ap star HD 166473 (Kurtz, D.W., Martinez, P.), 226, 187
- Quasi-periodic oscillations in the X-ray flux of GX 3+1 (4U 1744-26) (Lewin, W.H.G., van Paradijs, J., Hasinger, G., Penninx, W.H., Langmeier, A., van der Klis, M., Jansen, F., Basinska, E.M., Sztajno, M., Trümper, J.), 226, 383
- X-ray and optical flickering in EF Eri (Watson, M.G., King, A.R., Williams, G.A.), 226, 867
- The absolute magnitude of RR Lyraes and the distance to the Galactic Centre (Fernley, J.A., Longmore, A.J., Jameson, R.F., Watson, F.G., Wesselink, T.), 226, 927
- The long-period variables of Fornax - I. Search, discovery and periods (Demers, S., Irwin, M.J.), 226, 943
- Power spectra, with applications to *EXOSAT* data (Tennant, A.F.), 226, 963
- High-frequency oscillations from Cir X-1 (Tennant, A.F.), 226, 971
- Absolute magnitudes of cataclysmic variables (Warner, B.), 227, 23
- Achernar (Balona, L.A., Engelbrecht, C.A., Marang, F.), 227, 123
- Optical and infrared observations of RV Tauri stars (Goldsmith, M.J., Evans, A., Albinson, J.S., Bode, M.F.), 227, 143
- Mass transfer rates and soft X-ray excess in AM Herculis binaries (King, A.R., Watson, M.G.), 227, 205
- A photometric survey of the bright southern Be stars (Stagg, C.), 227, 213
- Photometry and spectroscopy of the interacting binary white dwarf V803 Cen (AE-1) (O'Donoghue, D., Menzies, J.W., Hill, P.W.), 227, 347
- Optical variability of the black hole candidate GX339-4(X1659-487, V821 Ara) - limits on periodic modulation (Corbet, R.H.D., Thorstensen, J.R., Charles, P.A., Honey, W.B., Smale, A.P., Menzies, J.W.), 227, 1055
- Non-radial pulsations in the extreme helium star HD 160641 (Lynas-Gray, A.E., Kilkenny, D., Skillen, I., Jeffery, C.S.), 227, 1073
- Spectroscopic and photometric observations of SN 1987a: the first 50 days (Menzies, J.W., Catchpole, R.M., van Vuuren, G., Winkler, H., Laney, C.D., Whitelock, P.A., Cousins, A.W.J., Carter, B.S., Marang, F., Lloyd Evans, T.H.H., Roberts, G., Kilkenny, D., Spencer Jones, J., Sekiguchi, K., Fairall, A.P., Wolstencroft, R.D.), 227, 49p
- A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an *l*-1 oblique dipole oscillation (Kurtz, D.W., Cropper, M.S.), 228, 125
- The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations - I. The Rapidly Oscillating Ap star, HD 6532; the F2 IV/V star, HD 6491; and the He-weak B star, HD 5737 (HR 280, α Scl) (Kurtz, D.W., Marang, F.), 228, 141
- Spin-down of the white dwarf in the DQ Herculis system FO Aquarii (H2215-086) (Shafter, A.W., Macry, J.D.), 228, 193
- Observations of X-ray emission from the RS CVn binary HD 155555 and the detection of a nearby serendipitous source (Barstow, M.A.), 228, 251
- Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Omodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293
- Polarimetry of BL Hyi (H0139-68) in high and low states (Cropper, M.), 228, 389
- The photometric variability of the extremely hydrogen-deficient stars KS Persei and LSII + 33° 5 (Morrison, K., Willingale, G.P.H.), 228, 819
- The period structure and stability of the pulsating white dwarf L 19-2 (O'Donoghue, D., Warner, B.), 228, 949
- CCD photometry of galactic clusters containing Cepheid variables - V. Ruprecht 79 (Walker, A.R.), 229, 31
- The 1985 May superoutburst of the dwarf nova OY Carinae - I. Optical and infrared photometry (Naylor, T., Charles, P.A., Hassall, B.J.M., Bath, G.T., Berriman, G., Warner, B., Bailey, J., Reinsch, K.), 229, 183
- Wavelength dependence of superhumps in VW Hyi (van Amerongen, S., Bovenschen, H., van Paradijs, J.), 229, 245

- Light and colour variations in the extremely hydrogen-deficient binary CPD-58° 2721 (Morrison, K., Hill, P.W., Jeffery, C.S., Marang, F., Spencer Jones, J.), 229, 269
- The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations - II. HR 1217 (HD 24712) (Kurtz, D.W., Marang, F.), 229, 285
- A microwave survey of southern active stars (Slee, O.B., Nelson, G.J., Stewart, R.T., Wright, A.E., Innis, J.L., Ryan, S.G., Vaughan, A.E.), 229, 659

Stars - velocities of

- Radial velocities of RR Lyrae stars in the Baade Window (Gratton, R.G.), 224, 175
- The South Galactic Pole: radial velocities of 157 O-F8 (McFadzean, A.D., Hilditch, R.W., Hill, G., Aikman, G.C.L., Fisher, W.A.), 224, 393
- The orbital period of the hydrogen-deficient binary CPD - 58° 2721 (Jeffery, C.S., Drilling, J.S., Hill, P.W.), 225, 1005
- A radial velocity survey of extremely hydrogen-deficient stars (Jeffery, C.S., Drilling, J.S., Heber, U.), 226, 317
- Round dynamical models of the galactic halo (Sommer-Larsen, J.), 227, 25p
- Orbital elements of the exnova CP Puppis (Duerbeck, H.W., Seitter, W.C., Duemmler, R.), 229, 653
- Evidence of a small velocity dispersion for the Carina dwarf spheroidal? (Godwin, P.J., Lynden-Bell, D.), 229, 7p

Sun

- The $^{12}\text{C}/^{13}\text{C}$ and $^{16}\text{O}/^{18}\text{O}$ ratios in the solar photosphere (Harris, M.J., Lambert, D.L., Goldman, A.), 224, 237
- The internal magnetic field of the Sun (Moss, D.), 224, 1019
- New spectral line identifications in high-temperature flares (Fawcett, B.C., Jordan, C., Lemen, J.R., Phillips, K.J.H.), 225, 1013
- Identification of intercombination transitions in Fe XIV and Fe XIII in the spectra of foil-excited ions and solar flares (Trabert, E., Hutton, R., Martinson, I.), 227, 31P
- Mode classification and wave propagation in a magnetically structured medium (Hasan, S.S., Sobouti, Y.), 228, 427

Supernovae and supernova remnants

- Dynamical models of radiative shocks - I. Steady shocks (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), 224, 179

- The structure and evolution of interstellar bubbles in a multiphase interstellar medium - I. Physical model (Wolff, M.T., Durisen, R.H.), 224, 701
- Neutral hydrogen observations towards the compact radio source 0022+6352 in Tycho's SNR (Green, D.A., Gull, S.F.), 224, 1055
- EXOSAT observations of the SNR PKS 1209-52 (Kellett, B.J., Branduardi-Raymont, G., Culhane, J.L., Mason, I.M., Mason, K.O., Whitehouse, D.R.), 225, 199
- Radio observations of the filamentary nebula G2.4+1.4 (Green, D.A., Downes, A.J.B.), 225, 221
- The galactic radio sources G5.4-1.2 and G5.27-0.90 (Caswell, J.L., Kesteven, M.J., Komesaroff, M.M., Haynes, R.F., Milne, D.K., Stewart, R.T., Wilson, S.G.), 225, 329
- Confirmation of 3C 58's increasing radio flux density (Green, D.A.), 225, 11p
- Dynamical models of radiative shocks - III. Spectra (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), 227, 1021
- Interstellar polarization in the dust lane of Centaurus A (NGC 5128) (Hough, J.H., Bailey, J.A., Rouse, M.F., Whittet, D.C.B.), 227, 1p
- Spectroscopic and photometric observations of SN 1987a: the first 50 days (Menzies, J.W., Catchpole, R.M., van Vuuren, G., Winkler, H., Laney, C.D., Whitelock, P.A., Cousins, A.W.J., Carter, B.S., Marang, F., Lloyd Evans, T.H.H., Roberts, G., Kilkenny, D., Spencer Jones, J., Sekiguchi, K., Fairall, A.P., Wolstencroft, R.D.), 227, 49p
- Pre-galactic shocks: influence on density perturbations (Madsen, J.), 228, 229
- Mass loaded astronomical flows - III. The structure of supernova remnants and the local soft X-ray background (Dyson, J.E., Hartquist, T.W.), 228, 453
- Einstein X-ray observations of the supernova remnant HB21 (Leahy, D.A.), 228, 907
- The morphology and dynamics of a multi-lobed supernova remnant in the LMC (DEM 34a, N11L) (Meabum, J.), 229, 457
- Spectroscopic and photometric observations of SN 1987a - II. Days 51 to 134 (Catchpole, R.M., Menzies, J.W., Monk, A.S., Wargau, W.F., Pollacco, D., Carter, B.S., Whitelock, P.A., Marang, F., Laney, C.D., Balona, L.A., Feast, M.W., Lloyd Evans, T.H.H., Sekiguchi, K., Laing, J.D., Kilkenny, D.M., Spencer Jones, J., Roberts, G., Cousins, A.W.J., van Vuuren, G., Winkler, H.), 229, 15p

Ultraviolet astronomy

- δ Andromedae (K3 III): an *IRAS* source with an unusual ultraviolet spectrum (Judge, P.G., Jordan, C., Rowan-Robinson, M.), 224, 93

- An activity-rotation relationship in F-M dwarfs from Mg II h and k flux (Doyle, J.G.), 224, 1p
- Multiwavelength monitoring of the dwarf nova VW Hydri - III. *IUE* observations (Verbunt, F., Hassall, B.J.M., Pringle, J.E., Warner, B., Marang, F.), 225, 113
- Multiwavelength monitoring of the dwarf nova VW Hydri - IV. *Voyager* observations (Polidan, R.S., Holberg, J.B.), 225, 131
- The Si III 1892 Å/C III 1908 Å emission-line ratio in late-type stars (Keenan, F.P., Dufton, P.L., Kingston, A.E.), 225, 859
- The chromospheres and coronae of five G-K main-sequence stars (Jordan, C., Ayres, T.R., Brown, A., Linsky, J.L., Simon, T.), 225, 903
- The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145 - 619 (Payne, B.J., Coe, M.J.), 225, 985
- A subdwarf's startling stellar wind (Howarth, I.D.), 225, 33p
- The spectroscopic orbit of HD 128220 (Howarth, I.D.), 226, 249
- An archival study of *IUE* observations of low-redshift quasars (Cheng, F.H., Fang, L.Z.), 226, 485
- Studies of calcium emission stars - I. HD 158393 a giant star in a binary system (Lloyd Evans, T., Balona, L.A., Fekel, F.C.), 226, 813
- Identification of intercombination transitions in Fe XIV and Fe XIII in the spectra of foil-excited ions and solar flares (Trabert, E., Hutton, R., Martinson, I.), 227, 31p
- The stellar winds of early-type stars in the Small Magellanic Cloud (Prinja, K.), 228, 173
- Sulphur compounds in cometary *IUE* spectra (Krishna Swamy, K.S., Wallis, M.K.), 228, 305
- Novae Aquilae 1982 (Snijders, M.A.J., Batt, T.J., Roche, P.F., Seaton, M.J., Morton, D.C., Spoelstra, T.A.T., Blades, J.C.), 228, 329
- Radio detection of the Be star μ Persei (Taylor, A.R., Waters, L.B.F.M., Lames, H.J.L.M., Persi, P., Bjorkman, K.S.), 228, 811

X-ray astronomy

- Pair production in synchrotron self-Compton models: the case of one generation of pairs (Ghisellini, G.), 224, 1
- Discovery of a strong soft X-ray excess in Mkn 335 - evidence for an accretion disc? (Pounds, K.A., Stanger, V.J., Turner, T.J., King, A.R., Czerny, B.), 224, 443
- X-ray spectrum of sigma Geminorum: an RS Canum Venaticorum type binary (Singh, K.P., Slijkhuys, S., Westergaard, N.J., Schnopper, H.W., Elgaroy, Ø., Engvold, Ø., Joras, P.), 224, 481
- EXOSAT* observations of the X-ray source in M15 (Callanan, P.J., Fabian, A.C., Tennant, A.F., Redfern, R.M., Shafer, R.A.), 224, 781

- Multiwavelength monitoring of the dwarf nova VW Hydri - V. *EXOSAT* observations (van der Woerd, H., Heise, J.), 225, 141
- EXOSAT* observations of the SNR PKS 1209-52 (Kellett, B.J., Branduardi-Raymont, G., Culhane, J.L., Mason, I.M., Mason, K.O., Whitehouse, D.R.), 225, 199
- Detailed *EXOSAT* and optical observations of the intermediate polar 3A0729+103: discovery of two medium energy X-ray emission regions (McHardy, I.M., Pye, J.P., Fairall, A.P., Menzies, J.W.), 225, 355
- A pulse timing study of the X-ray pulsar 4U1145-619 (Cook, M.C., Warwick, R.S.), 225, 369
- The X-ray properties of 3A1907+09 (Cook, M.C., Page, C.G.), 225, 381
- The ultraviolet variability of binary X-ray pulsars: observations of Vela X-1, A0535+26 and 4U1145-619 (Payne, B.J., Coe, M.J.), 225, 985
- New spectral line identifications in high-temperature flares (Fawcett, B.C., Jordan, C., Lemen, J.R., Phillips, K.J.H.), 225, 1013
- The period of the globular cluster X-ray source X1820-303; confirmation from *Ariel V* data (Smale, A.P., Mason, K.O., Mukai, K.), 225, 7p
- Accretion disc coronae and the X-ray source in M15 (Fabian, A.C., Guilbert, P.W., Callanan, P.J.), 225, 29p
- A flywheel model for Cyg X-3. A case for a strict relation with Sco X-1 (Treves, A., Bocci, F.), 225, 39p
- Constraints on the mass-radius relation of the neutron star in 4U 1746-37/NGC 6441 (Sztajno, M., Fujimoto, M.Y., van Paradijs, J., Vacca, W.D., Lewin, W.H.G., Penninx, W., Trümper, J.), 226, 39
- Quasi-periodic oscillations in the X-ray flux of GX 3+1 (4U 1744-26) (Lewin, W.H.G., van Paradijs, J., Hasinger, G., Penninx, W.H., Langmeier, A., van der Klis, M., Jansen, F., Basinska, E.M., Sztajno, M., Trümper, J.), 226, 383
- Observation of a partial X-ray eclipse in the long-period low-mass X-ray binary 2S 0921-630 (Mason, K.O., Branduardi-Raymont, G., Córdova, F.A., Corbet, R.H.D.), 226, 423
- A near-IR study of the X-ray transient V0332+53 (Coe, M.J., Longmore, A.J., Payne, B.J., Hanson, C.G.), 226, 455
- Beaming and the X-ray, optical and radio properties of quasars (Browne, I.W.A., Murphy, D.W.), 226, 601
- A 25 min modulation from the vicinity of the unusually soft X-ray source X0142+614 (White, N.E., Mason, K.O., Giommi, P., Angelini, L., Pooley, G., Branduardi-Raymont, G., Murdin, P.G., Wall, J.V.), 226, 645
- LTE model atmospheres for accreting white dwarfs (Williams, G.A., King, A.R., Brooker, J.R.E.), 226, 725
- X-ray and optical flickering in EF Eri (Watson, M.G., King, A.R., Williams, G.A.), 226, 867
- High-frequency oscillations from Cir X-1 (Tennant, A.F.), 226, 971

- Dramatic X-ray variability in the narrow emission line galaxy NGC 7314 (Turner, T.J.), 226, 9p
- Mass transfer rates and soft X-ray excess in AM Herculis binaries (King, A.R., Watson, M.G.), 227, 205
- X-ray observations of the Ophiuchus, PKS 0745 - 191 and Cygnus-A clusters of galaxies (Arnaud, K.A., Johnstone, R.M., Fabian, A.C., Crawford, C.S., Nulsen, P.E.J., Shafer, R.A., Mushotzky, R.F.), 227, 241
- Non-thermal pair production in compact X-ray sources: first-order Compton cascades in soft radiation fields (Svensson, R.), 227, 403
- X-ray intensity and spectral variations in the BL Lac sources H2155-304 and PKS0548-322 (Agrawal, P.C., Singh, K.P., Riegler, G.R.), 227, 525
- An *EXOSAT* observation of 1.5 orbital cycles of the 0.7 day short-period RS CVn system ER Vul (White, N.E., Culhane, J.L., Parmar, A.N., Sweeney, M.A.), 227, 545
- Spectral variability of 4U1145-619 during X-ray outburst (Cook, M.C., Warwick, R.S.), 227, 661
- A link between X-ray variability and absorption in active galactic nuclei (Smith, M.D.), 227, 783
- Time lag between hard and soft X-ray photons in QPO sources (Stollman, G.M., Hasinger, G., Lewin, W.H.G., van der Klis, M., van Paradijs, J.), 227, 7p
- Synchrotron X-ray haloes around gamma ray sources (Kifune, T., Sadzinska, M., Wdowczyk, J., Wolfendale, A.W., Norton, A.J., Warwick, R.S.) 228, 243
- Observations of X-ray emission from the RS CVn binary HD 155555 and the detection of a nearby serendipitous source (Barstow, M.A.), 228, 251
- The formation of iron features in the cooling spectrum of X-ray bursts (Foster, A.J., Ross, R.R., Fabian, A.C.), 228, 259
- Simultaneous observations of the X-ray and optical eclipse of SS433 and their implications (Stewart, G.C., Watson, M.G., Matsuoka, M., Brinkman, W., Jugaku, J., Takagishi, K., Ommodaka, T., Kemp, J.C., Kenson, G.D., Kraus, D.J., Mazeh, T., Leibowitz, E.M.), 228, 293
- Mass loaded astronomical flows - III. The structure of supernova remnants and the local soft X-ray background (Dyson, J.E., Hartquist, T.W.), 228, 453
- Radio observations of a hard X-ray selected sample of active galaxies (Unger, S.W., Lawrence, A., Wilson, A.S., Elvis, M., Wright, A.E.), 228, 521
- 3C 273 and the power-law myth (Perry, J.J., Ward, M.J., Jones, M.), 228, 623
- Einstein* X-ray observations of the supernova remnant HB21 (Leahy, D.A.), 228, 907
- Mass deposition in cooling flows - analysis of the X-ray data (Thomas, P.A., Fabian, A.C., Nulsen, P.E.J.), 228, 973
- Energy dependent delay measurements of quasi-periodic oscillations in low-mass X-ray binaries (Wijers, R.A.M.J., Paradijs van, J., Lewin, W.H.G.), 228, 17p
- An *EXOSAT* observation of the bursting X-ray transient 4U 1608-52 (Gottwald, M., Stella, L., White, N.E., Barr, P.), 229, 395

